

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG100218\
 Data File : BG037119.D
 Acq On : 3 Oct 2018 00:28
 Operator : JU/SJ
 Sample : PB113441BL
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 03 02:53:28 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 24 10:41:23 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	53819	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	219991	20.00	ng	0.00
38) Acenaphthene-d10	14.67	164	134067	20.00	ng	0.00
63) Phenanthrene-d10	17.41	188	315475	20.00	ng	0.00
75) Chrysene-d12	21.67	240	328379	20.00	ng	-0.02
86) Perylene-d12	24.88	264	313713	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	423517	150.92	ng	0.00
7) Phenol-d6	7.20	99	562765	129.61	ng	0.00
23) Nitrobenzene-d5	9.20	82	373841	91.00	ng	0.00
41) 2,4,6-Tribromophenol	16.15	330	189749	118.30	ng	-0.02
44) 2-Fluorobiphenyl	13.28	172	807239	89.68	ng	-0.02
78) Terphenyl-d14	20.02	244	1231797	98.64	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG100218\
Data File : BG037119.D
Acq On : 3 Oct 2018 00:28
Operator : JU/SJ
Sample : PB113441BL
Misc :
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Oct 03 02:53:28 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 24 10:41:23 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.04 min Scan# 809
Delta R.T. -0.00 min
Lab File: BG037119.D
Acq: 3 Oct 2018 00:28

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.2	119.5	179.3
115	60.0	44.5	66.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 150.916 ng
RT: 5.62 min Scan# 396
Delta R.T. -0.00 min
Lab File: BG037119.D
Acq: 3 Oct 2018 00:28

Tgt Ion	Ratio	Lower	Upper
112	100		
64	70.7	57.2	85.8
63	37.3	30.8	46.2





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 129.614 ng

RT: 7.20 min Scan# 666

Delta R.T. -0.01 min

Lab File: BG037119.D

Acq: 3 Oct 2018 00:28


Tot Ion: 99 Resp: 562765

Ion Ratio Lower Upper




99 100

42 19.9 16.5 24.7

71 36.7 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1286

Delta R.T. -0.01 min

Lab File: BG037119.D

Acq: 3 Oct 2018 00:28

Tgt Ion: 136 Resp: 219991


Ion Ratio Lower Upper

136 100



137 11.3 8.8 13.2

54 10.7 9.2 13.8

68 7.1 5.8 8.6







Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
Nitrobenzene-d5
Concen: 91.002 ng
RT: 9.20 min Scan# 1006
Delta R.T. -0.01 min
Lab File: BG037119.D
Acq: 3 Oct 2018 00:28


Tot Ion: 82 Resp: 373841
Ion Ratio Lower Upper
82 100
128 42.2 33.3 49.9
54 57.0 45.1 67.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.67 min Scan# 1936
Delta R.T. -0.01 min
Lab File: BG037119.D
Acq: 3 Oct 2018 00:28


Tgt Ion: 164 Resp: 134067
Ion Ratio Lower Upper
164 100
162 102.5 80.7 121.1
160 46.1 35.3 52.9








#41
 2,4,6-Tribromophenol
 Concen: 118.295 ng
 RT: 16.15 min Scan# 2189
 Delta R.T. -0.02 min
 Lab File: BG037119.D
 Acq: 3 Oct 2018 00:28

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.1	75.4	113.2
141	39.4	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 89.679 ng
 RT: 13.28 min Scan# 1701
 Delta R.T. -0.02 min
 Lab File: BG037119.D
 Acq: 3 Oct 2018 00:28

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.2	31.3	46.9
170	24.6	21.0	31.6







Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.41 min Scan# 2403
Delta R.T. -0.01 min
Lab File: BG037119.D
Acq: 3 Oct 2018 00:28

Tot Ion:188 Resp: 315475
Ion Ratio Lower Upper
188 100
94 8.0 6.7 10.1
80 10.0 8.1 12.1



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.67 min Scan# 3129
Delta R.T. -0.02 min
Lab File: BG037119.D
Acq: 3 Oct 2018 00:28

Tgt Ion:240 Resp: 328379
Ion Ratio Lower Upper
240 100
120 8.8 6.9 10.3
236 25.7 21.2 31.8









#78
 Terphenyl-d14
 Concen: 98.636 ng
 RT: 20.02 min Scan# 2847
 Delta R.T. -0.01 min
 Lab File: BG037119.D
 Acq: 3 Oct 2018 00:28

Tot Ion:244 Resp: 1231797

Ion	Ratio	Lower	Upper
244	100		
212	8.7	7.0	10.6
122	10.0	7.1	10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.88 min Scan# 3674
 Delta R.T. -0.03 min
 Lab File: BG037119.D
 Acq: 3 Oct 2018 00:28

Tgt Ion:264 Resp: 313713

Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.6	29.4
265	21.3	17.4	26.0

