

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG100220\
 Data File : BG046745.D
 Acq On : 2 Oct 2020 20:22
 Operator : CG/JU
 Sample : L4151-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 CB7K6

Quant Time: Oct 03 00:38:12 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG092920MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Oct 03 00:37:01 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.109	152	67757	20.00	ng/ul	0.00
18) Naphthalene-d8	10.924	136	270861	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.737	164	202070	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.475	188	488268	20.00	ng/ul	0.00
78) Chrysene-d12	21.752	240	501834	20.00	ng/ul	0.00
86) Perylene-d12	25.025	264	510143	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.526	96	7791	5.64	ng/uL	-0.01
5) Phenol-d5	7.252	99	141027	24.32	ng/ul	0.00
7) Bis-(2-Chloroethyl)eth...	7.434	67	93697	26.48	ng/ul	0.00
9) 2-Chlorophenol-d4	7.639	132	108414	25.61	ng/ul	0.00
13) 4-Methylphenol-d8	8.803	113	115561	25.48	ng/ul	0.00
19) Nitrobenzene-d5	9.273	128	57108	28.17	ng/ul	0.00
22) 2-Nitrophenol-d4	9.995	143	62593	30.38	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.536	165	121779	25.12	ng/ul	0.00
29) 4-Chloroaniline-d4	11.047	131	69403	12.05	ng/ul	0.00
44) Dimethylphthalate-d6	14.132	166	413992	26.81	ng/ul	0.00
47) Acenaphthylene-d8	14.431	160	467554	25.50	ng/ul	0.00
52) 4-Nitrophenol-d4	14.901	143	69230	26.30	ng/ul	0.00
58) Fluorene-d10	15.724	176	372933	26.20	ng/ul	0.00
63) 4,6-Dinitro-2-methylph...	15.824	200	59368	24.33	ng/ul	0.00
71) Anthracene-d10	17.575	188	542379	24.21	ng/ul	0.00
79) Pyrene-d10	19.854	212	646082	24.81	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.802	264	635274	23.10	ng/ul	0.00
Target Compounds						Qvalue
45) Dimethylphthalate	14.179	163	42414	2.71	ng/ul	97
84) Bis(2-ethylhexyl)phtha...	21.646	149	37836	2.26	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG100220\
Data File : BG046745.D
Acq On : 2 Oct 2020 20:22
Operator : CG/JU
Sample : L4151-03
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
CB7K6

Quant Time: Oct 03 00:38:12 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG092920MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Oct 03 00:37:01 2020
Response via : Initial Calibration









#45
Dimethylphthalate
Concen: 2.71 ng/ul
RT: 14.179 min Scan# 1845
Delta R.T. -0.005 min
Lab File: BG046745.D
Acq: 2 Oct 2020 20:22

Instrument :
BNA_G
ClientSampleId :
CB7K6

Tgt Ion:163 Resp: 42414
Ion Ratio Lower Upper
163 100
194 5.4 3.6 5.4
164 10.2 7.4 11.0



#84
Bis(2-ethylhexyl)phthalate
Concen: 2.26 ng/ul
RT: 21.646 min Scan# 3116
Delta R.T. -0.005 min
Lab File: BG046745.D
Acq: 2 Oct 2020 20:22

Tgt Ion:149 Resp: 37836
Ion Ratio Lower Upper
149 100
167 29.4 22.7 34.1
279 4.8 4.2 6.2

