

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG100220\
 Data File : BG046748.D
 Acq On : 2 Oct 2020 22:23
 Operator : CG/JU
 Sample : L4166-13
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0AF2

Quant Time: Oct 03 00:38:29 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG092920MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Oct 03 00:37:01 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.109	152	70549	20.00	ng/ul	0.00
18) Naphthalene-d8	10.924	136	274934	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.737	164	198749	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.475	188	495512	20.00	ng/ul	0.00
78) Chrysene-d12	21.752	240	546524	20.00	ng/ul	0.00
86) Perylene-d12	25.025	264	570539	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.532	96	8369	5.82	ng/uL	0.00
5) Phenol-d5	7.252	99	36837	6.10	ng/ul	0.00
7) Bis-(2-Chloroethyl)eth...	7.434	67	83523	22.67	ng/ul	0.00
9) 2-Chlorophenol-d4	7.639	132	86991	19.73	ng/ul	0.00
13) 4-Methylphenol-d8	8.803	113	62078	13.15	ng/ul	0.00
19) Nitrobenzene-d5	9.273	128	54909	26.68	ng/ul	0.00
22) 2-Nitrophenol-d4	9.995	143	59659	28.53	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.530	165	116454	23.67	ng/ul	0.00
29) 4-Chloroaniline-d4	11.047	131	14536	2.49	ng/ul	0.00
44) Dimethylphthalate-d6	14.132	166	455396	29.99	ng/ul	0.00
47) Acenaphthylene-d8	14.425	160	519909	28.83	ng/ul	0.00
52) 4-Nitrophenol-d4	14.895	143	20181	7.79	ng/ul	-0.01
58) Fluorene-d10	15.724	176	424658	30.33	ng/ul	0.00
63) 4,6-Dinitro-2-methylph...	15.824	200	85424	34.50	ng/ul	0.00
71) Anthracene-d10	17.575	188	787401	34.64	ng/ul	0.00
79) Pyrene-d10	19.854	212	995625	35.11	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.802	264	1069105	34.77	ng/ul	0.00
Target Compounds						
45) Dimethylphthalate	14.179	163	38955	2.53	ng/ul#	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG100220\
Data File : BG046748.D
Acq On : 2 Oct 2020 22:23
Operator : CG/JU
Sample : L4166-13
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0AF2


Quant Time: Oct 03 00:38:29 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG092920MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Oct 03 00:37:01 2020
Response via : Initial Calibration





#45
Dimethylphthalate
Concen: 2.53 ng/ul
RT: 14.179 min Scan# 1845
Delta R.T. -0.005 min
Lab File: BG046748.D
Acq: 2 Oct 2020 22:23

Instrument :
BNA_G
ClientSampleId :
C0AF2



Tgt Ion:163 Resp: 38955
Ion Ratio Lower Upper
163 100
194 5.9 3.6 5.4#
164 10.9 7.4 11.0

