


Data Path : Z:\HPCHEM1\BNA_G\DATA\BG100415\
Data File : BG019018.D
Acq On : 4 Oct 2015 23:27
Operator : UM/NP
Sample : G3831-02DL 50X
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0AP3DL

Quant Time: Oct 05 02:23:30 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG100415.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Oct 05 02:06:27 2015
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDADODA
10/5/2015 1:26:28 PM



Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA_G\DATA\BG100415\
 Data File : BG019018.D
 Acq On : 4 Oct 2015 23:27
 Operator : UM/NP
 Sample : G3831-02DL 50X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 COAP3DL

Quant Time: Oct 05 02:07:20 2015
 Quant Title :
 QLast Update : Mon Oct 05 02:06:27 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDADODA
 10/5/2015 1:26:28 PM



TIC: BG019018.D

(71) Anthracene-d10 (S)

17.409min (-0.101) 21.24ng/ul

response 171443

Ion	Exp%	Act%
188.00	100	100
94.00	10.20	9.94
80.00	9.40	11.20
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_G\DATA\BG100415\
 Data File : BG019018.D
 Acq On : 4 Oct 2015 23:27
 Operator : UM/NP
 Sample : G3831-02DL 50X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0AP3DL

Quant Time: Oct 05 02:07:20 2015
 Quant Title :
 QLast Update : Mon Oct 05 02:06:27 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDADODA
 10/5/2015 1:26:28 PM



(71) Anthracene-d10 (S)

17.509min (-0.001) 0.89ng/ul m *U.M*
10/6/15
 response 7160

Ion	Exp%	Act%
188.00	100	100
94.00	10.20	13.12#
80.00	9.40	9.20
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG100415\
 Data File : BG019018.D
 Acq On : 4 Oct 2015 23:27
 Operator : UM/NP
 Sample : G3831-02DL 50X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 COAP3DL

Quant Time: Oct 05 02:23:30 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG100415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Oct 05 02:06:27 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDADODA
 10/5/2015 1:26:28 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	25534	20.00	ng/ul	0.00
18) Naphthalene-d8	10.85	136	105993	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.67	164	68838	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.41	188	171443	20.00	ng/ul	0.00
78) Chrysene-d12	21.67	240	213452	20.00	ng/ul	0.00
86) Perylene-d12	24.89	264	208483	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	7.20	99	82	0.04	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.38	67	868	0.61	ng/ul	0.01
9) 2-Chlorophenol-d4	7.58	132	864	0.52	ng/ul	0.00
13) 4-Methylphenol-d8	8.74	113	566	0.33	ng/ul	0.00
19) Nitrobenzene-d5	9.20	128	485	0.61	ng/ul	0.00
22) 2-Nitrophenol-d4	9.93	143	585	0.71	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.46	165	970	0.59	ng/ul	0.00
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	
44) Dimethylphthalate-d6	14.07	166	4159	0.77	ng/ul	0.00
47) Acenaphthylene-d8	14.37	160	5273	0.79	ng/ul	0.00
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
58) Fluorene-d10	15.66	176	4350	0.89	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.76	200	328	0.35	ng/ul	0.00
71) Anthracene-d10	17.51	188	7160m	0.89	ng/ul	0.00
79) Pyrene-d10	19.79	212	7977	0.81	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.67	264	8146	0.76	ng/ul	0.00

U.M
 10/6/15

Target Compounds						Qvalue
20) Nitrobenzene	9.25	77	65020	32.60	ng/ul	98
73) 1,2,3,4-Tetrachlorobenzene	13.47	216	3755	1.62	ng/uL	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed