

Data Path : Z:\HPCHEM1\BNA G\DATA\BG100615\
 Data File : BG019054.D
 Acq On : 6 Oct 2015 20:35
 Operator : UM/NP
 Sample : G3851-08
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0GH0

Quant Time: Oct 07 01:08:41 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG100415.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Oct 07 01:07:34 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	19164	20.00	ng/ul	0.00
18) Naphthalene-d8	10.85	136	81619	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.67	164	54749	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.42	188	151372	20.00	ng/ul	0.00
78) Chrysene-d12	21.69	240	194485	20.00	ng/ul	0.00
86) Perylene-d12	24.92	264	187461	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.49	96	368	0.87	ng/uL	0.00
5) Phenol-d5	7.20	99	7548	4.57	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.37	67	18946	17.73	ng/ul	0.00
9) 2-Chlorophenol-d4	7.58	132	18841	15.20	ng/ul	0.00
13) 4-Methylphenol-d8	8.75	113	13634	10.50	ng/ul	0.00
19) Nitrobenzene-d5	9.20	128	11820	19.15	ng/ul	0.00
22) 2-Nitrophenol-d4	9.93	143	13090	20.62	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.47	165	23733	18.68	ng/ul	0.00
29) 4-Chloroaniline-d4	10.98	131	7756	5.01	ng/ul	0.00
44) Dimethylphthalate-d6	14.08	166	103570	23.99	ng/ul	0.00
47) Acenaphthylene-d8	14.37	160	108378	20.30	ng/ul	0.00
52) 4-Nitrophenol-d4	14.86	143	5251	6.02	ng/ul	0.00
58) Fluorene-d10	15.66	176	89817	22.98	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.77	200	18087	22.03	ng/ul	0.00
71) Anthracene-d10	17.51	188	167212	23.46	ng/ul	0.00
79) Pyrene-d10	19.80	212	216171	24.00	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.70	264	230972	24.08	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	14.12	163	19119	4.34	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG100615\
Data File : BG019054.D
Acq On : 6 Oct 2015 20:35
Operator : UM/NP
Sample : G3851-08
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0GH0

Quant Time: Oct 07 01:08:41 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG100415.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Oct 07 01:07:34 2015
Response via : Initial Calibration





#45
 Dimethylphthalate
 Concen: 4.34 ng/ul
 RT: 14.12 min Scan# 1920
 Delta R.T. -0.00 min
 Lab File: BG019054.D
 Acq: 6 Oct 2015 20:35

Instrument :
 BNA_G
 ClientSampleId :
 C0GH0

Tot Ion:	163	Resp:	19119
Ion	Ratio	Lower	Upper
163	100		
194	4.5	3.3	4.9
164	8.6	8.1	12.1

