

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG100720\
 Data File : BG046805.D
 Acq On : 7 Oct 2020 17:03
 Operator : CG/JU
 Sample : L4200-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB-2020-WW-000-01

Quant Time: Oct 07 17:44:48 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG092220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 07 11:38:17 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.109	152	68483	20.00	ng	0.00
21) Naphthalene-d8	10.917	136	261906	20.00	ng	0.00
39) Acenaphthene-d10	14.730	164	187295	20.00	ng	0.00
64) Phenanthrene-d10	17.474	188	434745	20.00	ng	0.00
76) Chrysene-d12	21.752	240	476351	20.00	ng	# 0.00
86) Perylene-d12	25.024	264	484467	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.671	112	234349	54.82	ng	0.00
7) Phenol-d6	7.257	99	199489	33.08	ng	0.00
23) Nitrobenzene-d5	9.272	82	468860	95.24	ng	0.00
42) 2,4,6-Tribromophenol	16.217	330	329597	133.46	ng	0.00
45) 2-Fluorobiphenyl	13.362	172	1056241	79.84	ng	0.00
79) Terphenyl-d14	20.083	244	1751988	73.71	ng	0.00
Target Compounds						
10) Phenol	7.280	94	12852	2.14	ng	Qvalue 79
50) Dimethylphthalate	14.178	163	130472	8.72	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG100720\
Data File : BG046805.D
Acq On : 7 Oct 2020 17:03
Operator : CG/JU
Sample : L4200-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB-2020-WW-000-01

Quant Time: Oct 07 17:44:48 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG092220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 07 11:38:17 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.109 min Scan# 812
Delta R.T. 0.001 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03




Instrument :
BNA_G
ClientSampleId :
PB-2020-WW-000-01


Tgt Ion:152 Resp: 68483
Ion Ratio Lower Upper
152 100
150 154.4 125.0 187.6
115 59.2 41.8 62.6



#5
2-Fluorophenol
Concen: 54.82 ng
RT: 5.671 min Scan# 397
Delta R.T. 0.001 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03

Tgt Ion:112 Resp: 234349
Ion Ratio Lower Upper
112 100
64 62.6 46.7 70.1
63 35.8 22.8 34.2#









#7
Phenol-d6
Concen: 33.08 ng
RT: 7.257 min Scan# 667
Delta R.T. 0.001 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03




Instrument :
BNA_G
ClientSampleId :
PB-2020-WW-000-01


Tgt Ion: 99 Resp: 199489
Ion Ratio Lower Upper
99 100
42 21.3 12.8 19.2#
71 40.1 24.6 36.8#



#10
Phenol
Concen: 2.14 ng
RT: 7.280 min Scan# 671
Delta R.T. -0.005 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03

Tgt Ion: 94 Resp: 12852
Ion Ratio Lower Upper
94 100
65 28.4 6.6 46.6
66 53.5 13.9 53.9









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.917 min Scan# 1290
Delta R.T. -0.005 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03

Instrument :
BNA_G
ClientSampleId :
PB-2020-WW-000-01

Tgt Ion:136 Resp: 261906




Ion	Ratio	Lower	Upper
136	100		
137	10.0	9.1	13.7
54	9.2	6.2	9.4
68	5.4	5.0	7.4




#23
Nitrobenzene-d5
Concen: 95.24 ng
RT: 9.272 min Scan# 1010
Delta R.T. 0.001 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03

Tgt Ion: 82 Resp: 468860

Ion	Ratio	Lower	Upper
82	100		
128	41.2	37.0	55.6
54	55.4	39.0	58.4









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.730 min Scan# 1939
Delta R.T. -0.005 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03




Instrument :
BNA_G
ClientSampleId :
PB-2020-WW-000-01


Tgt Ion:164 Resp: 187295
Ion Ratio Lower Upper
164 100
162 98.8 82.3 123.5
160 43.7 35.3 52.9



#42
2,4,6-Tribromophenol
Concen: 133.46 ng
RT: 16.217 min Scan# 2192
Delta R.T. 0.001 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03


Tgt Ion:330 Resp: 329597
Ion Ratio Lower Upper
330 100
332 95.7 76.5 114.7
141 34.4 26.0 39.0








#45
2-Fluorobiphenyl
Concen: 79.84 ng
RT: 13.362 min Scan# 1706
Delta R.T. 0.001 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03

Instrument :
BNA_G
ClientSampleId :
PB-2020-WW-000-01




Tgt Ion:172 Resp: 1056241

Ion	Ratio	Lower	Upper
172	100		
171	36.5	31.3	46.9
170	24.2	20.8	31.2






#50
Dimethylphthalate
Concen: 8.72 ng
RT: 14.178 min Scan# 1845
Delta R.T. -0.005 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03



Tgt Ion:163 Resp: 130472

Ion	Ratio	Lower	Upper
163	100		
194	4.8	3.8	5.8
164	11.5	8.8	13.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.474 min Scan# 2406
Delta R.T. -0.005 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03




Instrument :
BNA_G
ClientSampleId :
PB-2020-WW-000-01


Tgt Ion:188 Resp: 434745
Ion Ratio Lower Upper
188 100
94 6.6 6.3 9.5
80 7.7 7.0 10.6



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.752 min Scan# 3134
Delta R.T. -0.005 min
Lab File: BG046805.D
Acq: 7 Oct 2020 17:03

Tgt Ion:240 Resp: 476351
Ion Ratio Lower Upper
240 100
120 5.0 6.2 9.4#
236 25.5 20.5 30.7









#79
 Terphenyl-d14
 Concen: 73.71 ng
 RT: 20.083 min Scan# 2850
 Delta R.T. 0.001 min
 Lab File: BG046805.D
 Acq: 7 Oct 2020 17:03

Instrument :
 BNA_G
 ClientSampleId :
 PB-2020-WW-000-01

Tgt Ion:244 Resp: 1751988
 Ion Ratio Lower Upper
 244 100
 212 8.4 6.7 10.1
 122 7.0 7.8 11.6#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.024 min Scan# 3691
 Delta R.T. -0.005 min
 Lab File: BG046805.D
 Acq: 7 Oct 2020 17:03

Tgt Ion:264 Resp: 484467
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.8 28.2
 265 21.9 17.8 26.8

