

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG100820\
 Data File : BG046821.D
 Acq On : 8 Oct 2020 18:49
 Operator : CG/JU
 Sample : SP5294
 Misc : 8270 SURROGATE SOLUTION 100ng BN/150ng ACID
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SP5294

Quant Time: Oct 09 01:11:38 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG092220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 07 11:38:17 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.111	152	570386	20.00	ng	# 0.00
21) Naphthalene-d8	10.925	136	2067771	20.00	ng	# 0.00
39) Acenaphthene-d10	14.732	164	1480047	20.00	ng	0.00
64) Phenanthrene-d10	17.476	188	3145185	20.00	ng	0.00
76) Chrysene-d12	21.760	240	3659775	20.00	ng	# 0.00
86) Perylene-d12	25.050	264	4150807	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.673	112	372241	10.45	ng	0.00
7) Phenol-d6	7.259	99	480571	9.57	ng	0.00
23) Nitrobenzene-d5	9.262	82	317863	8.18	ng	0.00
42) 2,4,6-Tribromophenol	16.213	330	238160	12.20	ng	0.00
45) 2-Fluorobiphenyl	13.358	172	738400	7.06	ng	0.00
79) Terphenyl-d14	20.073	244	1303429	7.14	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG100820\
Data File : BG046821.D
Acq On : 8 Oct 2020 18:49
Operator : CG/JU
Sample : SP5294
Misc : 8270 SURROGATE SOLUTION 100ng BN/150ng ACID
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SP5294

Quant Time: Oct 09 01:11:38 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG092220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 07 11:38:17 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.111 min Scan# 812
Delta R.T. 0.003 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49




Instrument :
BNA_G
ClientSampleId :
SP5294


Tgt Ion:152 Resp: 570386
Ion Ratio Lower Upper
152 100
150 154.1 125.0 187.6
115 62.8 41.8 62.6#



#5
2-Fluorophenol
Concen: 10.45 ng
RT: 5.673 min Scan# 397
Delta R.T. 0.003 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49

Tgt Ion:112 Resp: 372241
Ion Ratio Lower Upper
112 100
64 62.6 46.7 70.1
63 37.3 22.8 34.2#









#7
Phenol-d6
Concen: 9.57 ng
RT: 7.259 min Scan# 667
Delta R.T. 0.003 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49




Instrument :
BNA_G
ClientSampleId :
SP5294


Tgt Ion: 99 Resp: 480571
Ion Ratio Lower Upper
99 100
42 19.7 12.8 19.2#
71 42.6 24.6 36.8#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.925 min Scan# 1291
Delta R.T. 0.003 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49

Tgt Ion:136 Resp: 2067771
Ion Ratio Lower Upper
136 100
137 12.4 9.1 13.7
54 9.5 6.2 9.4#
68 5.7 5.0 7.4









#23
Nitrobenzene-d5
Concen: 8.18 ng
RT: 9.262 min Scan# 1008
Delta R.T. -0.009 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49




Instrument :
BNA_G
ClientSampleId :
SP5294


Tgt Ion: 82 Resp: 317863
Ion Ratio Lower Upper
82 100
128 38.7 37.0 55.6
54 53.9 39.0 58.4



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.732 min Scan# 1939
Delta R.T. -0.003 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49


Tgt Ion:164 Resp: 1480047
Ion Ratio Lower Upper
164 100
162 98.6 82.3 123.5
160 43.9 35.3 52.9








#42
2,4,6-Tribromophenol
Concen: 12.20 ng
RT: 16.213 min Scan# 2191
Delta R.T. -0.003 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49


Instrument :
BNA_G
ClientSampleId :
SP5294





Tgt Ion:330 Resp: 238160
Ion Ratio Lower Upper
330 100
332 95.7 76.5 114.7
141 33.3 26.0 39.0




#45
2-Fluorobiphenyl
Concen: 7.06 ng
RT: 13.358 min Scan# 1705
Delta R.T. -0.003 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49



Tgt Ion:172 Resp: 738400
Ion Ratio Lower Upper
172 100
171 35.9 31.3 46.9
170 23.4 20.8 31.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.476 min Scan# 2406
Delta R.T. -0.003 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49




Instrument :
BNA_G
ClientSampleId :
SP5294


Tgt Ion:188 Resp: 3145185
Ion Ratio Lower Upper
188 100
94 8.1 6.3 9.5
80 10.1 7.0 10.6



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.760 min Scan# 3135
Delta R.T. 0.003 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49

Tgt Ion:240 Resp: 3659775
Ion Ratio Lower Upper
240 100
120 7.9 6.2 9.4
236 33.8 20.5 30.7#









#79
Terphenyl-d14
Concen: 7.14 ng
RT: 20.073 min Scan# 2848
Delta R.T. -0.009 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49

Instrument :
BNA_G
ClientSampleId :
SP5294

Tgt Ion:244 Resp: 1303429
Ion Ratio Lower Upper
244 100
212 7.7 6.7 10.1
122 7.1 7.8 11.6#



#86
Perylene-d12
Concen: 20.00 ng
RT: 25.050 min Scan# 3695
Delta R.T. 0.021 min
Lab File: BG046821.D
Acq: 8 Oct 2020 18:49

Tgt Ion:264 Resp: 4150807
Ion Ratio Lower Upper
264 100
260 27.2 18.8 28.2
265 24.8 17.8 26.8

