

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG101015\
 Data File : BG019136.D
 Acq On : 11 Oct 2015 2:55
 Operator : UM/NP
 Sample : G3929-11
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-06

Quant Time: Oct 12 07:33:21 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG101015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 12 07:23:23 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	15859	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	72711	20.00	ng	0.00
38) Acenaphthene-d10	14.66	164	53222	20.00	ng	0.00
63) Phenanthrene-d10	17.40	188	136051	20.00	ng	0.00
75) Chrysene-d12	21.68	240	157986	20.00	ng	0.00
86) Perylene-d12	24.89	264	154005	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	52863	67.87	ng	0.00
7) Phenol-d6	7.19	99	51218	42.80	ng	0.00
23) Nitrobenzene-d5	9.19	82	147168	111.83	ng	0.00
41) 2,4,6-Tribromophenol	16.15	330	121941	168.14	ng	0.00
44) 2-Fluorobiphenyl	13.29	172	376674	108.82	ng	0.00
78) Terphenyl-d14	20.02	244	523705	87.56	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.11	163	17712	4.21	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG101015\
Data File : BG019136.D
Acq On : 11 Oct 2015 2:55
Operator : UM/NP
Sample : G3929-11
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-06

Quant Time: Oct 12 07:33:21 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG101015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 12 07:23:23 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.03 min Scan# 884

Delta R.T. 0.00 min

Lab File: BG019136.D

Acq: 11 Oct 2015 2:55

Instrument :

BNA_G

ClientSampleId :

MW-06


Tgt Ion:152 Resp: 15859

Ion Ratio Lower Upper

152 100

150 151.0 108.2 162.2




115 63.8 43.2 64.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 67.87 ng

RT: 5.61 min Scan# 471

Delta R.T. 0.00 min

Lab File: BG019136.D

Acq: 11 Oct 2015 2:55


Tgt Ion:112 Resp: 52863

Ion Ratio Lower Upper

112 100

64 81.3 59.0 88.4



63 44.6 34.7 52.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 42.80 ng

RT: 7.19 min Scan# 741

Delta R.T. -0.00 min

Lab File: BG019136.D

Acq: 11 Oct 2015 2:55

Instrument :

BNA_G

ClientSampleId :

MW-06





Tgt Ion: 99 Resp: 51218

Ion Ratio Lower Upper

99 100

42 23.1 19.5 29.3

71 38.7 31.4 47.0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.83 min Scan# 1361

Delta R.T. -0.00 min

Lab File: BG019136.D

Acq: 11 Oct 2015 2:55

Tgt Ion: 136 Resp: 72711




Ion Ratio Lower Upper


136 100

137 9.5 9.0 13.4

54 12.6 10.1 15.1

68 5.9 4.4 6.6









#23
Nitrobenzene-d5
Concen: 111.83 ng
RT: 9.19 min Scan# 1081
Delta R.T. -0.00 min
Lab File: BG019136.D
Acq: 11 Oct 2015 2:55

Instrument :
BNA_G
ClientSampleId :
MW-06

Tgt Ion: 82 Resp: 147168
Ion Ratio Lower Upper
82 100
128 36.7 31.4 47.2
54 62.7 50.0 75.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.66 min Scan# 2012
Delta R.T. -0.00 min
Lab File: BG019136.D
Acq: 11 Oct 2015 2:55

Tgt Ion: 164 Resp: 53222
Ion Ratio Lower Upper
164 100
162 105.6 82.6 124.0
160 44.3 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 168.14 ng
 RT: 16.15 min Scan# 2265
 Delta R.T. -0.00 min
 Lab File: BG019136.D
 Acq: 11 Oct 2015 2:55

Instrument :
 BNA_G
 ClientSampleId :
 MW-06

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.5	77.3	115.9
141	39.5	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 108.82 ng
 RT: 13.29 min Scan# 1778
 Delta R.T. 0.00 min
 Lab File: BG019136.D
 Acq: 11 Oct 2015 2:55

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.5	29.9	44.9
170	23.6	18.6	27.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 4.21 ng

RT: 14.11 min Scan# 1918

Delta R.T. -0.00 min

Lab File: BG019136.D

Acq: 11 Oct 2015 2:55

Instrument :


BNA_G

ClientSampleId :

MW-06

Tgt Ion:163 Resp: 17712




Ion	Ratio	Lower	Upper
163	100		
194	5.0	3.2	4.8#
164	9.5	8.1	12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.40 min Scan# 2479


Delta R.T. -0.00 min

Lab File: BG019136.D

Acq: 11 Oct 2015 2:55

Tgt Ion:188 Resp: 136051



Ion	Ratio	Lower	Upper
188	100		
94	8.2	6.4	9.6
80	10.3	7.6	11.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG0

Ion 80.00 (79.70 to 80.70): BG0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.68 min Scan# 3206

Delta R.T. -0.00 min

Lab File: BG019136.D

Acq: 11 Oct 2015 2:55

Instrument :

BNA_G

ClientSampled :

MW-06


Tgt Ion:240 Resp: 157986

Ion Ratio Lower Upper

240 100

120 6.7 5.8 8.6




236 23.1 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 87.56 ng

RT: 20.02 min Scan# 2924

Delta R.T. 0.00 min

Lab File: BG019136.D

Acq: 11 Oct 2015 2:55


Tgt Ion:244 Resp: 523705

Ion Ratio Lower Upper

244 100

212 8.7 6.8 10.2



122 8.5 7.4 11.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 24.89 min Scan# 3754
Delta R.T. -0.01 min
Lab File: BG019136.D
Acq: 11 Oct 2015 2:55

Instrument :
BNA_G
ClientSampleId :
MW-06

Tgt	Ion	Ratio	Lower	Upper
264	100			
260	23.2	20.1	30.1	
265	19.9	17.2	25.8	

