

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG101015\
 Data File : BG019144.D
 Acq On : 11 Oct 2015 7:57
 Operator : UM/NP
 Sample : G3929-19
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BLANK

Quant Time: Oct 12 07:26:47 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG101015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 12 07:23:23 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	16670	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	73659	20.00	ng	0.00
38) Acenaphthene-d10	14.66	164	54330	20.00	ng	0.00
63) Phenanthrene-d10	17.40	188	136836	20.00	ng	0.00
75) Chrysene-d12	21.67	240	163889	20.00	ng	0.00
86) Perylene-d12	24.90	264	158016	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	54934	67.10	ng	0.00
7) Phenol-d6	7.19	99	51535	40.97	ng	0.00
23) Nitrobenzene-d5	9.19	82	156900	117.69	ng	0.00
41) 2,4,6-Tribromophenol	16.15	330	114629	154.83	ng	0.00
44) 2-Fluorobiphenyl	13.28	172	396073	112.10	ng	0.00
78) Terphenyl-d14	20.02	244	707166	113.98	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG101015\
Data File : BG019144.D
Acq On : 11 Oct 2015 7:57
Operator : UM/NP
Sample : G3929-19
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BLANK

Quant Time: Oct 12 07:26:47 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG101015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 12 07:23:23 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 8.03 min Scan# 884
 Delta R.T. 0.00 min
 Lab File: BG019144.D
 Acq: 11 Oct 2015 7:57

Instrument :
 BNA_G
 ClientSampleId :
 BLANK

Tgt Ion:152 Resp: 16670
 Ion Ratio Lower Upper
 152 100
 150 147.5 108.2 162.2
 115 57.9 43.2 64.8




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 67.10 ng
 RT: 5.60 min Scan# 471
 Delta R.T. 0.00 min
 Lab File: BG019144.D
 Acq: 11 Oct 2015 7:57

Tgt Ion:112 Resp: 54934
 Ion Ratio Lower Upper
 112 100
 64 77.0 59.0 88.4
 63 44.9 34.7 52.1



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BGC
 Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 40.97 ng

RT: 7.19 min Scan# 741

Delta R.T. -0.01 min

Lab File: BG019144.D

Acq: 11 Oct 2015 7:57

Instrument :

BNA_G

ClientSampleId :

BLANK


Tgt Ion: 99 Resp: 51535

Ion Ratio Lower Upper




99 100

42 22.8 19.5 29.3

71 41.1 31.4 47.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.83 min Scan# 1361

Delta R.T. -0.01 min

Lab File: BG019144.D

Acq: 11 Oct 2015 7:57

Tgt Ion: 136 Resp: 73659


Ion Ratio Lower Upper

136 100



137 11.2 9.0 13.4


54 12.5 10.1 15.1

68 6.1 4.4 6.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 117.69 ng
 RT: 9.19 min Scan# 1081
 Delta R.T. -0.01 min
 Lab File: BG019144.D
 Acq: 11 Oct 2015 7:57




Instrument :
 BNA_G
 ClientSampleId :
 BLANK


Tgt Ion	Ratio	Lower	Upper
82	100		
128	39.2	31.4	47.2
54	64.6	50.0	75.0



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.66 min Scan# 2012
 Delta R.T. -0.01 min
 Lab File: BG019144.D
 Acq: 11 Oct 2015 7:57

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.8	82.6	124.0
160	43.9	36.9	55.3









#41
 2,4,6-Tribromophenol
 Concen: 154.83 ng
 RT: 16.15 min Scan# 2265
 Delta R.T. -0.01 min
 Lab File: BG019144.D
 Acq: 11 Oct 2015 7:57




Instrument :
 BNA_G
 ClientSampled :
 BLANK


Tgt Ion:330 Resp: 114629
 Ion Ratio Lower Upper
 330 100
 332 95.1 77.3 115.9
 141 38.8 30.7 46.1



#44
 2-Fluorobiphenyl
 Concen: 112.10 ng
 RT: 13.28 min Scan# 1778
 Delta R.T. 0.00 min
 Lab File: BG019144.D
 Acq: 11 Oct 2015 7:57

Tgt Ion:172 Resp: 396073
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.9 44.9
 170 23.1 18.6 27.8









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.40 min Scan# 2479
Delta R.T. -0.01 min
Lab File: BG019144.D
Acq: 11 Oct 2015 7:57

Instrument :
BNA_G
ClientSampleId :
BLANK

Tgt Ion:188 Resp: 136836
Ion Ratio Lower Upper
188 100
94 7.8 6.4 9.6
80 10.1 7.6 11.4




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.67 min Scan# 3206
Delta R.T. -0.01 min
Lab File: BG019144.D
Acq: 11 Oct 2015 7:57

Tgt Ion:240 Resp: 163889
Ion Ratio Lower Upper
240 100
120 8.0 5.8 8.6
236 24.8 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 113.98 ng

RT: 20.02 min Scan# 2924

Delta R.T. 0.00 min

Lab File: BG019144.D

Acq: 11 Oct 2015 7:57

Instrument :

BNA_G

ClientSampleId :

BLANK


Tgt Ion:244 Resp: 707166

Ion Ratio Lower Upper

244 100

212 8.5 6.8 10.2




122 8.8 7.4 11.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 24.90 min Scan# 3755

Delta R.T. -0.01 min

Lab File: BG019144.D

Acq: 11 Oct 2015 7:57


Tgt Ion:264 Resp: 158016

Ion Ratio Lower Upper

264 100

260 24.3 20.1 30.1

265 20.6 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

