

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG101220\
 Data File : BG046868.D
 Acq On : 13 Oct 2020 8:34
 Operator : CG/JU
 Sample : L4318-02
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 214

Quant Time: Oct 13 11:06:11 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG092220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 07 11:38:17 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.106	152	56367	20.00	ng	0.00
21) Naphthalene-d8	10.915	136	225694	20.00	ng	0.00
39) Acenaphthene-d10	14.728	164	165404	20.00	ng	0.00
64) Phenanthrene-d10	17.472	188	461302	20.00	ng	# 0.00
76) Chrysene-d12	21.743	240	518041	20.00	ng	#-0.01
86) Perylene-d12	25.010	264	501319	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.668	112	492610	140.01	ng	0.00
7) Phenol-d6	7.254	99	621872	125.30	ng	0.00
23) Nitrobenzene-d5	9.264	82	463495	109.25	ng	0.00
42) 2,4,6-Tribromophenol	16.215	330	404107	185.29	ng	0.00
45) 2-Fluorobiphenyl	13.353	172	1085866	92.94	ng	0.00
79) Terphenyl-d14	20.075	244	2208154	85.43	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.170	163	44859	3.40	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG101220\
Data File : BG046868.D
Acq On : 13 Oct 2020 8:34
Operator : CG/JU
Sample : L4318-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
214

Quant Time: Oct 13 11:06:11 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG092220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 07 11:38:17 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.106 min Scan# 811
Delta R.T. -0.002 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34




Instrument :
BNA_G
ClientSampleId :
214


Tgt Ion:152 Resp: 56367
Ion Ratio Lower Upper
152 100
150 154.5 125.0 187.6
115 60.9 41.8 62.6



#5
2-Fluorophenol
Concen: 140.01 ng
RT: 5.668 min Scan# 396
Delta R.T. -0.001 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34

Tgt Ion:112 Resp: 492610
Ion Ratio Lower Upper
112 100
64 63.3 46.7 70.1
63 37.0 22.8 34.2#









#7
Phenol-d6
Concen: 125.30 ng
RT: 7.254 min Scan# 666
Delta R.T. -0.001 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34




Instrument :
BNA_G
ClientSampled :
214


Tgt Ion: 99 Resp: 621872
Ion Ratio Lower Upper
99 100
42 20.7 12.8 19.2#
71 42.6 24.6 36.8#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.915 min Scan# 1289
Delta R.T. -0.007 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34

Tgt Ion: 136 Resp: 225694
Ion Ratio Lower Upper
136 100
137 10.2 9.1 13.7
54 7.6 6.2 9.4
68 5.5 5.0 7.4









#23
Nitrobenzene-d5
Concen: 109.25 ng
RT: 9.264 min Scan# 1008
Delta R.T. -0.007 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34




Instrument :
BNA_G
ClientSampled :
214


Tgt Ion: 82 Resp: 463495
Ion Ratio Lower Upper
82 100
128 38.0 37.0 55.6
54 54.0 39.0 58.4



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.728 min Scan# 1938
Delta R.T. -0.007 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34

Tgt Ion:164 Resp: 165404
Ion Ratio Lower Upper
164 100
162 103.9 82.3 123.5
160 44.0 35.3 52.9









#42
2,4,6-Tribromophenol
Concen: 185.29 ng
RT: 16.215 min Scan# 2191
Delta R.T. -0.001 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34




Instrument :
BNA_G
ClientSampled :
214


Tgt Ion:330 Resp: 404107
Ion Ratio Lower Upper
330 100
332 97.1 76.5 114.7
141 34.3 26.0 39.0



#45
2-Fluorobiphenyl
Concen: 92.94 ng
RT: 13.353 min Scan# 1704
Delta R.T. -0.007 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34

Tgt Ion:172 Resp: 1085866
Ion Ratio Lower Upper
172 100
171 36.9 31.3 46.9
170 24.9 20.8 31.2









#50
Dimethylphthalate
Concen: 3.40 ng
RT: 14.170 min Scan# 1843
Delta R.T. -0.013 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34




Instrument :
BNA_G
ClientSampled :
214


Tgt Ion:163 Resp: 44859
Ion Ratio Lower Upper
163 100
194 6.4 3.8 5.8#
164 12.2 8.8 13.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.472 min Scan# 2405
Delta R.T. -0.007 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34

Tgt Ion:188 Resp: 461302
Ion Ratio Lower Upper
188 100
94 6.0 6.3 9.5#
80 7.5 7.0 10.6









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.743 min Scan# 3132
Delta R.T. -0.013 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34




Instrument :
BNA_G
ClientSampled :
214


Tgt Ion:240 Resp: 518041
Ion Ratio Lower Upper
240 100
120 4.3 6.2 9.4#
236 27.4 20.5 30.7



#79
Terphenyl-d14
Concen: 85.43 ng
RT: 20.075 min Scan# 2848
Delta R.T. -0.007 min
Lab File: BG046868.D
Acq: 13 Oct 2020 8:34

Tgt Ion:244 Resp: 2208154
Ion Ratio Lower Upper
244 100
212 9.4 6.7 10.1
122 7.5 7.8 11.6#





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.010 min Scan# 3688
 Delta R.T. -0.019 min
 Lab File: BG046868.D
 Acq: 13 Oct 2020 8:34

Instrument :
 BNA_G
 ClientSampleId :
 214

Tgt Ion:264	Resp:	501319
Ion	Ratio	Lower Upper
264	100	
260	23.5	18.8 28.2
265	21.0	17.8 26.8

