

Data Path : Z:\HPCHEM1\BNA G\DATA\BG101615\
 Data File : BG019228.D
 Acq On : 16 Oct 2015 18:11
 Operator : UM/NP
 Sample : G3996-21
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 E5LL0

Quant Time: Oct 17 06:34:03 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG101515.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Oct 17 06:30:39 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.00	152	14111	20.00	ng/ul	0.00
18) Naphthalene-d8	10.81	136	66132	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.64	164	48915	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.38	188	131569	20.00	ng/ul	0.00
78) Chrysene-d12	21.65	240	164635	20.00	ng/ul	0.00
86) Perylene-d12	24.85	264	158014	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.44	96	1299	5.13	ng/uL	0.00
5) Phenol-d5	7.17	99	35057	28.47	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.33	67	23230	29.31	ng/ul	0.00
9) 2-Chlorophenol-d4	7.54	132	25991	28.96	ng/ul	0.00
13) 4-Methylphenol-d8	8.72	113	31090	29.80	ng/ul	0.00
19) Nitrobenzene-d5	9.16	128	14415	28.29	ng/ul	0.00
22) 2-Nitrophenol-d4	9.89	143	17418	32.21	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.43	165	32095	29.97	ng/ul	0.00
29) 4-Chloroaniline-d4	10.94	131	44199	32.04	ng/ul	0.00
44) Dimethylphthalate-d6	14.04	166	129886	30.36	ng/ul	0.00
47) Acenaphthylene-d8	14.33	160	136940	29.61	ng/ul	0.00
52) 4-Nitrophenol-d4	14.84	143	24102	31.34	ng/ul	0.00
58) Fluorene-d10	15.63	176	109179	29.86	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.74	200	22182	27.33	ng/ul	0.00
71) Anthracene-d10	17.48	188	186449	29.99	ng/ul	0.00
79) Pyrene-d10	19.77	212	231299	30.97	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.63	264	257162	32.21	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	14.09	163	42767	9.92	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG101615\
Data File : BG019228.D
Acq On : 16 Oct 2015 18:11
Operator : UM/NP
Sample : G3996-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
E5LL0

Quant Time: Oct 17 06:34:03 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG101515.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Oct 17 06:30:39 2015
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 9.92 ng/ul

RT: 14.09 min Scan# 1914

Delta R.T. -0.01 min

Lab File: BG019228.D

Acq: 16 Oct 2015 18:11

Instrument :

BNA_G

ClientSampleId :

E5LL0


Tot Ion:163 Resp: 42767

Ion Ratio Lower Upper

163 100

194 3.4 3.3 4.9

164 10.7 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

