

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG101718\
 Data File : BG037396.D
 Acq On : 17 Oct 2018 18:49
 Operator : JU/SJ
 Sample : J5539-04
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-9-5-7FT

Quant Time: Oct 18 11:53:30 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 17 15:19:35 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	64718	20.00	ng	-0.02
21) Naphthalene-d8	10.93	136	293681	20.00	ng	-0.02
39) Acenaphthene-d10	14.74	164	199789	20.00	ng	-0.02
64) Phenanthrene-d10	17.49	188	499797	20.00	ng	-0.02
76) Chrysene-d12	21.77	240	469811	20.00	ng	-0.02
87) Perylene-d12	25.12	264	468546	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	564032	153.38	ng	0.00
7) Phenol-d6	7.25	99	836316	149.83	ng	0.00
23) Nitrobenzene-d5	9.29	82	479140	107.26	ng	0.00
42) 2,4,6-Tribromophenol	16.23	330	313384	159.94	ng	-0.02
45) 2-Fluorobiphenyl	13.37	172	1143463	85.95	ng	-0.02
79) Terphenyl-d14	20.09	244	1746174	78.04	ng	-0.02
Target Compounds						
10) Phenol	7.28	94	44295	7.535	ng	96
50) Dimethylphthalate	14.19	163	163957	10.443	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG101718\
Data File : BG037396.D
Acq On : 17 Oct 2018 18:49
Operator : JU/SJ
Sample : J5539-04
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-9-5-7FT

Quant Time: Oct 18 11:53:30 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 17 15:19:35 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. -0.02 min
Lab File: BG037396.D
Acq: 17 Oct 2018 18:49

Instrument :
BNA_G
ClientSampleId :
SB-9-5-7FT

Tot Ion:152 Resp: 64718
Ion Ratio Lower Upper
152 100
150 164.1 126.0 189.0
115 60.1 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 153.380 ng
RT: 5.65 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037396.D
Acq: 17 Oct 2018 18:49

Tgt Ion:112 Resp: 564032
Ion Ratio Lower Upper
112 100
64 67.5 53.1 79.7
63 34.0 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 149.834 ng

RT: 7.25 min Scan# 674

Delta R.T. -0.00 min

Lab File: BG037396.D

Acq: 17 Oct 2018 18:49

Instrument :

BNA_G

ClientSampleId :

SB-9-5-7FT


Tot Ion: 99 Resp: 836316

Ion Ratio Lower Upper




99 100

42 18.7 15.0 22.4

71 31.8 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 7.535 ng

RT: 7.28 min Scan# 679

Delta R.T. -0.00 min

Lab File: BG037396.D

Acq: 17 Oct 2018 18:49


Tgt Ion: 94 Resp: 44295

Ion Ratio Lower Upper



94 100


65 27.7 9.7 49.7

66 33.2 15.9 55.9



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.93 min Scan# 1301
Delta R.T. -0.02 min
Lab File: BG037396.D
Acq: 17 Oct 2018 18:49

Instrument :
BNA_G
ClientSampleId :
SB-9-5-7FT

Tot Ion:136	Resp:	293681
Ion Ratio	Lower	Upper
136	100	
137	11.2	9.6 14.4
54	9.9	7.9 11.9
68	6.5	4.8 7.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 107.263 ng
RT: 9.29 min Scan# 1021
Delta R.T. -0.01 min
Lab File: BG037396.D
Acq: 17 Oct 2018 18:49

Tgt Ion: 82	Resp:	479140
Ion Ratio	Lower	Upper
82	100	
128	44.3	34.6 51.8
54	53.2	45.3 67.9



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.74 min Scan# 1949

Delta R.T. -0.02 min

Lab File: BG037396.D

Acq: 17 Oct 2018 18:49

Instrument :

BNA_G

ClientSampleId :

SB-9-5-7FT


Tot Ion:164 Resp: 199789

Ion Ratio Lower Upper

164 100

162 103.9 81.3 121.9




160 45.7 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 159.941 ng

RT: 16.23 min Scan# 2202

Delta R.T. -0.02 min

Lab File: BG037396.D

Acq: 17 Oct 2018 18:49


Tgt Ion:330 Resp: 313384

Ion Ratio Lower Upper

330 100

332 94.3 78.4 117.6



141 40.6 32.2 48.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 85.951 ng
RT: 13.37 min Scan# 1715
Delta R.T. -0.02 min
Lab File: BG037396.D
Acq: 17 Oct 2018 18:49

Instrument :
BNA_G
ClientSampleId :
SB-9-5-7FT

Tot Ion:172 Resp: 1143463




Ion	Ratio	Lower	Upper
172	100		
171	38.9	31.0	46.4
170	26.6	20.2	30.2




#50
Dimethylphthalate
Concen: 10.443 ng
RT: 14.19 min Scan# 1855
Delta R.T. -0.02 min
Lab File: BG037396.D
Acq: 17 Oct 2018 18:49

Tgt Ion:163 Resp: 163957

Ion	Ratio	Lower	Upper
163	100		
194	4.6	3.5	5.3
164	9.8	8.5	12.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.49 min Scan# 2417
Delta R.T. -0.02 min
Lab File: BG037396.D
Acq: 17 Oct 2018 18:49

Instrument :
BNA_G
ClientSampleId :
SB-9-5-7FT

Tot Ion:188 Resp: 499797
Ion Ratio Lower Upper
188 100
94 9.5 7.2 10.8
80 10.3 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3146
Delta R.T. -0.02 min
Lab File: BG037396.D
Acq: 17 Oct 2018 18:49

Tgt Ion:240 Resp: 469811
Ion Ratio Lower Upper
240 100
120 11.5 8.1 12.1
236 27.2 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 78.043 ng

RT: 20.09 min Scan# 2859

Delta R.T. -0.02 min

Lab File: BG037396.D

Acq: 17 Oct 2018 18:49

Instrument :

BNA_G

ClientSampleId :

SB-9-5-7FT


Tot Ion:244 Resp: 1746174

Ion Ratio Lower Upper

244 100

212 8.9 6.5 9.7




122 12.4 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.12 min Scan# 3715

Delta R.T. -0.03 min

Lab File: BG037396.D

Acq: 17 Oct 2018 18:49


Tgt Ion:264 Resp: 468546

Ion Ratio Lower Upper

264 100

260 23.9 18.2 27.4

265 21.1 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

