

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG101816\
 Data File : BG024434.D
 Acq On : 19 Oct 2016 00:30
 Operator : UM/SJ
 Sample : SSTDC0020EC
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02015

Quant Time: Oct 19 03:19:05 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG0100716.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Oct 19 02:09:29 2016
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	90	0.00
2	1,4-Dioxane	0.456	0.419	8.1	82	0.00
3 S	1,4-Dioxane-d8	0.421	0.391	7.1	88	0.00
4	Benzaldehyde	1.313	1.517	-15.5	91	0.00
5 S	Phenol-d5	1.866	1.998	-7.1	92	0.00
6	Phenol	1.894	2.007	-6.0	90	0.00
7 S	Bis-(2-Chloroethyl)ether-d8	1.261	1.239	1.7	86	0.00
8	Bis(2-Chloroethyl)ether	1.394	1.447	-3.8	87	0.00
9 S	2-Chlorophenol-d4	1.285	1.401	-9.0	92	0.00
10	2-Chlorophenol	1.302	1.358	-4.3	90	0.00
11	2-Methylphenol	1.403	1.477	-5.3	92	0.00
12	2,2'-oxybis(1-Chloropropane	2.784	2.600	6.6	78	0.00
13 S	4-Methylphenol-d8	1.509	1.599	-6.0	91	0.00
14	Acetophenone	2.240	2.433	-8.6	90	0.00
15 P	N-Nitroso-di-n-propylamine	1.351	1.431	-5.9	89	0.00
16	4-Methylphenol	1.488	1.663	-11.8	97	0.00
17	Hexachloroethane	0.602	0.612	-1.7	90	0.00
18 I	Naphthalene-d8	1.000	1.000	0.0	97	0.00
19 S	Nitrobenzene-d5	0.142	0.152	-7.0	97	0.00
20	Nitrobenzene	0.449	0.480	-6.9	96	0.00
21	Isophorone	0.816	0.869	-6.5	93	0.00
22 S	2-Nitrophenol-d4	0.159	0.187	-17.6	110	0.00
23 C	2-Nitrophenol	0.173	0.194	-12.1	101	0.00
24	2,4-Dimethylphenol	0.426	0.445	-4.5	93	0.00
25	Bis(2-Chloroethoxy)methane	0.448	0.466	-4.0	91	0.00
26 S	2,4-Dichlorophenol-d3	0.346	0.375	-8.4	97	0.00
27 C	2,4-Dichlorophenol	0.332	0.362	-9.0	98	0.00
28	Naphthalene	0.963	1.031	-7.1	97	0.00
29 S	4-Chloroaniline-d4	0.363	0.414	-14.0	99	0.00
30	4-Chloroaniline	0.369	0.407	-10.3	96	0.00
31 C	Hexachlorobutadiene	0.266	0.302	-13.5	102	0.00
32	Caprolactam	0.126	0.126	0.0	90	0.00
33 C	4-Chloro-3-methylphenol	0.406	0.429	-5.7	96	0.00
34	2-Methylnaphthalene	0.766	0.799	-4.3	96	0.00
35 I	Acenaphthene-d10	1.000	1.000	0.0	100	0.00
36	1,2,4,5-Tetrachlorobenzene	0.590	0.655	-11.0	103	0.00
37	Hexachlorocyclopentadiene	0.432	0.422	2.3	92	0.00
38 C	2,4,6-Trichlorophenol	0.382	0.430	-12.6	106	0.00
39	2,4,5-Trichlorophenol	0.420	0.461	-9.8	103	0.00
40	1,1'-Biphenyl	1.295	1.347	-4.0	96	0.00
41	2-Chloronaphthalene	1.015	1.040	-2.5	96	0.00
42	2-Nitroaniline	0.386	0.412	-6.7	98	0.00
43 S	Dimethylphthalate-d6	1.396	1.408	-0.9	95	0.00
44	Dimethylphthalate	1.369	1.376	-0.5	93	0.00

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG101816\
 Data File : BG024434.D
 Acq On : 19 Oct 2016 00:30
 Operator : UM/SJ
 Sample : SSTDC0020EC
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02015

Quant Time: Oct 19 03:19:05 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG0100716.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Oct 19 02:09:29 2016
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
45	2,6-Dinitrotoluene	0.266	0.289	-8.6	99	0.00
46 S	Acenaphthylene-d8	1.600	1.675	-4.7	96	0.00
47	Acenaphthylene	1.539	1.583	-2.9	96	0.00
48	3-Nitroaniline	0.251	0.279	-11.2	104	0.00
49 C	Acenaphthene	1.100	1.118	-1.6	96	0.00
50	2,4-Dinitrophenol	0.178	0.181	-1.7	101	0.00
51 S	4-Nitrophenol-d4	0.248	0.244	1.6	94	0.00
52	4-Nitrophenol	0.300	0.288	4.0	89	0.00
53	Dibenzofuran	1.619	1.678	-3.6	96	0.00
54	2,4-Dinitrotoluene	0.394	0.431	-9.4	101	0.00
55	2,3,4,6-Tetrachlorophenol	0.413	0.435	-5.3	98	0.00
56	Diethylphthalate	1.443	1.423	1.4	90	0.00
57 S	Fluorene-d10	1.320	1.372	-3.9	95	0.00
58	Fluorene	1.339	1.338	0.1	92	0.00
59	4-Chlorophenyl-phenylether	0.743	0.739	0.5	93	0.00
60	4-Nitroaniline	0.289	0.289	0.0	94	0.00
61 I	Phenanthrene-d10	1.000	1.000	0.0	88	0.00
62 S	4,6-Dinitro-2-methylphenol-	0.120	0.129	-7.5	97	0.00
63	4,6-Dinitro-2-methylphenol	0.126	0.137	-8.7	92	0.00
64	N-Nitrosodiphenylamine	0.566	0.625	-10.4	91	0.00
65	4-Bromophenyl-phenylether	0.232	0.270	-16.4	100	0.00
66	Hexachlorobenzene	0.258	0.296	-14.7	97	0.00
67	Atrazine	0.231	0.271	-17.3	98	0.00
68 C	Pentachlorophenol	0.157	0.176	-12.1	95	0.00
69	Phenanthrene	1.010	1.081	-7.0	88	0.00
70 S	Anthracene-d10	0.903	0.977	-8.2	88	0.00
71	Anthracene	1.028	1.097	-6.7	88	0.00
72	Carbazole	0.807	0.937	-16.1	87	0.00
73	Di-n-butylphthalate	0.986	1.126	-14.2	92	0.00
74 C	Fluoranthene	1.020	1.230	-20.6	87	0.00
75 I	Chrysene-d12	1.000	1.000	0.0	91	0.00
76 S	Pyrene-d10	0.933	0.979	-4.9	87	0.00
77	Pyrene	1.068	1.114	-4.3	87	0.00
78	Butylbenzylphthalate	0.429	0.455	-6.1	90	0.00
79	3,3'-Dichlorobenzidine	0.372	0.422	-13.4	94	0.00
80	Benzo(a)anthracene	1.110	1.191	-7.3	90	0.00
81	Bis(2-ethylhexyl)phthalate	0.607	0.649	-6.9	90	0.00
82	Chrysene	1.057	1.119	-5.9	88	0.00
83 I	Perylene-d12	1.000	1.000	0.0	92	0.00
84	Di-n-octyl phthalate	0.938	1.064	-13.4	90	0.00
85	Benzo(b)fluoranthene	1.110	1.160	-4.5	91	0.00
86	Benzo(k)fluoranthene	1.070	1.109	-3.6	90	0.00
87 S	Benzo(a)pyrene-d12	0.900	0.965	-7.2	93	0.00

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG101816\
Data File : BG024434.D
Acq On : 19 Oct 2016 00:30
Operator : UM/SJ
Sample : SSTDCCC020EC
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_G
LabSampleId :
SSTD02015

Quant Time: Oct 19 03:19:05 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG0100716.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Oct 19 02:09:29 2016
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
88 C	Benzo(a)pyrene	1.058	1.138	-7.6	93	0.00
89	Indeno(1,2,3-cd)pyrene	1.253	1.414	-12.8	98	0.00
90	Dibenzo(a,h)anthracene	1.059	1.165	-10.0	96	0.00
91	Benzo(g,h,i)perylene	1.053	1.153	-9.5	96	-0.02

(#) = Out of Range

SPCC's out = 0 CCC's out = 0