

Data Path : Z:\HPCHEM1\BNA G\Data\BG101916\
 Data File : BG024439.D
 Acq On : 19 Oct 2016 12:51
 Operator : UM/SJ
 Sample : H5231-09
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BDNN7

Quant Time: Oct 19 17:29:01 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG0100716.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Oct 19 10:58:30 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.278	152	181865	20.00	ng/ul	0.00
18) Naphthalene-d8	11.110	136	882237	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.894	164	713149	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.638	188	1426992	20.00	ng/ul	0.00
75) Chrysene-d12	21.933	240	1622557	20.00	ng/ul	0.00
83) Perylene-d12	25.382	264	1689790	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.643	96	9709	2.54	ng/uL	0.00
5) Phenol-d5	7.409	99	258965	15.26	ng/ul	0.00
7) Bis-(2-Chloroethyl)eth...	7.597	67	171003	14.91	ng/ul	0.00
9) 2-Chlorophenol-d4	7.808	132	187616	16.06	ng/ul	0.00
13) 4-Methylphenol-d8	8.972	113	209904	15.30	ng/ul	0.00
19) Nitrobenzene-d5	9.453	128	98097	15.67	ng/ul	0.00
22) 2-Nitrophenol-d4	10.182	143	116707	16.66	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.717	165	229465	15.04	ng/ul	0.00
29) 4-Chloroaniline-d4	11.240	131	266589	16.63	ng/ul	0.00
43) Dimethylphthalate-d6	14.289	166	773952	15.54	ng/ul	0.00
46) Acenaphthylene-d8	14.594	160	904021	15.85	ng/ul	0.00
51) 4-Nitrophenol-d4	15.059	143	115950	13.13	ng/ul	0.00
57) Fluorene-d10	15.881	176	718032	15.25	ng/ul	0.00
62) 4,6-Dinitro-2-methylph...	15.987	200	126223	14.72	ng/ul	0.00
70) Anthracene-d10	17.738	188	1099187	17.05	ng/ul	0.00
76) Pyrene-d10	20.006	212	1341974	17.72	ng/ul	0.00
87) Benzo(a)pyrene-d12	25.135	264	1358612	17.87	ng/ul	0.00

Target Compounds


					Ovalue	
6) Phenol	7.444	94	20742	1.20	ng/ul#	81
44) Dimethylphthalate	14.336	163	506207	10.37	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\Data\BG101916\
Data File : BG024439.D
Acq On : 19 Oct 2016 12:51
Operator : UM/SJ
Sample : H5231-09
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BDNN7

Quant Time: Oct 19 17:29:01 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG0100716.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Oct 19 10:58:30 2016
Response via : Initial Calibration





#6

Phenol

Concen: 1.20 ng/ul

RT: 7.444 min Scan# 78

Delta R.T. 0.007 min

Lab File: BG024439.D

Acq: 19 Oct 2016 12:51

Instrument :

BNA_G

ClientSampleId :

BDNN7





Tot Ion: 94 Resp: 20742

Ion Ratio Lower Upper

94 100

65 21.1 26.8 40.2#

66 43.3 44.4 66.6#



#44

Dimethylphthalate

Concen: 10.37 ng/ul

RT: 14.336 min Scan# 1957

Delta R.T. 0.001 min

Lab File: BG024439.D

Acq: 19 Oct 2016 12:51

Tgt Ion:163 Resp: 506207

Ion Ratio Lower Upper

163 100

194 4.0 3.4 5.0

164 10.2 9.0 13.4

