

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102020\
 Data File : BG047004.D
 Acq On : 20 Oct 2020 19:07
 Operator : CG/JU
 Sample : L4402-01
 Misc : GCMS CONFIRMATION
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0AB4

Quant Time: Oct 21 00:27:11 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG101520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Oct 21 00:09:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	52561	20.00	ng/ul	0.00
18) Naphthalene-d8	10.88	136	188476	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.70	164	129712	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.44	188	285955	20.00	ng/ul	0.00
78) Chrysene-d12	21.71	240	311094	20.00	ng/ul	0.00
86) Perylene-d12	24.94	264	317643	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul	
44) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
47) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul	
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
58) Fluorene-d10	0.00	176	0	0.00	ng/ul	
63) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
71) Anthracene-d10	0.00	188	0d	0.00	ng/ul	
79) Pyrene-d10	0.00	212	0	0.00	ng/ul	
90) Benzo(a)pyrene-d12	0.00	264	0	0.00	ng/ul	

Target Compounds


					Ovalue	
54) Dibenzofuran	15.09	168	14621	1.130	ng/ul	99
59) Fluorene	15.74	166	15561	1.466	ng/ul	98
70) Phenanthrene	17.48	178	288384	17.625	ng/ul	100
77) Fluoranthene	19.48	202	289935	14.511	ng/ul	98
80) Pyrene	19.85	202	54577	2.592	ng/ul#	95
83) Benzo(a)anthracene	21.69	228	68550	3.193	ng/ul	97
85) Chrysene	21.75	228	96527	4.659	ng/ul	98
88) Benzo(b)fluoranthene	23.91	252	37576	1.705	ng/ul#	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102020\
Data File : BG047004.D
Acq On : 20 Oct 2020 19:07
Operator : CG/JU
Sample : L4402-01
Misc : GCMS CONFIRMATION
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0AB4

Quant Time: Oct 21 00:27:11 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG101520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Oct 21 00:09:38 2020
Response via : Initial Calibration





#54

Dibenzenofuran

Concen: 1.130 ng/ul

RT: 15.09

Delta R.T. BNA_G

Lab File: ClientSampleId:

COAB4


Acq: 20 Oct 2020 19:07

Tot Ion:168 Resp: 14621

Ion Ratio Lower Upper




168 100

139 36.3 29.8 44.6



Abundance Ion 168.00 (167.70 to 168.70): E

Ion 139.00 (138.70 to 139.70): E



#59

Fluorene

Concen: 1.466 ng/ul

RT: 15.74 min Scan# 2111

Delta R.T. -0.00 min

Lab File: BG047004.D

Acq: 20 Oct 2020 19:07


Tgt Ion:166 Resp: 15561

Ion Ratio Lower Upper

166 100

165 98.3 80.4 120.6



167 13.3 10.6 16.0




Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E





Ion 167.00 (166.70 to 167.70): E








#70
 Phenanthrene
 Concen: 17.625 ng/ul
 RT: 17.48 min
 Delta R.T. BNA_G
 Lab File: ClientSampleId :
 C0AB4
 Acq: 20 Oct 2020 19:07


Tot	Ion:178	Resp:	288384
Ion	Ratio	Lower	Upper
178	100		
179	15.6	12.5	18.7
176	18.4	15.0	22.4



#77
 Fluoranthene
 Concen: 14.511 ng/ul
 RT: 19.48 min Scan# 2748
 Delta R.T. -0.01 min
 Lab File: BG047004.D
 Acq: 20 Oct 2020 19:07





Tgt	Ion:202	Resp:	289935
Ion	Ratio	Lower	Upper
202	100		
101	5.0	4.9	7.3
100	5.5	4.6	6.8








#80
 Pvrene
 Concen: 2.592 ng/u1
 RT: 19.85
 Delta R.T. BNA_G
 Lab File: ClientSampleId :
 C0AB4
 Acq: 20 Oct 2020 19:07


Tot Ion	Ratio	Lower	Upper
202	100		
101	6.7	6.5	9.7
100	4.4	5.2	7.8#



#83
 Benzo(a)anthracene
 Concen: 3.193 ng/u1
 RT: 21.69 min Scan# 3123
 Delta R.T. -0.00 min
 Lab File: BG047004.D
 Acq: 20 Oct 2020 19:07

Tgt Ion	Ratio	Lower	Upper
228	100		
229	20.9	16.2	24.2
226	25.2	21.6	32.4





#85

Chrysene

Concen: 4.659 ng/ul

RT: 21.75

Delta R.T. BNA_G

Lab File: ClientSampleId:

Acq: 20 Oct 2020 19:07


Tot Ion:228 Resp: 96527

Ion Ratio Lower Upper

228 100

226 30.6 23.2 34.8




229 19.0 15.6 23.4



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#88

Benzo(b)fluoranthene

Concen: 1.705 ng/ul

RT: 23.91 min Scan# 3502

Delta R.T. -0.01 min

Lab File: BG047004.D

Acq: 20 Oct 2020 19:07


Tgt Ion:252 Resp: 37576

Ion Ratio Lower Upper

252 100

253 23.4 18.2 27.2

125 7.3 4.6 7.0#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

