

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102020\
 Data File : BG047006.D
 Acq On : 20 Oct 2020 20:28
 Operator : CG/JU
 Sample : L4402-03
 Misc : GCMS CONFIRMATION
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0AB6

Quant Time: Oct 21 00:38:44 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG101520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Oct 21 00:09:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	58163	20.00	ng/ul	0.00
18) Naphthalene-d8	10.88	136	225585	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.69	164	152561	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.44	188	308688	20.00	ng/ul	0.00
78) Chrysene-d12	21.71	240	325700	20.00	ng/ul	0.00
86) Perylene-d12	24.94	264	338458	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL
5) Phenol-d5	0.00	99	0	0.00	ng/ul
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul
44) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul
47) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
58) Fluorene-d10	0.00	176	0	0.00	ng/ul
63) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul
71) Anthracene-d10	0.00	188	0d	0.00	ng/ul
79) Pyrene-d10	0.00	212	0d	0.00	ng/ul
90) Benzo(a)pyrene-d12	0.00	264	0	0.00	ng/ul


Target Compounds				Ovalue
70) Phenanthrene	17.48	178	24095	1.364 ng/ul 96
77) Fluoranthene	19.49	202	30417	1.410 ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102020\
Data File : BG047006.D
Acq On : 20 Oct 2020 20:28
Operator : CG/JU
Sample : L4402-03
Misc : GCMS CONFIRMATION
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0AB6

Quant Time: Oct 21 00:38:44 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG101520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Oct 21 00:09:38 2020
Response via : Initial Calibration





#70

Phenanthrene

Concen: 1.364 ng/ul

RT: 17.48

Delta R.T. BNA_G

Lab File: ClientSampleId:

Acq: 20 Oct 2020 20:28


Tot Ion:178 Resp: 24095

Ion Ratio Lower Upper

178 100

179 13.6 12.5 18.7




176 20.5 15.0 22.4



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#77

Fluoranthene

Concen: 1.410 ng/ul

RT: 19.49 min Scan# 2749

Delta R.T. -0.00 min

Lab File: BG047006.D

Acq: 20 Oct 2020 20:28


Tgt Ion:202 Resp: 30417

Ion Ratio Lower Upper

202 100

101 5.5 4.9 7.3

100 5.3 4.6 6.8



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): E

