

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102418\
 Data File : BG037523.D
 Acq On : 24 Oct 2018 22:44
 Operator : JU/SJ
 Sample : J5198-30
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Oct 25 08:01:18 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	55805	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	244406	20.00	ng	0.00
39) Acenaphthene-d10	14.74	164	164928	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	387295	20.00	ng	0.00
76) Chrysene-d12	21.77	240	354681	20.00	ng	0.00
87) Perylene-d12	25.10	264	327937	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	410896	123.10	ng	0.00
7) Phenol-d6	7.25	99	537871	106.57	ng	0.00
23) Nitrobenzene-d5	9.28	82	379487	86.98	ng	0.00
42) 2,4,6-Tribromophenol	16.23	330	199487	110.90	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	895939	81.92	ng	0.00
79) Terphenyl-d14	20.09	244	1361110	82.00	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.28	70	48848	14.054	ng	# 72
51) 2,6-Dinitrotoluene	14.74	165	20809	7.372	ng	# 24
57) 2,4-Dinitrotoluene	14.74	165	20809	5.616	ng	# 24
65) 4,6-Dinitro-2-methylphenol	16.24	198	785	8.825	ng	92
67) 4-Bromophenyl-phenylether	16.23	248	13982	3.287	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102418\
Data File : BG037523.D
Acq On : 24 Oct 2018 22:44
Operator : JU/SJ
Sample : J5198-30
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Oct 25 08:01:18 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. -0.00 min
Lab File: BG037523.D
Acq: 24 Oct 2018 22:44

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 55805
Ion Ratio Lower Upper
152 100
150 151.1 126.0 189.0
115 53.5 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 123.100 ng
RT: 5.64 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037523.D
Acq: 24 Oct 2018 22:44

Tgt Ion:112 Resp: 410896
Ion Ratio Lower Upper
112 100
64 68.5 53.1 79.7
63 34.5 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 106.565 ng

RT: 7.25 min Scan# 674

Delta R.T. -0.00 min

Lab File: BG037523.D

Acq: 24 Oct 2018 22:44

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 537871

Ion Ratio Lower Upper




99 100

42 18.9 15.0 22.4

71 32.1 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 14.054 ng

RT: 9.28 min Scan# 1020

Delta R.T. 0.37 min

Lab File: BG037523.D

Acq: 24 Oct 2018 22:44

Tgt Ion: 70 Resp: 48848


Ion Ratio Lower Upper

70 100



42 48.9 53.9 80.9#


101 0.0 8.2 12.2#

130 1.9 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.93 min Scan# 1300
Delta R.T. -0.00 min
Lab File: BG037523.D
Acq: 24 Oct 2018 22:44




Instrument :
BNA_G
ClientSampleId :


Tot Ion:136	Resp:	244406
Ion Ratio	Lower	Upper
136 100		
137 11.7	9.6	14.4
54 11.3	7.9	11.9
68 6.0	4.8	7.2



#23
Nitrobenzene-d5
Concen: 86.980 ng
RT: 9.28 min Scan# 1020
Delta R.T. -0.00 min
Lab File: BG037523.D
Acq: 24 Oct 2018 22:44

Tgt	Ion: 82	Resp:	379487
Ion	Ratio	Lower	Upper
82	100		
128	43.7	34.6	51.8
54	56.3	45.3	67.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.74 min Scan# 1949

Delta R.T. -0.00 min

Lab File: BG037523.D

Acq: 24 Oct 2018 22:44

Instrument :

BNA_G

ClientSampled :


Tot Ion:164 Resp: 164928

Ion Ratio Lower Upper

164 100

162 104.7 81.3 121.9

160 44.7 36.3 54.5






Abundance

Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 110.897 ng

RT: 16.23 min Scan# 2202

Delta R.T. -0.00 min

Lab File: BG037523.D

Acq: 24 Oct 2018 22:44


Tgt Ion:330 Resp: 199487

Ion Ratio Lower Upper

330 100

332 92.3 78.4 117.6

141 40.0 32.2 48.2






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 81.916 ng
 RT: 13.36 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BG037523.D
 Acq: 24 Oct 2018 22:44

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
172	100		
171	38.6	31.0	46.4
170	25.1	20.2	30.2




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#51
 2,6-Dinitrotoluene
 Concen: 7.372 ng
 RT: 14.74 min Scan# 1949
 Delta R.T. 0.42 min
 Lab File: BG037523.D
 Acq: 24 Oct 2018 22:44

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.5	43.4	65.2#
89	0.0	45.8	68.6#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC






#57
2,4-Dinitrotoluene
Concen: 5.616 ng
RT: 14.74 min Scan# 1949
Delta R.T. -0.36 min
Lab File: BG037523.D
Acq: 24 Oct 2018 22:44

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.5	33.4	50.0#
89	0.0	57.2	85.8#
182	0.0	2.6	4.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.48 min Scan# 2416
Delta R.T. -0.00 min
Lab File: BG037523.D
Acq: 24 Oct 2018 22:44



Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.8	7.2	10.8
80	10.7	7.7	11.5




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#65
 4,6-Dinitro-2-methylphenol
 Concen: 8.825 ng
 RT: 16.24 min Scan# 2204
 Delta R.T. 0.38 min
 Lab File: BG037523.D
 Acq: 24 Oct 2018 22:44

Instrument :
 BNA_G
 ClientSampled :

Tot Ion:198 Resp: 785
 Ion Ratio Lower Upper
 198 100
 51 33.0 22.7 62.7
 105 39.0 19.7 59.7




Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 51.00 (50.70 to 51.70): BG
 Ion 105.00 (104.70 to 105.70): E






#67
 4-Bromophenyl-phenylether
 Concen: 3.287 ng
 RT: 16.23 min Scan# 2202
 Delta R.T. -0.44 min
 Lab File: BG037523.D
 Acq: 24 Oct 2018 22:44

Tgt Ion:248 Resp: 13982
 Ion Ratio Lower Upper
 248 100
 250 204.0 77.0 115.6#
 141 419.0 55.5 83.3#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E









#76
 Chrvsene-d12
 Concen: 20.000 ng
 RT: 21.77 min Scan# 3145
 Delta R.T. -0.01 min
 Lab File: BG037523.D
 Acq: 24 Oct 2018 22:44




Instrument :
 BNA_G
 ClientSampled :


Tot Ion:240 Resp: 354681
 Ion Ratio Lower Upper
 240 100
 120 11.3 8.1 12.1
 236 25.6 21.4 32.0



#79
 Terphenyl-d14
 Concen: 82.000 ng
 RT: 20.09 min Scan# 2859
 Delta R.T. -0.00 min
 Lab File: BG037523.D
 Acq: 24 Oct 2018 22:44

Tgt Ion:244 Resp: 1361110
 Ion Ratio Lower Upper
 244 100
 212 8.3 6.5 9.7
 122 11.1 9.0 13.4





#87
Pervlene-d12
Concen: 20.000 ng
RT: 25.10 min Scan# 3713
Delta R.T. -0.01 min
Lab File: BG037523.D
Acq: 24 Oct 2018 22:44

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	20.8	18.2	27.4
265	21.0	17.9	26.9

