

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102418\
 Data File : BG037524.D
 Acq On : 24 Oct 2018 23:23
 Operator : JU/SJ
 Sample : J5199-06
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Oct 25 08:01:26 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	53935	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	234925	20.00	ng	0.00
39) Acenaphthene-d10	14.74	164	158068	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	380253	20.00	ng	0.00
76) Chrysene-d12	21.77	240	351365	20.00	ng	0.00
87) Perylene-d12	25.10	264	332418	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	383132	118.76	ng	0.00
7) Phenol-d6	7.24	99	506213	103.77	ng	0.00
23) Nitrobenzene-d5	9.28	82	365957	87.26	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	197093	114.32	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	869762	82.97	ng	0.00
79) Terphenyl-d14	20.08	244	1363503	82.92	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.28	70	46918	13.967	ng	# 75
51) 2,6-Dinitrotoluene	14.74	165	20045	7.410	ng	# 25
57) 2,4-Dinitrotoluene	14.74	165	20045	5.645	ng	# 25
65) 4,6-Dinitro-2-methylphenol	16.22	198	1011	8.924	ng	89
67) 4-Bromophenyl-phenylether	16.22	248	13812	3.308	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102418\
Data File : BG037524.D
Acq On : 24 Oct 2018 23:23
Operator : JU/SJ
Sample : J5199-06
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Oct 25 08:01:26 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. -0.00 min
Lab File: BG037524.D
Acq: 24 Oct 2018 23:23

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 53935
Ion Ratio Lower Upper
152 100
150 158.3 126.0 189.0
115 56.6 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 118.762 ng
RT: 5.65 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037524.D
Acq: 24 Oct 2018 23:23

Tgt Ion:112 Resp: 383132
Ion Ratio Lower Upper
112 100
64 66.9 53.1 79.7
63 34.8 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 103.770 ng

RT: 7.24 min Scan# 673

Delta R.T. -0.01 min

Lab File: BG037524.D

Acq: 24 Oct 2018 23:23

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 506213

Ion Ratio Lower Upper




99 100

42 18.1 15.0 22.4

71 31.2 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.967 ng

RT: 9.28 min Scan# 1020

Delta R.T. 0.37 min

Lab File: BG037524.D

Acq: 24 Oct 2018 23:23

Tgt Ion: 70 Resp: 46918


Ion Ratio Lower Upper

70 100



42 52.0 53.9 80.9#

101 0.0 8.2 12.2#

130 2.5 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.92 min Scan# 1299
Delta R.T. -0.01 min
Lab File: BG037524.D
Acq: 24 Oct 2018 23:23




Instrument :
BNA_G
ClientSampleId :


Tot Ion:136	Resp:	234925
Ion Ratio	Lower	Upper
136	100	
137	10.8	9.6 14.4
54	11.0	7.9 11.9
68	7.3	4.8 7.2#



#23
Nitrobenzene-d5
Concen: 87.264 ng
RT: 9.28 min Scan# 1020
Delta R.T. -0.00 min
Lab File: BG037524.D
Acq: 24 Oct 2018 23:23

Tgt Ion: 82	Resp:	365957
Ion Ratio	Lower	Upper
82	100	
128	43.7	34.6 51.8
54	54.0	45.3 67.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.74 min Scan# 1948

Delta R.T. -0.01 min

Lab File: BG037524.D

Acq: 24 Oct 2018 23:23

Instrument :

BNA_G

ClientSampled :


Tot Ion:164 Resp: 158068

Ion Ratio Lower Upper

164 100

162 107.5 81.3 121.9



160 47.0 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 114.321 ng

RT: 16.22 min Scan# 2201

Delta R.T. -0.01 min

Lab File: BG037524.D

Acq: 24 Oct 2018 23:23


Tgt Ion:330 Resp: 197093

Ion Ratio Lower Upper

330 100

332 95.5 78.4 117.6



141 40.4 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 82.974 ng
RT: 13.36 min Scan# 1714
Delta R.T. -0.01 min
Lab File: BG037524.D
Acq: 24 Oct 2018 23:23

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
172	100		
171	37.7	31.0	46.4
170	24.9	20.2	30.2




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#51
2,6-Dinitrotoluene
Concen: 7.410 ng
RT: 14.74 min Scan# 1948
Delta R.T. 0.42 min
Lab File: BG037524.D
Acq: 24 Oct 2018 23:23

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.3	43.4	65.2#
89	1.5	45.8	68.6#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BGC
Ion 89.00 (88.70 to 89.70): BGC






#57
2,4-Dinitrotoluene
Concen: 5.645 ng
RT: 14.74 min Scan# 1948
Delta R.T. -0.36 min
Lab File: BG037524.D
Acq: 24 Oct 2018 23:23

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.3	33.4	50.0#
89	1.5	57.2	85.8#
182	0.0	2.6	4.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.48 min Scan# 2415
Delta R.T. -0.01 min
Lab File: BG037524.D
Acq: 24 Oct 2018 23:23



Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.8	7.2	10.8
80	11.3	7.7	11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#65
 4,6-Dinitro-2-methylphenol
 Concen: 8.924 ng
 RT: 16.22 min Scan# 2200
 Delta R.T. 0.36 min
 Lab File: BG037524.D
 Acq: 24 Oct 2018 23:23

Instrument :
 BNA_G
 ClientSampled :

Tot Ion:198 Resp: 1011
 Ion Ratio Lower Upper
 198 100
 51 39.1 22.7 62.7
 105 28.9 19.7 59.7




Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 51.00 (50.70 to 51.70): BG
 Ion 105.00 (104.70 to 105.70): E






#67
 4-Bromophenyl-phenylether
 Concen: 3.308 ng
 RT: 16.22 min Scan# 2201
 Delta R.T. -0.45 min
 Lab File: BG037524.D
 Acq: 24 Oct 2018 23:23

Tgt Ion:248 Resp: 13812
 Ion Ratio Lower Upper
 248 100
 250 182.8 77.0 115.6#
 141 392.1 55.5 83.3#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E









#76
 Chrvsene-d12
 Concen: 20.000 ng
 RT: 21.77 min Scan# 3145
 Delta R.T. -0.01 min
 Lab File: BG037524.D
 Acq: 24 Oct 2018 23:23

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:240 Resp: 351365
 Ion Ratio Lower Upper
 240 100
 120 10.5 8.1 12.1
 236 26.3 21.4 32.0




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#79
 Terphenyl-d14
 Concen: 82.919 ng
 RT: 20.08 min Scan# 2858
 Delta R.T. -0.01 min
 Lab File: BG037524.D
 Acq: 24 Oct 2018 23:23

Tgt Ion:244 Resp: 1363503
 Ion Ratio Lower Upper
 244 100
 212 8.4 6.5 9.7
 122 11.6 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 25.10 min Scan# 3712
Delta R.T. -0.01 min
Lab File: BG037524.D
Acq: 24 Oct 2018 23:23

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.2	27.4
265	21.3	17.9	26.9

