

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102418\
 Data File : BG037528.D
 Acq On : 25 Oct 2018 2:00
 Operator : JU/SJ
 Sample : J5647-01
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Oct 25 08:02:25 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	61810	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	262118	20.00	ng	0.00
39) Acenaphthene-d10	14.73	164	175277	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	417941	20.00	ng	0.00
76) Chrysene-d12	21.77	240	373429	20.00	ng	0.00
87) Perylene-d12	25.10	264	354137	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	437200	118.26	ng	0.00
7) Phenol-d6	7.25	99	571117	102.16	ng	0.00
23) Nitrobenzene-d5	9.28	82	411032	87.84	ng	0.00
42) 2,4,6-Tribromophenol	16.23	330	233198	121.98	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	961529	82.72	ng	0.00
79) Terphenyl-d14	20.08	244	1463466	83.74	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.28	70	52003	13.508	ng	# 73
51) 2,6-Dinitrotoluene	14.73	165	22511	7.504	ng	# 25
57) 2,4-Dinitrotoluene	14.73	165	22511	5.717	ng	# 25
65) 4,6-Dinitro-2-methylphenol	16.22	198	664	8.757	ng	71
67) 4-Bromophenyl-phenylether	16.22	248	16945	3.692	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102418\
Data File : BG037528.D
Acq On : 25 Oct 2018 2:00
Operator : JU/SJ
Sample : J5647-01
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Oct 25 08:02:25 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. -0.00 min
Lab File: BG037528.D
Acq: 25 Oct 2018 2:00

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 61810
Ion Ratio Lower Upper
152 100
150 161.7 126.0 189.0
115 60.0 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 118.255 ng
RT: 5.64 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037528.D
Acq: 25 Oct 2018 2:00

Tgt Ion:112 Resp: 437200
Ion Ratio Lower Upper
112 100
64 68.1 53.1 79.7
63 33.0 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 102.159 ng

RT: 7.25 min Scan# 674

Delta R.T. -0.00 min

Lab File: BG037528.D

Acq: 25 Oct 2018 2:00

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 571117

Ion Ratio Lower Upper




99 100

42 18.8 15.0 22.4

71 31.6 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.508 ng

RT: 9.28 min Scan# 1020

Delta R.T. 0.37 min

Lab File: BG037528.D

Acq: 25 Oct 2018 2:00

Tgt Ion: 70 Resp: 52003


Ion Ratio Lower Upper

70 100



42 49.2 53.9 80.9#

101 0.0 8.2 12.2#

130 2.7 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.93 min Scan# 1300
Delta R.T. -0.00 min
Lab File: BG037528.D
Acq: 25 Oct 2018 2:00

Instrument :
BNA_G
ClientSampleId :

Tot Ion:136	Resp:	262118
Ion	Ratio	Lower Upper
136	100	
137	12.2	9.6 14.4
54	10.9	7.9 11.9
68	7.0	4.8 7.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 87.844 ng
RT: 9.28 min Scan# 1020
Delta R.T. -0.00 min
Lab File: BG037528.D
Acq: 25 Oct 2018 2:00

Tgt Ion: 82	Resp:	411032
Ion	Ratio	Lower Upper
82	100	
128	43.0	34.6 51.8
54	53.7	45.3 67.9



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.73 min Scan# 1948

Delta R.T. -0.01 min

Lab File: BG037528.D

Acq: 25 Oct 2018 2:00

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 175277

Ion Ratio Lower Upper

164 100

162 105.4 81.3 121.9



160 45.3 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 121.983 ng

RT: 16.23 min Scan# 2202

Delta R.T. -0.00 min

Lab File: BG037528.D

Acq: 25 Oct 2018 2:00


Tgt Ion:330 Resp: 233198

Ion Ratio Lower Upper

330 100

332 96.7 78.4 117.6



141 41.2 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 82.722 ng
 RT: 13.36 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BG037528.D
 Acq: 25 Oct 2018 2:00




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
172	100		
171	37.6	31.0	46.4
170	25.6	20.2	30.2



#51
 2,6-Dinitrotoluene
 Concen: 7.504 ng
 RT: 14.73 min Scan# 1948
 Delta R.T. 0.41 min
 Lab File: BG037528.D
 Acq: 25 Oct 2018 2:00

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	43.4	65.2#
89	2.0	45.8	68.6#









#57
 2,4-Dinitrotoluene
 Concen: 5.717 ng
 RT: 14.73 min Scan# 1948
 Delta R.T. -0.37 min
 Lab File: BG037528.D
 Acq: 25 Oct 2018 2:00




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	33.4	50.0#
89	2.0	57.2	85.8#
182	0.0	2.6	4.0#



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.48 min Scan# 2416
 Delta R.T. -0.00 min
 Lab File: BG037528.D
 Acq: 25 Oct 2018 2:00

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.7	7.2	10.8
80	10.1	7.7	11.5





#65

4,6-Dinitro-2-methylphenol

Concen: 8.757 ng

RT: 16.22 min Scan# 2201

Delta R.T. 0.36 min

Lab File: BG037528.D

Acq: 25 Oct 2018 2:00

Instrument :

BNA_G

ClientSampled :


Tot Ion:198 Resp: 664

Ion Ratio Lower Upper

198 100

51 24.5 22.7 62.7




105 21.3 19.7 59.7



Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BG037528.D (-2132) (-)

Ion 105.00 (104.70 to 105.70): E



#67

4-Bromophenyl-phenylether

Concen: 3.692 ng

RT: 16.22 min Scan# 2201

Delta R.T. -0.45 min

Lab File: BG037528.D

Acq: 25 Oct 2018 2:00


Tgt Ion:248 Resp: 16945

Ion Ratio Lower Upper

248 100

250 193.8 77.0 115.6#



141 435.3 55.5 83.3#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.77 min Scan# 3145
 Delta R.T. -0.01 min
 Lab File: BG037528.D
 Acq: 25 Oct 2018 2:00




Instrument :
 BNA_G
 ClientSampled :




Tot Ion:240 Resp: 373429
 Ion Ratio Lower Upper
 240 100
 120 10.6 8.1 12.1
 236 27.5 21.4 32.0



#79
 Terphenyl-d14
 Concen: 83.740 ng
 RT: 20.08 min Scan# 2858
 Delta R.T. -0.01 min
 Lab File: BG037528.D
 Acq: 25 Oct 2018 2:00

Tgt Ion:244 Resp: 1463466
 Ion Ratio Lower Upper
 244 100
 212 8.7 6.5 9.7
 122 12.3 9.0 13.4





#87
Pervlene-d12
Concen: 20.000 ng
RT: 25.10 min Scan# 3712
Delta R.T. -0.01 min
Lab File: BG037528.D
Acq: 25 Oct 2018 2:00

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.2	27.4
265	22.1	17.9	26.9

