

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG102418\
 Data File : BG037514.D
 Acq On : 24 Oct 2018 16:49
 Operator : JU/SJ
 Sample : J5636-04
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 HP-GRID-D

Quant Time: Oct 25 08:09:48 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	66013	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	288608	20.00	ng	0.00
39) Acenaphthene-d10	14.74	164	193651	20.00	ng	0.00
64) Phenanthrene-d10	17.49	188	461884	20.00	ng	0.00
76) Chrysene-d12	21.77	240	414176	20.00	ng	0.00
87) Perylene-d12	25.10	264	425217	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	617015	156.27	ng	0.00
7) Phenol-d6	7.25	99	911238	152.62	ng	0.00
23) Nitrobenzene-d5	9.28	82	532187	103.30	ng	0.00
42) 2,4,6-Tribromophenol	16.23	330	332646	157.49	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	1143957	89.08	ng	0.00
79) Terphenyl-d14	20.08	244	1557995	80.38	ng	0.00
Target Compounds						
10) Phenol	7.28	94	47369	7.519	ng	98
50) Dimethylphthalate	14.18	163	104882	7.001	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG102418\
Data File : BG037514.D
Acq On : 24 Oct 2018 16:49
Operator : JU/SJ
Sample : J5636-04
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
HP-GRID-D

Quant Time: Oct 25 08:09:48 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. -0.00 min
Lab File: BG037514.D
Acq: 24 Oct 2018 16:49

Instrument :
BNA_G
ClientSampleId :
HP-GRID-D

Tgt Ion:152 Resp: 66013
Ion Ratio Lower Upper
152 100
150 155.2 126.0 189.0
115 55.6 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 156.266 ng
RT: 5.65 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037514.D
Acq: 24 Oct 2018 16:49

Tgt Ion:112 Resp: 617015
Ion Ratio Lower Upper
112 100
64 66.7 53.1 79.7
63 34.1 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 152.620 ng

RT: 7.25 min Scan# 674

Delta R.T. -0.00 min

Lab File: BG037514.D

Acq: 24 Oct 2018 16:49

Instrument :

BNA_G

ClientSampleId :

HP-GRID-D


Tgt Ion: 99 Resp: 911238

Ion Ratio Lower Upper




99 100

42 19.4 15.0 22.4

71 32.2 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 7.519 ng

RT: 7.28 min Scan# 679

Delta R.T. 0.00 min

Lab File: BG037514.D

Acq: 24 Oct 2018 16:49


Tgt Ion: 94 Resp: 47369

Ion Ratio Lower Upper



94 100


65 28.8 9.7 49.7

66 34.9 15.9 55.9



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.93 min Scan# 1300
Delta R.T. -0.00 min
Lab File: BG037514.D
Acq: 24 Oct 2018 16:49

Instrument :
BNA_G
ClientSampleId :
HP-GRID-D

Tgt Ion:	136	Resp:	288608
Ion	Ratio	Lower	Upper
136	100		
137	11.5	9.6	14.4
54	10.0	7.9	11.9
68	6.9	4.8	7.2




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 103.298 ng
RT: 9.28 min Scan# 1020
Delta R.T. -0.00 min
Lab File: BG037514.D
Acq: 24 Oct 2018 16:49

Tgt Ion:	82	Resp:	532187
Ion	Ratio	Lower	Upper
82	100		
128	44.4	34.6	51.8
54	54.4	45.3	67.9



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.74 min Scan# 1948

Delta R.T. -0.01 min

Lab File: BG037514.D

Acq: 24 Oct 2018 16:49

Instrument :

BNA_G

ClientSampleId :

HP-GRID-D


Tgt Ion:164 Resp: 193651

Ion Ratio Lower Upper

164 100

162 102.7 81.3 121.9



160 42.7 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 157.493 ng

RT: 16.23 min Scan# 2202

Delta R.T. -0.00 min

Lab File: BG037514.D

Acq: 24 Oct 2018 16:49


Tgt Ion:330 Resp: 332646

Ion Ratio Lower Upper

330 100

332 94.2 78.4 117.6



141 40.6 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 89.079 ng
 RT: 13.36 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BG037514.D
 Acq: 24 Oct 2018 16:49




Instrument :
 BNA_G
 ClientSampleId :
 HP-GRID-D


Tgt Ion:172 Resp: 1143957
 Ion Ratio Lower Upper
 172 100
 171 38.7 31.0 46.4
 170 26.4 20.2 30.2



#50
 Dimethylphthalate
 Concen: 7.001 ng
 RT: 14.18 min Scan# 1854
 Delta R.T. -0.01 min
 Lab File: BG037514.D
 Acq: 24 Oct 2018 16:49

Tgt Ion:163 Resp: 104882
 Ion Ratio Lower Upper
 163 100
 194 4.5 3.5 5.3
 164 9.4 8.5 12.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.49 min Scan# 2416
Delta R.T. -0.00 min
Lab File: BG037514.D
Acq: 24 Oct 2018 16:49




Instrument :
BNA_G
ClientSampleId :
HP-GRID-D


Tgt Ion:188 Resp: 461884
Ion Ratio Lower Upper
188 100
94 9.5 7.2 10.8
80 10.5 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3145
Delta R.T. -0.01 min
Lab File: BG037514.D
Acq: 24 Oct 2018 16:49

Tgt Ion:240 Resp: 414176
Ion Ratio Lower Upper
240 100
120 11.1 8.1 12.1
236 26.6 21.4 32.0





#79

Terphenyl-d14

Concen: 80.378 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG037514.D

Acq: 24 Oct 2018 16:49

Instrument :

BNA_G

ClientSampled :

HP-GRID-D


Tgt Ion:244 Resp: 1557995

Ion Ratio Lower Upper




244 100

212 9.0 6.5 9.7

122 12.6 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.10 min Scan# 3712

Delta R.T. -0.01 min

Lab File: BG037514.D

Acq: 24 Oct 2018 16:49


Tgt Ion:264 Resp: 425217

Ion Ratio Lower Upper

264 100

260 22.6 18.2 27.4

265 21.2 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

