

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG102418\
 Data File : BG037525.D
 Acq On : 25 Oct 2018 00:02
 Operator : JU/SJ
 Sample : J5200-14
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 OR-02-102318-A

Quant Time: Oct 25 08:22:55 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	61053	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	266087	20.00	ng	0.00
39) Acenaphthene-d10	14.73	164	178472	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	415329	20.00	ng	0.00
76) Chrysene-d12	21.76	240	379190	20.00	ng	-0.01
87) Perylene-d12	25.10	264	353647	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	432960	118.56	ng	0.00
7) Phenol-d6	7.25	99	564298	102.19	ng	0.00
23) Nitrobenzene-d5	9.28	82	410291	86.38	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	208219	106.97	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	951074	80.36	ng	0.00
79) Terphenyl-d14	20.08	244	1449518	81.68	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG102418\
Data File : BG037525.D
Acq On : 25 Oct 2018 00:02
Operator : JU/SJ
Sample : J5200-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
OR-02-102318-A

Quant Time: Oct 25 08:22:55 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 819
Delta R.T. -0.01 min
Lab File: BG037525.D
Acq: 25 Oct 2018 00:02

Instrument :
BNA_G
ClientSampleId :
OR-02-102318-A

Tgt Ion:152 Resp: 61053
Ion Ratio Lower Upper
152 100
150 151.2 126.0 189.0
115 57.0 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 118.560 ng
RT: 5.65 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037525.D
Acq: 25 Oct 2018 00:02

Tgt Ion:112 Resp: 432960
Ion Ratio Lower Upper
112 100
64 66.8 53.1 79.7
63 34.2 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 102.191 ng

RT: 7.25 min Scan# 674

Delta R.T. -0.00 min

Lab File: BG037525.D

Acq: 25 Oct 2018 00:02

Instrument :

BNA_G

ClientSampleId :

OR-02-102318-A


Tgt Ion: 99 Resp: 564298

Ion Ratio Lower Upper




99 100

42 18.4 15.0 22.4

71 31.9 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.93 min Scan# 1300

Delta R.T. -0.00 min

Lab File: BG037525.D

Acq: 25 Oct 2018 00:02

Tgt Ion: 136 Resp: 266087


Ion Ratio Lower Upper

136 100



137 12.2 9.6 14.4


54 9.3 7.9 11.9

68 6.7 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 86.378 ng
RT: 9.28 min Scan# 1020
Delta R.T. -0.00 min
Lab File: BG037525.D
Acq: 25 Oct 2018 00:02




Instrument :
BNA_G
ClientSampleId :
OR-02-102318-A


Tgt Ion	Ratio	Lower	Upper
82	100		
128	44.2	34.6	51.8
54	55.5	45.3	67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.73 min Scan# 1948
Delta R.T. -0.01 min
Lab File: BG037525.D
Acq: 25 Oct 2018 00:02

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.2	81.3	121.9
160	46.6	36.3	54.5









#42
 2,4,6-Tribromophenol
 Concen: 106.967 ng
 RT: 16.22 min Scan# 2201
 Delta R.T. -0.01 min
 Lab File: BG037525.D
 Acq: 25 Oct 2018 00:02

Instrument :
 BNA_G
 ClientSampleId :
 OR-02-102318-A

Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.1	78.4	117.6
141	40.2	32.2	48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 80.358 ng
 RT: 13.36 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BG037525.D
 Acq: 25 Oct 2018 00:02

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.3	31.0	46.4
170	25.2	20.2	30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.48 min Scan# 2416

Delta R.T. -0.00 min

Lab File: BG037525.D

Acq: 25 Oct 2018 00:02

Instrument :

BNA_G

ClientSampleId :

OR-02-102318-A


Tgt Ion:188 Resp: 415329

Ion Ratio Lower Upper

188 100

94 9.1 7.2 10.8




80 10.0 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.76 min Scan# 3144

Delta R.T. -0.01 min

Lab File: BG037525.D

Acq: 25 Oct 2018 00:02


Tgt Ion:240 Resp: 379190

Ion Ratio Lower Upper

240 100

120 11.5 8.1 12.1



236 27.3 21.4 32.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 81.682 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG037525.D

Acq: 25 Oct 2018 00:02

Instrument :

BNA_G

ClientSampleId :

OR-02-102318-A


Tgt Ion:244 Resp: 1449518

Ion Ratio Lower Upper

244 100

212 8.4 6.5 9.7




122 11.9 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.10 min Scan# 3713

Delta R.T. -0.01 min

Lab File: BG037525.D

Acq: 25 Oct 2018 00:02


Tgt Ion:264 Resp: 353647

Ion Ratio Lower Upper

264 100

260 21.3 18.2 27.4

265 21.0 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

