

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG102422\
 Data File : BG055265.D
 Acq On : 24 Oct 2022 20:51
 Operator : CG/JU
 Sample : N5189-02
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 1431-2

Quant Time: Oct 25 01:22:11 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG102422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 24 16:54:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.276	152	46066	20.000	ng	0.00
21) Naphthalene-d8	11.102	136	185610	20.000	ng	0.00
39) Acenaphthene-d10	14.886	164	109992	20.000	ng	0.00
64) Phenanthrene-d10	17.618	188	235183	20.000	ng	0.00
76) Chrysene-d12	21.889	240	229686	20.000	ng	-0.01
86) Perylene-d12	25.285	264	237522	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.796	112	158501	60.246	ng	0.00
7) Phenol-d6	7.412	99	120635	31.650	ng	0.00
23) Nitrobenzene-d5	9.445	82	349665	96.197	ng	0.00
42) 2,4,6-Tribromophenol	16.360	330	175326	146.629	ng	0.00
45) 2-Fluorobiphenyl	13.511	172	693285	103.165	ng	0.00
79) Terphenyl-d14	20.191	244	933216	84.417	ng	0.00
Target Compounds						
74) Di-n-butylphthalate	18.552	149	2079179	141.035	ng	Qvalue # 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG102422\
Data File : BG055265.D
Acq On : 24 Oct 2022 20:51
Operator : CG/JU
Sample : N5189-02
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
1431-2

Quant Time: Oct 25 01:22:11 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG102422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 24 16:54:05 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.276 min Scan# 84
Delta R.T. -0.000 min
Lab File: BG055265.D
Acq: 24 Oct 2022 20:51




Instrument :
BNA_G
ClientSampleId :
1431-2


Tgt Ion:152 Resp: 46066
Ion Ratio Lower Upper
152 100
150 157.6 118.2 177.4
115 59.9 44.5 66.7



#5
2-Fluorophenol
Concen: 60.246 ng
RT: 5.796 min Scan# 427
Delta R.T. 0.005 min
Lab File: BG055265.D
Acq: 24 Oct 2022 20:51

Tgt Ion:112 Resp: 158501
Ion Ratio Lower Upper
112 100
64 65.0 52.6 78.8
63 34.0 27.1 40.7









#7
Phenol-d6
Concen: 31.650 ng
RT: 7.412 min Scan# 702
Delta R.T. -0.000 min
Lab File: BG055265.D
Acq: 24 Oct 2022 20:51




Instrument :
BNA_G
ClientSampleId :
1431-2


Tgt Ion: 99 Resp: 120635
Ion Ratio Lower Upper
99 100
42 18.7 15.2 22.8
71 31.5 26.2 39.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.102 min Scan# 1330
Delta R.T. -0.000 min
Lab File: BG055265.D
Acq: 24 Oct 2022 20:51

Tgt Ion: 136 Resp: 185610
Ion Ratio Lower Upper
136 100
137 11.4 9.2 13.8
54 9.8 7.8 11.8
68 7.8 5.8 8.6





#23

Nitrobenzene-d5

Concen: 96.197 ng

RT: 9.445 min Scan# 1048

Delta R.T. -0.000 min

Lab File: BG055265.D

Acq: 24 Oct 2022 20:51

Instrument :

BNA_G

ClientSampleId :

1431-2





Tgt Ion: 82 Resp: 349665

Ion Ratio Lower Upper

82 100

128 41.8 32.0 48.0

54 50.4 40.9 61.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.886 min Scan# 1974

Delta R.T. -0.000 min

Lab File: BG055265.D

Acq: 24 Oct 2022 20:51




Tgt Ion:164 Resp: 109992


Ion Ratio Lower Upper

164 100

162 108.3 84.0 126.0

160 45.2 36.7 55.1









#42
2,4,6-Tribromophenol
Concen: 146.629 ng
RT: 16.360 min Scan# 21
Delta R.T. -0.006 min
Lab File: BG055265.D
Acq: 24 Oct 2022 20:51




Instrument :
BNA_G
ClientSampleId :
1431-2


Tgt Ion:330 Resp: 175326
Ion Ratio Lower Upper
330 100
332 97.5 77.4 116.0
141 38.2 29.8 44.8



#45
2-Fluorobiphenyl
Concen: 103.165 ng
RT: 13.511 min Scan# 1740
Delta R.T. -0.006 min
Lab File: BG055265.D
Acq: 24 Oct 2022 20:51

Tgt Ion:172 Resp: 693285
Ion Ratio Lower Upper
172 100
171 37.6 29.7 44.5
170 25.3 20.2 30.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.618 min Scan# 2439

Delta R.T. -0.000 min

Lab File: BG055265.D

Acq: 24 Oct 2022 20:51

Instrument :

BNA_G

ClientSampleId :

1431-2





Tgt Ion:188 Resp: 235183

Ion Ratio Lower Upper

188 100

94 9.7 8.2 12.4

80 11.0 10.1 15.1



#74

Di-n-butylphthalate

Concen: 141.035 ng

RT: 18.552 min Scan# 2598

Delta R.T. 0.005 min

Lab File: BG055265.D

Acq: 24 Oct 2022 20:51




Tgt Ion:149 Resp: 2079179


Ion Ratio Lower Upper

149 100

150 11.8 7.8 11.8#

104 6.5 4.2 6.4#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.889 min Scan# 3166
Delta R.T. -0.012 min
Lab File: BG055265.D
Acq: 24 Oct 2022 20:51




Instrument :
BNA_G
ClientSampleId :
1431-2


Tgt Ion:240 Resp: 229686
Ion Ratio Lower Upper
240 100
120 12.4 8.9 13.3
236 26.3 21.0 31.4



#79
Terphenyl-d14
Concen: 84.417 ng
RT: 20.191 min Scan# 2877
Delta R.T. -0.000 min
Lab File: BG055265.D
Acq: 24 Oct 2022 20:51

Tgt Ion:244 Resp: 933216
Ion Ratio Lower Upper
244 100
212 7.6 6.0 9.0
122 12.0 9.6 14.4





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.285 min Scan# 31
 Delta R.T. -0.006 min
 Lab File: BG055265.D
 Acq: 24 Oct 2022 20:51

Instrument :
 BNA_G
 ClientSampleId :
 1431-2

Tgt Ion:264 Resp: 237522
 Ion Ratio Lower Upper
 264 100
 260 24.4 19.5 29.3
 265 21.1 17.4 26.2

