

Data Path : Z:\HPCHEM1\BNA G\DATA\BG102517\
 Data File : BG029447.D
 Acq On : 25 Oct 2017 17:58
 Operator : SJ/JU
 Sample : I5793-11
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Oct 26 05:50:44 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG101417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 26 05:48:30 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	64630	20.00	ng/ul	0.00
18) Naphthalene-d8	10.98	136	300020	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.79	164	199399	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.52	188	497355	20.00	ng/ul	0.00
75) Chrysene-d12	21.80	240	536539	20.00	ng/ul	0.00
83) Perylene-d12	25.10	264	540749	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.55	96	6074	3.82	ng/uL	0.00
5) Phenol-d5	7.31	99	124549	20.08	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.48	67	74128	19.10	ng/ul	0.00
9) 2-Chlorophenol-d4	7.70	132	97746	22.34	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	110482	22.05	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	49266	22.87	ng/ul	0.00
22) 2-Nitrophenol-d4	10.06	143	58728	26.61	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	113475	22.57	ng/ul	0.00
29) 4-Chloroaniline-d4	11.11	131	59351	10.16	ng/ul	0.00
43) Dimethylphthalate-d6	14.18	166	380236	22.30	ng/ul	0.00
46) Acenaphthylene-d8	14.48	160	465835	22.47	ng/ul	0.00
51) 4-Nitrophenol-d4	14.97	143	52419	16.66	ng/ul	0.00
57) Fluorene-d10	15.77	176	349607	25.04	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.89	200	48996	20.18	ng/ul	0.00
70) Anthracene-d10	17.62	188	547727	23.29	ng/ul	0.00
76) Pyrene-d10	19.89	212	642267	23.13	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.88	264	600231	23.44	ng/ul	0.00

Target Compounds


						Ovalue
6) Phenol	7.34	94	13046	2.03	ng/ul	92
44) Dimethylphthalate	14.22	163	30363	1.83	ng/ul#	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG102517\
Data File : BG029447.D
Acq On : 25 Oct 2017 17:58
Operator : SJ/JU
Sample : I5793-11
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Oct 26 05:50:44 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG101417.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Oct 26 05:48:30 2017
Response via : Initial Calibration





#6

Phenol

Concen: 2.03 ng/ul

RT: 7.34 min Scan# 690

Delta R.T. 0.00 min

Lab File: BG029447.D

Acq: 25 Oct 2017 17:58

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 94 Resp: 13046

Ion Ratio Lower Upper




94 100

65 29.3 27.1 40.7

66 38.3 34.6 52.0



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC



#44

Dimethylphthalate

Concen: 1.83 ng/ul

RT: 14.22 min Scan# 1861

Delta R.T. -0.01 min

Lab File: BG029447.D

Acq: 25 Oct 2017 17:58


Tgt Ion:163 Resp: 30363

Ion Ratio Lower Upper

163 100

194 4.5 3.5 5.3

164 11.4 7.6 11.4#



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E

