

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG102615\
 Data File : BG019365.D
 Acq On : 26 Oct 2015 18:30
 Operator : UM/NP
 Sample : G4075-04RE
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JG9J6

Quant Time: Oct 27 03:10:39 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG102315.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Oct 27 04:07:50 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.24	152	38577	20.00	ng/ul	0.00
18) Naphthalene-d8	11.07	136	159484	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.86	164	121977	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.61	188	285779	20.00	ng/ul	0.01
78) Chrysene-d12	21.90	240	308305	20.00	ng/ul	0.01
86) Perylene-d12	25.30	264	300190	20.00	ng/ul	0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.56	96	1939	2.79	ng/uL	0.00
5) Phenol-d5	7.39	99	74749	22.02	ng/ul	0.02
7) Bis-(2-Chloroethyl)ether-d	7.55	67	45040	22.22	ng/ul	0.00
9) 2-Chlorophenol-d4	7.77	132	49739	22.70	ng/ul	0.01
13) 4-Methylphenol-d8	8.95	113	63209	23.89	ng/ul	0.01
19) Nitrobenzene-d5	9.41	128	25191	20.80	ng/ul	0.00
22) 2-Nitrophenol-d4	10.14	143	31125	22.50	ng/ul	0.01
26) 2,4-Dichlorophenol-d3	10.69	165	67048	22.22	ng/ul	0.01
29) 4-Chloroaniline-d4	11.20	131	17579	5.87	ng/ul	0.01
44) Dimethylphthalate-d6	14.26	166	216706	21.43	ng/ul	0.00
47) Acenaphthylene-d8	14.56	160	248448	22.20	ng/ul	0.01
52) 4-Nitrophenol-d4	15.05	143	28486	17.32	ng/ul	0.02
58) Fluorene-d10	15.85	176	195374	20.59	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.96	200	22441	11.93	ng/ul	0.00
71) Anthracene-d10	17.70	188	282810	21.61	ng/ul	0.00
79) Pyrene-d10	19.98	212	304908	22.57	ng/ul	0.00
90) Benzo(a)pyrene-d12	25.07	264	340749	22.25	ng/ul	0.02


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
45) Dimethylphthalate	14.31	163	122166	12.09	ng/ul#	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG102615\
Data File : BG019365.D
Acq On : 26 Oct 2015 18:30
Operator : UM/NP
Sample : G4075-04RE
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
JG9J6

Quant Time: Oct 27 03:10:39 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG102315.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Oct 27 04:07:50 2015
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 12.09 ng/ul

RT: 14.31 min Scan# 1952

Delta R.T. 0.01 min

Lab File: BG019365.D

Acq: 26 Oct 2015 18:30

Instrument :

BNA_G

ClientSampleId :

JG9J6


Tgt Ion:163 Resp: 122166

Ion Ratio Lower Upper

163 100

194 4.1 4.3 6.5#

164 9.6 7.5 11.3



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

