

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG102717\
 Data File : BG030494.D
 Acq On : 27 Oct 2017 12:48
 Operator : SJ/JU
 Sample : I6024-08
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-09-COMP

Quant Time: Oct 27 14:46:13 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG101617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 16 17:32:15 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	73824	20.00	ng	0.00
21) Naphthalene-d8	10.99	136	333745	20.00	ng	0.00
38) Acenaphthene-d10	14.78	164	219765	20.00	ng	0.00
63) Phenanthrene-d10	17.52	188	514333	20.00	ng	0.00
75) Chrysene-d12	21.80	240	539325	20.00	ng	0.00
86) Perylene-d12	25.11	264	537961	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.72	112	566889	128.28	ng	0.00
7) Phenol-d6	7.33	99	776426	125.17	ng	0.00
23) Nitrobenzene-d5	9.34	82	484260	92.21	ng	0.00
41) 2,4,6-Tribromophenol	16.27	330	373537	131.65	ng	0.00
44) 2-Fluorobiphenyl	13.41	172	1267163	84.57	ng	0.00
78) Terphenyl-d14	20.11	244	1908242	80.49	ng	0.00
Target Compounds						
10) Phenol	7.35	94	21996	3.289	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG102717\
Data File : BG030494.D
Acq On : 27 Oct 2017 12:48
Operator : SJ/JU
Sample : I6024-08
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-09-COMP

Quant Time: Oct 27 14:46:13 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG101617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 16 17:32:15 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.17 min Scan# 830
Delta R.T. -0.00 min
Lab File: BG030494.D
Acq: 27 Oct 2017 12:48

Instrument :
BNA_G
ClientSampleId :
SB-09-COMP

Tgt Ion:152 Resp: 73824
Ion Ratio Lower Upper
152 100
150 152.5 126.6 189.8
115 56.9 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 128.281 ng
RT: 5.72 min Scan# 414
Delta R.T. 0.00 min
Lab File: BG030494.D
Acq: 27 Oct 2017 12:48

Tgt Ion:112 Resp: 566889
Ion Ratio Lower Upper
112 100
64 59.9 56.3 84.5
63 32.5 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 125.170 ng

RT: 7.33 min Scan# 687

Delta R.T. 0.00 min

Lab File: BG030494.D

Acq: 27 Oct 2017 12:48

Instrument :

BNA_G

ClientSampleId :

SB-09-COMP


Tgt Ion: 99 Resp: 776426

Ion Ratio Lower Upper




99 100

42 19.8 14.1 21.1

71 34.9 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 3.289 ng

RT: 7.35 min Scan# 691

Delta R.T. -0.00 min

Lab File: BG030494.D

Acq: 27 Oct 2017 12:48


Tgt Ion: 94 Resp: 21996

Ion Ratio Lower Upper



94 100


65 31.3 11.9 51.9

66 38.9 22.2 62.2



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.99 min Scan# 1310

Delta R.T. -0.00 min

Lab File: BG030494.D

Acq: 27 Oct 2017 12:48

Instrument :

BNA_G

ClientSampleId :

SB-09-COMP

Tgt Ion: 136 Resp: 333745


Ion Ratio Lower Upper

136 100

137 11.3 9.2 13.8

54 8.5 10.3 15.5#

68 5.8 4.5 6.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC



#23

Nitrobenzene-d5

Concen: 92.206 ng

RT: 9.34 min Scan# 1029

Delta R.T. -0.00 min

Lab File: BG030494.D

Acq: 27 Oct 2017 12:48


Tgt Ion: 82 Resp: 484260

Ion Ratio Lower Upper

82 100

128 46.1 29.7 44.5#



54 52.7 43.1 64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BGC









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.78 min Scan# 1956
Delta R.T. -0.01 min
Lab File: BG030494.D
Acq: 27 Oct 2017 12:48

Instrument :
BNA_G
ClientSampleId :
SB-09-COMP

Tgt Ion:164 Resp: 219765
Ion Ratio Lower Upper
164 100
162 99.4 78.8 118.2
160 43.6 35.4 53.0




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 131.648 ng
RT: 16.27 min Scan# 2209
Delta R.T. -0.00 min
Lab File: BG030494.D
Acq: 27 Oct 2017 12:48

Tgt Ion:330 Resp: 373537
Ion Ratio Lower Upper
330 100
332 96.9 77.0 115.6
141 33.8 25.2 37.8



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 84.567 ng
 RT: 13.41 min Scan# 1723
 Delta R.T. -0.00 min
 Lab File: BG030494.D
 Acq: 27 Oct 2017 12:48




Instrument :
 BNA_G
 ClientSampleId :
 SB-09-COMP


Tgt Ion:172 Resp: 1267163
 Ion Ratio Lower Upper
 172 100
 171 38.7 30.0 45.0
 170 24.8 19.5 29.3



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.52 min Scan# 2422
 Delta R.T. -0.01 min
 Lab File: BG030494.D
 Acq: 27 Oct 2017 12:48

Tgt Ion:188 Resp: 514333
 Ion Ratio Lower Upper
 188 100
 94 8.4 6.9 10.3
 80 9.7 7.7 11.5





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.80 min Scan# 3150

Delta R.T. -0.00 min

Lab File: BG030494.D

Acq: 27 Oct 2017 12:48

Instrument :

BNA_G

ClientSampleId :

SB-09-COMP


Tgt Ion:240 Resp: 539325

Ion Ratio Lower Upper

240 100

120 8.5 6.8 10.2




236 27.3 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 80.492 ng

RT: 20.11 min Scan# 2863

Delta R.T. -0.01 min

Lab File: BG030494.D

Acq: 27 Oct 2017 12:48


Tgt Ion:244 Resp: 1908242

Ion Ratio Lower Upper

244 100

212 8.6 5.8 8.8



122 10.3 7.0 10.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.11 min Scan# 3714
Delta R.T. -0.00 min
Lab File: BG030494.D
Acq: 27 Oct 2017 12:48

Instrument :
BNA_G
ClientSampleId :
SB-09-COMP

Tgt Ion: 264 Resp: 537961
Ion Ratio Lower Upper
264 100
260 24.2 17.4 26.0
265 21.7 17.7 26.5

