

Data Path : Z:\HPCHEM1\BNA G\DATA\BG102815\
 Data File : BG019404.D
 Acq On : 29 Oct 2015 5:59
 Operator : UM/NP
 Sample : G4120-19
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 E5LT0

Quant Time: Oct 29 07:34:03 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG102815.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 29 04:26:00 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.20	152	28972	20.00	ng/ul	0.00
18) Naphthalene-d8	11.03	136	120621	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.84	164	93114	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.57	188	243434	20.00	ng/ul	0.00
78) Chrysene-d12	21.86	240	312821	20.00	ng/ul	0.00
86) Perylene-d12	25.24	264	292027	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.51	96	1602	2.65	ng/uL	0.00
5) Phenol-d5	7.36	99	20094	7.56	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.52	67	55630	32.99	ng/ul	0.00
9) 2-Chlorophenol-d4	7.73	132	45560	27.44	ng/ul	0.00
13) 4-Methylphenol-d8	8.92	113	38785	18.31	ng/ul	0.00
19) Nitrobenzene-d5	9.38	128	30332	34.22	ng/ul	0.00
22) 2-Nitrophenol-d4	10.11	143	35151	33.40	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.65	165	75778	33.19	ng/ul	0.00
29) 4-Chloroaniline-d4	11.19	131	2425	1.05	ng/ul	0.02
44) Dimethylphthalate-d6	14.23	166	273358	35.61	ng/ul	0.00
47) Acenaphthylene-d8	14.53	160	303062	35.64	ng/ul	0.00
52) 4-Nitrophenol-d4	15.00	143	179	0.15	ng/ul	-0.01
58) Fluorene-d10	15.82	176	257174	36.21	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.93	200	59668	37.87	ng/ul	0.00
71) Anthracene-d10	17.67	188	410201	36.97	ng/ul	0.00
79) Pyrene-d10	19.95	212	486460	35.54	ng/ul	0.00
90) Benzo(a)pyrene-d12	25.01	264	538129	36.72	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
27) 2,4-Dichlorophenol	10.67	162	6327	2.90	ng/ul#	63
28) Naphthalene	11.08	128	7741	1.28	ng/ul#	90
35) 1-Methylnaphthalene	12.90	142	10945	2.39	ng/ul#	92
57) Diethylphthalate	15.63	149	7983	1.03	ng/ul	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG102815\
Data File : BG019404.D
Acq On : 29 Oct 2015 5:59
Operator : UM/NP
Sample : G4120-19
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
E5LT0

Quant Time: Oct 29 07:34:03 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG102815.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Oct 29 04:26:00 2015
Response via : Initial Calibration









#27
 2,4-Dichlorophenol
 Concen: 2.90 ng/ul
 RT: 10.67 min Scan# 1333
 Delta R.T. -0.00 min
 Lab File: BG019404.D
 Acq: 29 Oct 2015 5:59




Instrument :
 BNA_G
 ClientSampled :
 E5LT0


Tot Ion:162 Resp: 6327
 Ion Ratio Lower Upper
 162 100
 164 40.0 52.1 78.1#
 98 6.2 26.9 40.3#



#28
 Naphthalene
 Concen: 1.28 ng/ul
 RT: 11.08 min Scan# 1403
 Delta R.T. -0.00 min
 Lab File: BG019404.D
 Acq: 29 Oct 2015 5:59

Tgt Ion:128 Resp: 7741
 Ion Ratio Lower Upper
 128 100
 129 8.8 8.9 13.3#
 127 10.8 13.1 19.7#









#35
 1-Methylnaphthalene
 Concen: 2.39 ng/ul
 RT: 12.90 min Scan# 1712
 Delta R.T. 0.00 min
 Lab File: BG019404.D
 Acq: 29 Oct 2015 5:59

Instrument :
 BNA_G
 ClientSampleId :
 E5LT0

Tot Ion	Ratio	Lower	Upper
142	100		
141	100.0	76.5	114.7
116	28.3	5.4	8.0#



#57
 Diethylphthalate
 Concen: 1.03 ng/ul
 RT: 15.63 min Scan# 2177
 Delta R.T. 0.00 min
 Lab File: BG019404.D
 Acq: 29 Oct 2015 5:59

Tgt Ion	Ratio	Lower	Upper
149	100		
177	28.0	20.6	30.8
150	16.5	11.2	16.8

