

Data Path : Z:\HPCHEM1\BNA G\DATA\BG102817\
 Data File : BG030528.D
 Acq On : 28 Oct 2017 15:22
 Operator : SJ/JU
 Sample : PB103644TB
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Oct 30 06:44:10 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG101617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 16 17:32:15 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	67587	20.00	ng	0.00
21) Naphthalene-d8	10.98	136	290588	20.00	ng	0.00
38) Acenaphthene-d10	14.78	164	191500	20.00	ng	0.00
63) Phenanthrene-d10	17.52	188	507210	20.00	ng	0.00
75) Chrysene-d12	21.79	240	544874	20.00	ng	0.00
86) Perylene-d12	25.11	264	545746	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.72	112	475082	117.43	ng	0.00
7) Phenol-d6	7.32	99	603224	106.22	ng	0.00
23) Nitrobenzene-d5	9.33	82	341907	74.77	ng	0.00
41) 2,4,6-Tribromophenol	16.26	330	312123	126.24	ng	0.00
44) 2-Fluorobiphenyl	13.41	172	961317	73.63	ng	0.00
78) Terphenyl-d14	20.11	244	1651564	68.96	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG102817\
Data File : BG030528.D
Acq On : 28 Oct 2017 15:22
Operator : SJ/JU
Sample : PB103644TB
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Oct 30 06:44:10 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG101617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 16 17:32:15 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.16 min Scan# 829
Delta R.T. -0.01 min
Lab File: BG030528.D
Acq: 28 Oct 2017 15:22

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 67587
Ion Ratio Lower Upper
152 100
150 154.5 126.6 189.8
115 58.3 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 117.426 ng
RT: 5.72 min Scan# 413
Delta R.T. -0.00 min
Lab File: BG030528.D
Acq: 28 Oct 2017 15:22

Tgt Ion:112 Resp: 475082
Ion Ratio Lower Upper
112 100
64 59.1 56.3 84.5
63 29.8 30.1 45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 106.222 ng

RT: 7.32 min Scan# 685

Delta R.T. -0.01 min

Lab File: BG030528.D

Acq: 28 Oct 2017 15:22

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 603224

Ion Ratio Lower Upper




99 100

42 19.2 14.1 21.1

71 34.5 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.98 min Scan# 1309

Delta R.T. -0.01 min

Lab File: BG030528.D

Acq: 28 Oct 2017 15:22

Tgt Ion: 136 Resp: 290588


Ion Ratio Lower Upper

136 100



137 10.6 9.2 13.8

54 7.6 10.3 15.5#

68 5.5 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 74.770 ng
 RT: 9.33 min Scan# 1028
 Delta R.T. -0.01 min
 Lab File: BG030528.D
 Acq: 28 Oct 2017 15:22




Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	82	Resp	341907
Ion	Ratio	Lower	Upper
82	100		
128	47.2	29.7	44.5#
54	53.8	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.78 min Scan# 1956
 Delta R.T. -0.01 min
 Lab File: BG030528.D
 Acq: 28 Oct 2017 15:22

Tgt Ion	164	Resp	191500
Ion	Ratio	Lower	Upper
164	100		
162	103.8	78.8	118.2
160	45.5	35.4	53.0








#41
 2,4,6-Tribromophenol
 Concen: 126.240 ng
 RT: 16.26 min Scan# 2208
 Delta R.T. -0.01 min
 Lab File: BG030528.D
 Acq: 28 Oct 2017 15:22

Instrument :
 BNA_G
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.4	77.0	115.6
141	32.8	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 73.625 ng
 RT: 13.41 min Scan# 1722
 Delta R.T. -0.01 min
 Lab File: BG030528.D
 Acq: 28 Oct 2017 15:22

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.5	30.0	45.0
170	23.9	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.52 min Scan# 2422
Delta R.T. -0.01 min
Lab File: BG030528.D
Acq: 28 Oct 2017 15:22




Instrument :
BNA_G
ClientSampleId :

Tot Ion:188 Resp: 507210
Ion Ratio Lower Upper
188 100
94 7.7 6.9 10.3
80 8.7 7.7 11.5



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.79 min Scan# 3149
Delta R.T. -0.01 min
Lab File: BG030528.D
Acq: 28 Oct 2017 15:22

Tgt Ion:240 Resp: 544874
Ion Ratio Lower Upper
240 100
120 9.1 6.8 10.2
236 27.3 20.9 31.3





#78

Terphenyl-d14

Concen: 68.955 ng

RT: 20.11 min Scan# 2863

Delta R.T. -0.01 min

Lab File: BG030528.D

Acq: 28 Oct 2017 15:22


Instrument :

BNA_G

ClientSampleId :

Tot Ion:244 Resp: 1651564




Ion	Ratio	Lower	Upper
244	100		
212	8.0	5.8	8.8
122	9.1	7.0	10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.11 min Scan# 3713


Delta R.T. -0.01 min

Lab File: BG030528.D

Acq: 28 Oct 2017 15:22

Tgt Ion:264 Resp: 545746

Ion	Ratio	Lower	Upper
264	100		
260	23.8	17.4	26.0
265	22.0	17.7	26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

