

Data Path : Z:\HPCHEM1\BNA G\DATA\BG102817\
 Data File : BG030531.D
 Acq On : 28 Oct 2017 17:22
 Operator : SJ/JU
 Sample : PB103686BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Oct 30 06:46:38 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG101617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 16 17:32:15 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	64859	20.00	ng	0.00
21) Naphthalene-d8	10.98	136	272071	20.00	ng	0.00
38) Acenaphthene-d10	14.78	164	177392	20.00	ng	-0.01
63) Phenanthrene-d10	17.52	188	458745	20.00	ng	-0.01
75) Chrysene-d12	21.79	240	533857	20.00	ng	0.00
86) Perylene-d12	25.10	264	531765	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.72	112	412572	106.26	ng	0.00
7) Phenol-d6	7.32	99	526451	96.60	ng	0.00
23) Nitrobenzene-d5	9.33	82	303531	70.90	ng	-0.01
41) 2,4,6-Tribromophenol	16.27	330	271367	118.48	ng	0.00
44) 2-Fluorobiphenyl	13.41	172	843346	69.73	ng	0.00
78) Terphenyl-d14	20.11	244	1525845	65.02	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG102817\
Data File : BG030531.D
Acq On : 28 Oct 2017 17:22
Operator : SJ/JU
Sample : PB103686BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Oct 30 06:46:38 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG101617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 16 17:32:15 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.16 min Scan# 830
Delta R.T. -0.01 min
Lab File: BG030531.D
Acq: 28 Oct 2017 17:22

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 64859
Ion Ratio Lower Upper
152 100
150 154.6 126.6 189.8
115 56.4 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 106.265 ng
RT: 5.72 min Scan# 414
Delta R.T. -0.00 min
Lab File: BG030531.D
Acq: 28 Oct 2017 17:22

Tgt Ion:112 Resp: 412572
Ion Ratio Lower Upper
112 100
64 58.8 56.3 84.5
63 31.1 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 96.602 ng

RT: 7.32 min Scan# 686

Delta R.T. -0.01 min

Lab File: BG030531.D

Acq: 28 Oct 2017 17:22

Instrument :

BNA_G

ClientSampleId :





Tot Ion: 99 Resp: 526451

Ion Ratio Lower Upper

99 100

42 18.8 14.1 21.1

71 33.4 26.1 39.1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.98 min Scan# 1310

Delta R.T. -0.01 min

Lab File: BG030531.D

Acq: 28 Oct 2017 17:22

Tgt Ion: 136 Resp: 272071




Ion Ratio Lower Upper


136 100

137 10.3 9.2 13.8

54 8.6 10.3 15.5#

68 6.0 4.5 6.7









#23
 Nitrobenzene-d5
 Concen: 70.895 ng
 RT: 9.33 min Scan# 1028
 Delta R.T. -0.01 min
 Lab File: BG030531.D
 Acq: 28 Oct 2017 17:22




Instrument :
 BNA_G
 ClientSampled :


Tot Ion	Ratio	Lower	Upper
82	100		
128	43.2	29.7	44.5
54	51.6	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.78 min Scan# 1956
 Delta R.T. -0.01 min
 Lab File: BG030531.D
 Acq: 28 Oct 2017 17:22

Tgt Ion	Ratio	Lower	Upper
164	100		
162	104.8	78.8	118.2
160	43.7	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 118.485 ng
 RT: 16.27 min Scan# 2209
 Delta R.T. -0.01 min
 Lab File: BG030531.D
 Acq: 28 Oct 2017 17:22

Instrument :
 BNA_G
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.6	77.0	115.6
141	33.7	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 69.727 ng
 RT: 13.41 min Scan# 1723
 Delta R.T. -0.01 min
 Lab File: BG030531.D
 Acq: 28 Oct 2017 17:22

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	30.0	45.0
170	24.2	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.52 min Scan# 2422
 Delta R.T. -0.01 min
 Lab File: BG030531.D
 Acq: 28 Oct 2017 17:22




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion:188 Resp: 458745
 Ion Ratio Lower Upper
 188 100
 94 8.7 6.9 10.3
 80 9.5 7.7 11.5



#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.79 min Scan# 3150
 Delta R.T. -0.01 min
 Lab File: BG030531.D
 Acq: 28 Oct 2017 17:22

Tgt Ion:240 Resp: 533857
 Ion Ratio Lower Upper
 240 100
 120 8.7 6.8 10.2
 236 27.4 20.9 31.3





#78

Terphenyl-d14

Concen: 65.021 ng

RT: 20.11 min Scan# 2863

Delta R.T. -0.01 min

Lab File: BG030531.D

Acq: 28 Oct 2017 17:22


Instrument :

BNA_G

ClientSampleId :

Tot Ion:244 Resp: 1525845

Ion	Ratio	Lower	Upper
244	100		
212	8.2	5.8	8.8
122	9.6	7.0	10.4






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.10 min Scan# 3713


Delta R.T. -0.01 min

Lab File: BG030531.D

Acq: 28 Oct 2017 17:22

Tgt Ion:264 Resp: 531765

Ion	Ratio	Lower	Upper
264	100		
260	24.9	17.4	26.0
265	21.9	17.7	26.5



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

