

Data Path : Z:\HPCHEM1\BNA G\DATA\BG103017\
 Data File : BG030604.D
 Acq On : 31 Oct 2017 7:15
 Operator : SJ/JU
 Sample : I5886-14
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Oct 31 08:37:23 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG101417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Oct 31 07:15:18 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	73933	20.00	ng/ul	0.00
18) Naphthalene-d8	10.98	136	368594	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.78	164	233067	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.52	188	515610	20.00	ng/ul	0.00
75) Chrysene-d12	21.79	240	555781	20.00	ng/ul	0.00
83) Perylene-d12	25.10	264	553769	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.55	96	4825	2.65	ng/uL	0.00
5) Phenol-d5	7.32	99	81566	11.49	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.48	67	55517	12.50	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	69619	13.91	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	65993	11.51	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	38630	14.60	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	47383	17.48	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	84717	13.71	ng/ul	0.00
29) 4-Chloroaniline-d4	11.18	131	839	0.12	ng/ul	0.08
43) Dimethylphthalate-d6	14.17	166	291120	14.61	ng/ul	0.00
46) Acenaphthylene-d8	14.47	160	362954	14.98	ng/ul	0.00
51) 4-Nitrophenol-d4	14.97	143	26046	7.08	ng/ul	0.01
57) Fluorene-d10	15.77	176	260322	15.95	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.88	200	27080	10.76	ng/ul	0.00
70) Anthracene-d10	17.61	188	369150	15.14	ng/ul	0.00
76) Pyrene-d10	19.89	212	425990	14.81	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.87	264	386543	14.74	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
69) Phenanthrene	17.56	178	42690	1.53	ng/ul	99
74) Fluoranthene	19.56	202	53245	1.71	ng/ul	98
77) Pyrene	19.91	202	49577	1.33	ng/ul#	96
85) Benzo(b)fluoranthene	24.05	252	39699	1.19	ng/ul#	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG103017\
Data File : BG030604.D
Acq On : 31 Oct 2017 7:15
Operator : SJ/JU
Sample : I5886-14
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Oct 31 08:37:23 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG101417.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Oct 31 07:15:18 2017
Response via : Initial Calibration





#69

Phenanthrene

Concen: 1.53 ng/ul

RT: 17.56 min Scan# 2429

Delta R.T. -0.00 min

Lab File: BG030604.D

Acq: 31 Oct 2017 7:15


Instrument :

BNA_G

ClientSampleId :

Tot Ion:178 Resp: 42690




Ion	Ratio	Lower	Upper
178	100		
179	16.7	13.0	19.6
176	19.1	15.3	22.9



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#74

Fluoranthene

Concen: 1.71 ng/ul

RT: 19.56 min Scan# 2769


Delta R.T. -0.00 min

Lab File: BG030604.D

Acq: 31 Oct 2017 7:15

Tgt Ion:202 Resp: 53245



Ion	Ratio	Lower	Upper
202	100		
101	8.8	7.4	11.2
100	8.2	5.6	8.4




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B





#77

Pvrene

Concen: 1.33 ng/ul

RT: 19.91 min Scan# 2830

Delta R.T. -0.00 min

Lab File: BG030604.D

Acq: 31 Oct 2017 7:15

Instrument :

BNA_G

ClientSampleId :


Tot Ion:202 Resp: 49577

Ion Ratio Lower Upper

202 100

101 10.9 8.4 12.6




100 6.4 7.0 10.6#



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): E



#85

Benzo(b)fluoranthene

Concen: 1.19 ng/ul

RT: 24.05 min Scan# 3533

Delta R.T. -0.00 min

Lab File: BG030604.D

Acq: 31 Oct 2017 7:15


Tgt Ion:252 Resp: 39699

Ion Ratio Lower Upper

252 100

253 24.8 17.0 25.4

125 12.7 7.5 11.3#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

