

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG103017\
 Data File : BG030589.D
 Acq On : 30 Oct 2017 21:54
 Operator : SJ/JU
 Sample : I5842-20
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0AB9

Manual Integrations
 APPROVED

Sohil
 10/31/2017 7:43:46 PM

Quant Time: Oct 31 07:04:19 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG101417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Oct 31 05:54:30 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	76061	20.00	ng/ul	0.00
18) Naphthalene-d8	10.97	136	387359	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.78	164	247910	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.51	188	553370	20.00	ng/ul	0.00
75) Chrysene-d12	21.79	240	586768	20.00	ng/ul	0.00
83) Perylene-d12	25.10	264	591053	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.55	96	7968	4.26	ng/uL	0.00
5) Phenol-d5	7.31	99	170740	23.39	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.48	67	93213	20.40	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	132232	25.68	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	150308	25.49	ng/ul	0.00
19) Nitrobenzene-d5	9.32	128	66162	23.79	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	82784	29.06	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.59	165	158995	24.49	ng/ul	0.00
29) 4-Chloroaniline-d4	11.11	131	57779	7.66	ng/ul	0.00
43) Dimethylphthalate-d6	14.17	166	479492	22.62	ng/ul	0.00
46) Acenaphthylene-d8	14.47	160	622078	24.13	ng/ul	0.00
51) 4-Nitrophenol-d4	14.96	143	73287	18.73	ng/ul	0.00
57) Fluorene-d10	15.76	176	439634	25.33	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.88	200	75849	28.08	ng/ul	0.00
70) Anthracene-d10	17.61	188	618662	23.64	ng/ul	0.00
76) Pyrene-d10	19.89	212	712751	23.47	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.88	264	682252	24.37	ng/ul	0.00

Target Compounds

					Qvalue
6) Phenol	7.34	94	29052	3.846 ng/ul	94
44) Dimethylphthalate	14.22	163	39086	1.891 ng/ul	98
74) Fluoranthene	19.55	202	98578	2.949 ng/ul	99
77) Pyrene	19.92	202	161551	4.108 ng/ul	99
80) Benzo(a)anthracene	21.77	228	84652	2.302 ng/ul	97
82) Chrysene	21.84	228	104718m	3.134 ng/ul	
84) Di-n-octyl phthalate	22.88	149	112345	2.841 ng/ul	100
85) Benzo(b)fluoranthene	24.05	252	148226	4.177 ng/ul	96
86) Benzo(k)fluoranthene	24.11	252	46270m	1.349 ng/ul	
88) Benzo(a)pyrene	24.95	252	64362	1.863 ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG103017\
Data File : BG030589.D
Acq On : 30 Oct 2017 21:54
Operator : SJ/JU
Sample : I5842-20
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0AB9

Manual Integrations
APPROVED

Sohil
10/31/2017 7:43:46 PM

Quant Time: Oct 31 07:04:19 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG101417.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Oct 31 05:54:30 2017
Response via : Initial Calibration

