

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG103019\
 Data File : BG043427.D
 Acq On : 31 Oct 2019 9:33
 Operator : JU
 Sample : PB124377BL
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB124377BL

Quant Time: Oct 31 11:24:48 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG102119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 21 16:37:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	38222	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	127082	20.00	ng	0.00
39) Acenaphthene-d10	14.65	164	104346	20.00	ng	0.00
64) Phenanthrene-d10	17.39	188	260267	20.00	ng	0.00
76) Chrysene-d12	21.66	240	284380	20.00	ng	0.00
87) Perylene-d12	24.86	264	325708	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	286202	137.21	ng	0.00
7) Phenol-d6	7.21	99	393511	131.12	ng	0.00
23) Nitrobenzene-d5	9.19	82	230436	93.48	ng	0.00
42) 2,4,6-Tribromophenol	16.14	330	255093	128.46	ng	0.00
45) 2-Fluorobiphenyl	13.27	172	666367	88.24	ng	0.00
79) Terphenyl-d14	20.00	244	1409822	93.01	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG103019\
Data File : BG043427.D
Acq On : 31 Oct 2019 9:33
Operator : JU
Sample : PB124377BL
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB124377BL

Quant Time: Oct 31 11:24:48 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG102119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 21 16:37:43 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.02 min Scan# 840
Delta R.T. -0.00 min
Lab File: BG043427.D
Acq: 31 Oct 2019 9:33

Instrument :
BNA_G
ClientSampleId :
PB124377BL

Tot Ion	152	Resp	38222
Ion	Ratio	Lower	Upper
152	100		
150	154.7	113.6	170.4
115	52.1	45.9	68.9






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 137.212 ng
RT: 5.61 min Scan# 428
Delta R.T. 0.00 min
Lab File: BG043427.D
Acq: 31 Oct 2019 9:33

Tgt Ion	112	Resp	286202
Ion	Ratio	Lower	Upper
112	100		
64	59.9	50.2	75.2
63	35.3	26.7	40.1






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 131.125 ng

RT: 7.21 min Scan# 701

Delta R.T. 0.00 min

Lab File: BG043427.D

Acq: 31 Oct 2019 9:33

Instrument :

BNA_G

ClientSampled :

PB124377BL


Tot Ion: 99 Resp: 393511

Ion Ratio Lower Upper




99 100

42 18.2 14.9 22.3

71 41.4 32.2 48.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.83 min Scan# 1318

Delta R.T. 0.00 min

Lab File: BG043427.D

Acq: 31 Oct 2019 9:33

Tgt Ion: 136 Resp: 127082


Ion Ratio Lower Upper

136 100



137 10.7 8.2 12.2


54 8.1 5.4 8.2

68 3.4 3.3 4.9



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 93.483 ng
RT: 9.19 min Scan# 1038
Delta R.T. -0.00 min
Lab File: BG043427.D
Acq: 31 Oct 2019 9:33

Instrument :
BNA_G
ClientSampleId :
PB124377BL

Tot Ion	82	Resp	230436
Ion Ratio	Lower	Upper	
82	100		
128	45.2	35.3	52.9
54	50.5	42.3	63.5






Abundance

Ion 82.00 (81.70 to 82.70): BGC


Ion 128.00 (127.70 to 128.70): BGC

Ion 54.00 (53.70 to 54.70): BGC



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.65 min Scan# 1968
Delta R.T. -0.00 min
Lab File: BG043427.D
Acq: 31 Oct 2019 9:33

Tgt Ion	164	Resp	104346
Ion Ratio	Lower	Upper	
164	100		
162	101.0	87.0	130.4
160	46.3	35.5	53.3






Abundance

Ion 164.00 (163.70 to 164.70): BGC

Ion 162.00 (161.70 to 162.70): BGC

Ion 160.00 (159.70 to 160.70): BGC






#42
 2,4,6-Tribromophenol
 Concen: 128.465 ng
 RT: 16.14 min Scan# 2222
 Delta R.T. -0.00 min
 Lab File: BG043427.D
 Acq: 31 Oct 2019 9:33

Instrument :
 BNA_G
 ClientSampleId :
 PB124377BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	76.4	114.6
141	27.8	21.4	32.0






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 88.244 ng
 RT: 13.27 min Scan# 1733
 Delta R.T. -0.01 min
 Lab File: BG043427.D
 Acq: 31 Oct 2019 9:33

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.5	42.7
170	23.2	18.8	28.2






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.39 min Scan# 2435
Delta R.T. -0.01 min
Lab File: BG043427.D
Acq: 31 Oct 2019 9:33

Instrument :
BNA_G
ClientSampleId :
PB124377BL

Tot Ion	Ratio	Lower	Upper
188	100		
94	6.1	4.2	6.2
80	6.1	5.2	7.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.66 min Scan# 3161
Delta R.T. -0.01 min
Lab File: BG043427.D
Acq: 31 Oct 2019 9:33

Tgt Ion	Ratio	Lower	Upper
240	100		
120	6.0	4.6	7.0
236	26.9	20.2	30.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 93.006 ng

RT: 20.00 min Scan# 2879

Delta R.T. -0.01 min

Lab File: BG043427.D

Acq: 31 Oct 2019 9:33

Instrument :

BNA_G

ClientSampleId :

PB124377BL


Tot Ion:244 Resp: 1409822

Ion Ratio Lower Upper

244 100

212 7.6 6.4 9.6




122 7.1 5.3 7.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.86 min Scan# 3706

Delta R.T. -0.01 min

Lab File: BG043427.D

Acq: 31 Oct 2019 9:33


Tgt Ion:264 Resp: 325708

Ion Ratio Lower Upper

264 100

260 22.6 17.9 26.9

265 21.2 17.4 26.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

