

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG103116\
 Data File : BG024585.D
 Acq On : 1 Nov 2016 10:12
 Operator : UM/SJ
 Sample : H5447-05
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 RPC-B2

Quant Time: Nov 01 13:25:42 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG102516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 01 11:50:40 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.27	152	125579	20.00	ng	0.00
21) Naphthalene-d8	11.10	136	488531	20.00	ng	0.00
38) Acenaphthene-d10	14.89	164	371080	20.00	ng	0.00
63) Phenanthrene-d10	17.62	188	787721	20.00	ng	0.00
75) Chrysene-d12	21.92	240	1074644	20.00	ng	0.00
86) Perylene-d12	25.35	264	1152432	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.80	112	859098	112.12	ng	0.00
7) Phenol-d6	7.41	99	1202017	114.37	ng	0.00
23) Nitrobenzene-d5	9.44	82	811637	75.64	ng	0.00
41) 2,4,6-Tribromophenol	16.37	330	602324	108.65	ng	0.00
44) 2-Fluorobiphenyl	13.51	172	1616264	72.39	ng	0.00
78) Terphenyl-d14	20.20	244	2465936	68.57	ng	0.00
Target Compounds						
10) Phenol	7.43	94	35052	3.24	ng	95
49) Dimethylphthalate	14.32	163	430521	16.34	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG103116\
Data File : BG024585.D
Acq On : 1 Nov 2016 10:12
Operator : UM/SJ
Sample : H5447-05
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
RPC-B2

Quant Time: Nov 01 13:25:42 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG102516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 01 11:50:40 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.27 min Scan# 924

Delta R.T. -0.01 min

Lab File: BG024585.D

Acq: 1 Nov 2016 10:12

Instrument :

BNA_G

ClientSampleId :

RPC-B2


Tgt Ion:152 Resp: 125579

Ion Ratio Lower Upper

152 100

150 141.1 114.0 171.0




115 52.2 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 112.12 ng

RT: 5.80 min Scan# 504

Delta R.T. 0.00 min

Lab File: BG024585.D

Acq: 1 Nov 2016 10:12


Tgt Ion:112 Resp: 859098

Ion Ratio Lower Upper

112 100

64 72.8 61.8 92.6



63 41.6 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 114.37 ng

RT: 7.41 min Scan# 777

Delta R.T. 0.00 min

Lab File: BG024585.D

Acq: 1 Nov 2016 10:12

Instrument :

BNA_G

ClientSampleId :

RPC-B2


Tgt Ion: 99 Resp: 1202017

Ion Ratio Lower Upper




99 100

42 21.9 20.5 30.7

71 48.3 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 3.24 ng

RT: 7.43 min Scan# 781

Delta R.T. 0.00 min

Lab File: BG024585.D

Acq: 1 Nov 2016 10:12


Tgt Ion: 94 Resp: 35052

Ion Ratio Lower Upper



94 100


65 41.8 20.6 60.6

66 61.3 35.5 75.5



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.10 min Scan# 1405

Delta R.T. -0.01 min

Lab File: BG024585.D

Acq: 1 Nov 2016 10:12

Instrument :

BNA_G

ClientSampleId :

RPC-B2

Tgt Ion: 136 Resp: 488531


Ion Ratio Lower Upper

136 100

137 12.7 8.9 13.3

54 11.0 9.3 13.9

68 6.2 5.1 7.7






Abundance Ion 136.00 (135.70 to 136.70): B

Ion 137.00 (136.70 to 137.70): B

Ion 54.00 (53.70 to 54.70): B

Ion 68.00 (67.70 to 68.70): B



#23

Nitrobenzene-d5

Concen: 75.64 ng

RT: 9.44 min Scan# 1123

Delta R.T. -0.01 min

Lab File: BG024585.D

Acq: 1 Nov 2016 10:12


Tgt Ion: 82 Resp: 811637

Ion Ratio Lower Upper

82 100

128 34.3 26.4 39.6



54 55.7 49.4 74.2




Abundance Ion 82.00 (81.70 to 82.70): B

Ion 128.00 (127.70 to 128.70): B

Ion 54.00 (53.70 to 54.70): B





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.89 min Scan# 2050

Delta R.T. 0.00 min

Lab File: BG024585.D

Acq: 1 Nov 2016 10:12

Instrument :

BNA_G

ClientSampleId :

RPC-B2


Tgt Ion:164 Resp: 371080

Ion Ratio Lower Upper

164 100

162 108.9 85.1 127.7




160 47.1 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 108.65 ng

RT: 16.37 min Scan# 2302

Delta R.T. -0.01 min

Lab File: BG024585.D

Acq: 1 Nov 2016 10:12


Tgt Ion:330 Resp: 602324

Ion Ratio Lower Upper

330 100

332 95.9 77.3 115.9



141 33.7 32.1 48.1




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 72.39 ng
RT: 13.51 min Scan# 1816
Delta R.T. 0.00 min
Lab File: BG024585.D
Acq: 1 Nov 2016 10:12




Instrument :
BNA_G
ClientSampled :
RPC-B2


Tgt Ion:172 Resp: 1616264
Ion Ratio Lower Upper
172 100
171 38.9 32.2 48.2
170 25.9 21.8 32.6



#49
Dimethylphthalate
Concen: 16.34 ng
RT: 14.32 min Scan# 1954
Delta R.T. -0.01 min
Lab File: BG024585.D
Acq: 1 Nov 2016 10:12

Tgt Ion:163 Resp: 430521
Ion Ratio Lower Upper
163 100
194 4.8 3.8 5.6
164 9.7 9.3 13.9









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.62 min Scan# 2516
Delta R.T. -0.01 min
Lab File: BG024585.D
Acq: 1 Nov 2016 10:12




Instrument :
BNA_G
ClientSampleId :
RPC-B2


Tgt Ion:188 Resp: 787721
Ion Ratio Lower Upper
188 100
94 7.2 5.8 8.8
80 8.7 7.5 11.3



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.92 min Scan# 3247
Delta R.T. -0.01 min
Lab File: BG024585.D
Acq: 1 Nov 2016 10:12

Tgt Ion:240 Resp: 1074644
Ion Ratio Lower Upper
240 100
120 4.9 5.7 8.5#
236 24.8 22.2 33.4





#78

Terphenyl-d14

Concen: 68.57 ng

RT: 20.20 min Scan# 2955

Delta R.T. -0.01 min

Lab File: BG024585.D

Acq: 1 Nov 2016 10:12

Instrument :

BNA_G

ClientSampleId :

RPC-B2


Tgt Ion:244 Resp: 2465936

Ion Ratio Lower Upper

244 100

212 10.1 10.0 15.0




122 8.1 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.35 min Scan# 3831

Delta R.T. -0.01 min

Lab File: BG024585.D

Acq: 1 Nov 2016 10:12


Tgt Ion:264 Resp: 1152432

Ion Ratio Lower Upper

264 100

260 22.9 21.8 32.8

265 20.8 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

