

Data Path : Z:\HPCHEM1\BNA G\DATA\BG110117\
 Data File : BG030627.D
 Acq On : 1 Nov 2017 9:55
 Operator : SJ/JU
 Sample : I6206-02
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Nov 01 17:35:23 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG101617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 16 17:32:15 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	73223	20.00	ng	-0.01
21) Naphthalene-d8	10.97	136	334253	20.00	ng	-0.02
38) Acenaphthene-d10	14.77	164	226470	20.00	ng	-0.02
63) Phenanthrene-d10	17.51	188	528997	20.00	ng	-0.02
75) Chrysene-d12	21.79	240	567995	20.00	ng	-0.01
86) Perylene-d12	25.10	264	570212	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.72	112	648298	147.91	ng	0.00
7) Phenol-d6	7.32	99	800799	130.16	ng	0.00
23) Nitrobenzene-d5	9.32	82	556807	105.86	ng	-0.02
41) 2,4,6-Tribromophenol	16.26	330	491238	168.00	ng	-0.01
44) 2-Fluorobiphenyl	13.40	172	1530821	99.14	ng	-0.02
78) Terphenyl-d14	20.11	244	2355146	94.33	ng	-0.01
Target Compounds						
15) Benzyl Alcohol	8.48	79	8693	2.005	ng	Qvalue # 41


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG110117\
Data File : BG030627.D
Acq On : 1 Nov 2017 9:55
Operator : SJ/JU
Sample : I6206-02
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Nov 01 17:35:23 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG101617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 16 17:32:15 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.16 min Scan# 829
Delta R.T. -0.01 min
Lab File: BG030627.D
Acq: 1 Nov 2017 9:55

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 73223
Ion Ratio Lower Upper
152 100
150 152.9 126.6 189.8
115 53.3 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 147.907 ng
RT: 5.72 min Scan# 414
Delta R.T. 0.00 min
Lab File: BG030627.D
Acq: 1 Nov 2017 9:55

Tgt Ion:112 Resp: 648298
Ion Ratio Lower Upper
112 100
64 57.7 56.3 84.5
63 30.4 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 130.159 ng

RT: 7.32 min Scan# 686

Delta R.T. -0.01 min

Lab File: BG030627.D

Acq: 1 Nov 2017 9:55

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 800799

Ion Ratio Lower Upper




99 100

42 18.7 14.1 21.1

71 32.0 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#15

Benzyl Alcohol

Concen: 2.005 ng

RT: 8.48 min Scan# 884

Delta R.T. 0.08 min

Lab File: BG030627.D

Acq: 1 Nov 2017 9:55


Tgt Ion: 79 Resp: 8693

Ion Ratio Lower Upper



79 100

108 32.9 57.2 85.8#

77 112.6 46.1 69.1#



Abundance Ion 79.00 (78.70 to 79.70): BGC
Ion 108.00 (107.70 to 108.70): BGC
Ion 77.00 (76.70 to 77.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.97 min Scan# 1308
Delta R.T. -0.02 min
Lab File: BG030627.D
Acq: 1 Nov 2017 9:55

Instrument :
BNA_G
ClientSampleId :

Tot Ion:	136	Resp:	334253
Ion	Ratio	Lower	Upper
136	100		
137	11.5	9.2	13.8
54	8.3	10.3	15.5#
68	6.2	4.5	6.7




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 105.859 ng
RT: 9.32 min Scan# 1027
Delta R.T. -0.02 min
Lab File: BG030627.D
Acq: 1 Nov 2017 9:55

Tgt Ion:	82	Resp:	556807
Ion	Ratio	Lower	Upper
82	100		
128	45.9	29.7	44.5#
54	51.1	43.1	64.7



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.77 min Scan# 1955

Delta R.T. -0.02 min

Lab File: BG030627.D

Acq: 1 Nov 2017 9:55

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 226470

Ion Ratio Lower Upper

164 100

162 103.5 78.8 118.2




160 46.4 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 168.004 ng

RT: 16.26 min Scan# 2208

Delta R.T. -0.01 min

Lab File: BG030627.D

Acq: 1 Nov 2017 9:55


Tgt Ion:330 Resp: 491238

Ion Ratio Lower Upper

330 100

332 96.5 77.0 115.6



141 31.1 25.2 37.8



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 99.138 ng
 RT: 13.40 min Scan# 1721
 Delta R.T. -0.02 min
 Lab File: BG030627.D
 Acq: 1 Nov 2017 9:55

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:172 Resp: 1530821




Ion	Ratio	Lower	Upper
172	100		
171	38.5	30.0	45.0
170	25.1	19.5	29.3




#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.51 min Scan# 2421
 Delta R.T. -0.02 min
 Lab File: BG030627.D
 Acq: 1 Nov 2017 9:55

Tgt Ion:188 Resp: 528997

Ion	Ratio	Lower	Upper
188	100		
94	8.3	6.9	10.3
80	9.4	7.7	11.5





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.79 min Scan# 3149

Delta R.T. -0.01 min

Lab File: BG030627.D

Acq: 1 Nov 2017 9:55

Instrument :

BNA_G

ClientSampleId :


Tot Ion:240 Resp: 567995

Ion Ratio Lower Upper

240 100

120 8.3 6.8 10.2




236 27.3 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 94.328 ng

RT: 20.11 min Scan# 2863

Delta R.T. -0.01 min

Lab File: BG030627.D

Acq: 1 Nov 2017 9:55


Tgt Ion:244 Resp: 2355146

Ion Ratio Lower Upper

244 100

212 9.0 5.8 8.8#



122 10.6 7.0 10.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 25.10 min Scan# 3712
Delta R.T. -0.02 min
Lab File: BG030627.D
Acq: 1 Nov 2017 9:55

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.9	17.4	26.0
265	21.7	17.7	26.5



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

