

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG110117\
 Data File : BG030642.D
 Acq On : 1 Nov 2017 20:09
 Operator : SJ/JU
 Sample : I6199-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B-6W

Quant Time: Nov 01 20:48:48 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG101617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 01 17:41:24 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	75496	20.00	ng	0.00
21) Naphthalene-d8	10.97	136	356144	20.00	ng	0.00
38) Acenaphthene-d10	14.77	164	245490	20.00	ng	0.00
63) Phenanthrene-d10	17.51	188	563130	20.00	ng	0.00
75) Chrysene-d12	21.78	240	607943	20.00	ng	0.00
86) Perylene-d12	25.10	264	610365	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.71	112	209548	46.37	ng	0.00
7) Phenol-d6	7.31	99	175457	27.66	ng	0.00
23) Nitrobenzene-d5	9.32	82	555904	99.19	ng	0.00
41) 2,4,6-Tribromophenol	16.26	330	309175	97.55	ng	0.00
44) 2-Fluorobiphenyl	13.40	172	1552550	92.76	ng	0.00
78) Terphenyl-d14	20.10	244	2417763	90.47	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG110117\
Data File : BG030642.D
Acq On : 1 Nov 2017 20:09
Operator : SJ/JU
Sample : I6199-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B-6W

Quant Time: Nov 01 20:48:48 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG101617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 01 17:41:24 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.16 min Scan# 829
Delta R.T. -0.00 min
Lab File: BG030642.D
Acq: 1 Nov 2017 20:09

Instrument :
BNA_G
ClientSampleId :
B-6W

Tot Ion:152 Resp: 75496
Ion Ratio Lower Upper
152 100
150 157.7 126.6 189.8
115 57.1 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 46.368 ng
RT: 5.71 min Scan# 413
Delta R.T. -0.00 min
Lab File: BG030642.D
Acq: 1 Nov 2017 20:09

Tgt Ion:112 Resp: 209548
Ion Ratio Lower Upper
112 100
64 57.3 56.3 84.5
63 29.3 30.1 45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 27.660 ng

RT: 7.31 min Scan# 685

Delta R.T. -0.01 min

Lab File: BG030642.D

Acq: 1 Nov 2017 20:09

Instrument :

BNA_G

ClientSampleId :

B-6W


Tot Ion: 99 Resp: 175457

Ion Ratio Lower Upper

99 100

42 17.2 14.1 21.1




71 31.2 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.97 min Scan# 1308

Delta R.T. -0.00 min

Lab File: BG030642.D

Acq: 1 Nov 2017 20:09

Tgt Ion: 136 Resp: 356144


Ion Ratio Lower Upper

136 100

137 11.3 9.2 13.8

54 8.6 10.3 15.5#

68 6.1 4.5 6.7






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 99.191 ng
 RT: 9.32 min Scan# 1027
 Delta R.T. -0.01 min
 Lab File: BG030642.D
 Acq: 1 Nov 2017 20:09




Instrument :
 BNA_G
 ClientSampleId :
 B-6W

Tot Ion: 82 Resp: 555904
 Ion Ratio Lower Upper
 82 100
 128 44.6 29.7 44.5#
 54 50.7 43.1 64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.77 min Scan# 1955
 Delta R.T. -0.00 min
 Lab File: BG030642.D
 Acq: 1 Nov 2017 20:09

Tgt Ion:164 Resp: 245490
 Ion Ratio Lower Upper
 164 100
 162 104.2 78.8 118.2
 160 46.4 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 97.546 ng
 RT: 16.26 min Scan# 2208
 Delta R.T. -0.00 min
 Lab File: BG030642.D
 Acq: 1 Nov 2017 20:09

Instrument :
 BNA_G
 ClientSampleId :
 B-6W

Tot Ion:330 Resp: 309175
 Ion Ratio Lower Upper
 330 100
 332 96.7 77.0 115.6
 141 33.0 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 92.755 ng
 RT: 13.40 min Scan# 1721
 Delta R.T. -0.00 min
 Lab File: BG030642.D
 Acq: 1 Nov 2017 20:09

Tgt Ion:172 Resp: 1552550
 Ion Ratio Lower Upper
 172 100
 171 40.0 30.0 45.0
 170 24.9 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.51 min Scan# 2421
Delta R.T. -0.00 min
Lab File: BG030642.D
Acq: 1 Nov 2017 20:09

Instrument :
BNA_G
ClientSampled :
B-6W

Tot Ion:188 Resp: 563130
Ion Ratio Lower Upper
188 100
94 8.3 6.9 10.3
80 9.5 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.78 min Scan# 3148
Delta R.T. -0.01 min
Lab File: BG030642.D
Acq: 1 Nov 2017 20:09

Tgt Ion:240 Resp: 607943
Ion Ratio Lower Upper
240 100
120 9.1 6.8 10.2
236 27.8 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 90.473 ng

RT: 20.10 min Scan# 2862

Delta R.T. -0.00 min

Lab File: BG030642.D

Acq: 1 Nov 2017 20:09

Instrument :

BNA_G

ClientSampleId :

B-6W


Tot Ion:244 Resp: 2417763

Ion Ratio Lower Upper

244 100

212 9.4 5.8 8.8#




122 11.1 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.10 min Scan# 3712

Delta R.T. -0.00 min

Lab File: BG030642.D

Acq: 1 Nov 2017 20:09


Tgt Ion:264 Resp: 610365

Ion Ratio Lower Upper

264 100

260 25.0 17.4 26.0

265 21.7 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

