

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG110117\
 Data File : BG030646.D
 Acq On : 1 Nov 2017 22:39
 Operator : SJ/JU
 Sample : I6203-04
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 102717-TIDO-E-U-S

Quant Time: Nov 02 06:00:57 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG101617.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 01 17:41:24 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	66721	20.00	ng	0.00
21) Naphthalene-d8	10.97	136	314825	20.00	ng	0.00
38) Acenaphthene-d10	14.78	164	215005	20.00	ng	0.00
63) Phenanthrene-d10	17.51	188	495445	20.00	ng	0.00
75) Chrysene-d12	21.79	240	539826	20.00	ng	0.00
86) Perylene-d12	25.09	264	531503	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.72	112	225056	56.35	ng	0.00
7) Phenol-d6	7.31	99	227409	40.56	ng	0.00
23) Nitrobenzene-d5	9.32	82	510902	103.13	ng	0.00
41) 2,4,6-Tribromophenol	16.26	330	278930	100.48	ng	0.00
44) 2-Fluorobiphenyl	13.40	172	1442465	98.40	ng	0.00
78) Terphenyl-d14	20.11	244	2223218	93.69	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG110117\
Data File : BG030646.D
Acq On : 1 Nov 2017 22:39
Operator : SJ/JU
Sample : I6203-04
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
102717-TIDO-E-U-S

Quant Time: Nov 02 06:00:57 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG101617.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 01 17:41:24 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.16 min Scan# 829

Delta R.T. 0.00 min

Lab File: BG030646.D

Acq: 1 Nov 2017 22:39

Instrument :

BNA_G

ClientSampleId :

102717-TIDO-E-U-S


Tot Ion:152 Resp: 66721

Ion Ratio Lower Upper

152 100

150 153.6 126.6 189.8




115 54.4 53.0 79.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 56.349 ng

RT: 5.72 min Scan# 413

Delta R.T. 0.00 min

Lab File: BG030646.D

Acq: 1 Nov 2017 22:39


Tgt Ion:112 Resp: 225056

Ion Ratio Lower Upper

112 100

64 59.1 56.3 84.5



63 30.1 30.1 45.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 40.564 ng

RT: 7.31 min Scan# 685

Delta R.T. -0.00 min

Lab File: BG030646.D

Acq: 1 Nov 2017 22:39

Instrument :

BNA_G

ClientSampleId :

102717-TIDO-E-U-S


Tot Ion: 99 Resp: 227409

Ion Ratio Lower Upper

99 100

42 17.8 14.1 21.1




71 32.3 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.97 min Scan# 1308

Delta R.T. 0.00 min

Lab File: BG030646.D

Acq: 1 Nov 2017 22:39

Tgt Ion: 136 Resp: 314825


Ion Ratio Lower Upper

136 100

137 10.0 9.2 13.8

54 7.8 10.3 15.5#

68 5.2 4.5 6.7






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 103.125 ng
 RT: 9.32 min Scan# 1027
 Delta R.T. -0.00 min
 Lab File: BG030646.D
 Acq: 1 Nov 2017 22:39




Instrument :
 BNA_G
 ClientSampleId :
 102717-TIDO-E-U-S


Tot Ion: 82 Resp: 510902
 Ion Ratio Lower Upper
 82 100
 128 46.1 29.7 44.5#
 54 50.7 43.1 64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.78 min Scan# 1955
 Delta R.T. 0.00 min
 Lab File: BG030646.D
 Acq: 1 Nov 2017 22:39

Tgt Ion:164 Resp: 215005
 Ion Ratio Lower Upper
 164 100
 162 104.1 78.8 118.2
 160 45.7 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 100.481 ng
 RT: 16.26 min Scan# 2207
 Delta R.T. -0.00 min
 Lab File: BG030646.D
 Acq: 1 Nov 2017 22:39

Instrument :
 BNA_G
 ClientSampleId :
 102717-TIDO-E-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.2	77.0	115.6
141	33.2	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.398 ng
 RT: 13.40 min Scan# 1721
 Delta R.T. 0.00 min
 Lab File: BG030646.D
 Acq: 1 Nov 2017 22:39

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.0	30.0	45.0
170	24.7	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.51 min Scan# 2421
Delta R.T. 0.00 min
Lab File: BG030646.D
Acq: 1 Nov 2017 22:39




Instrument :
BNA_G
ClientSampleId :
102717-TIDO-E-U-S


Tot Ion:188 Resp: 495445
Ion Ratio Lower Upper
188 100
94 8.4 6.9 10.3
80 8.4 7.7 11.5



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.79 min Scan# 3148
Delta R.T. -0.00 min
Lab File: BG030646.D
Acq: 1 Nov 2017 22:39

Tgt Ion:240 Resp: 539826
Ion Ratio Lower Upper
240 100
120 8.7 6.8 10.2
236 26.5 20.9 31.3





#78

Terphenyl-d14

Concen: 93.691 ng

RT: 20.11 min Scan# 2862

Delta R.T. 0.00 min

Lab File: BG030646.D

Acq: 1 Nov 2017 22:39

Instrument :

BNA_G

ClientSampleId :

102717-TIDO-E-U-S


Tot Ion:244 Resp: 2223218

Ion Ratio Lower Upper

244 100

212 8.8 5.8 8.8#




122 10.3 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.09 min Scan# 3711

Delta R.T. -0.00 min

Lab File: BG030646.D

Acq: 1 Nov 2017 22:39


Tgt Ion:264 Resp: 531503

Ion Ratio Lower Upper

264 100

260 23.2 17.4 26.0

265 21.7 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

