

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110216\
 Data File : BG024629.D
 Acq On : 2 Nov 2016 17:23
 Operator : UM/SJ
 Sample : PB94483BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB94483BL

Quant Time: Nov 03 01:30:13 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG102516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 26 11:14:13 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.27	152	121988	20.00	ng	0.00
21) Naphthalene-d8	11.10	136	480899	20.00	ng	0.00
38) Acenaphthene-d10	14.88	164	360989	20.00	ng	0.00
63) Phenanthrene-d10	17.63	188	790492	20.00	ng	0.00
75) Chrysene-d12	21.92	240	1063943	20.00	ng	0.00
86) Perylene-d12	25.35	264	1108213	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.80	112	961089	129.13	ng	0.00
7) Phenol-d6	7.40	99	1331281	130.40	ng	0.00
23) Nitrobenzene-d5	9.44	82	940210	89.02	ng	0.00
41) 2,4,6-Tribromophenol	16.37	330	675171	125.19	ng	0.00
44) 2-Fluorobiphenyl	13.51	172	1906766	87.79	ng	0.00
78) Terphenyl-d14	20.20	244	3171496	89.07	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110216\
Data File : BG024629.D
Acq On : 2 Nov 2016 17:23
Operator : UM/SJ
Sample : PB94483BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB94483BL

Quant Time: Nov 03 01:30:13 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG102516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 26 11:14:13 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.27 min Scan# 925

Delta R.T. 0.00 min

Lab File: BG024629.D

Acq: 2 Nov 2016 17:23

Instrument :

BNA_G

ClientSampleId :

PB94483BL


Tgt Ion:152 Resp: 121988

Ion Ratio Lower Upper

152 100

150 133.7 114.0 171.0




115 60.3 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 129.13 ng

RT: 5.80 min Scan# 505

Delta R.T. 0.01 min

Lab File: BG024629.D

Acq: 2 Nov 2016 17:23


Tgt Ion:112 Resp: 961089

Ion Ratio Lower Upper

112 100

64 76.1 61.8 92.6



63 41.4 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 130.40 ng

RT: 7.40 min Scan# 777

Delta R.T. 0.00 min

Lab File: BG024629.D

Acq: 2 Nov 2016 17:23

Instrument :

BNA_G

ClientSampleId :

PB94483BL


Tgt Ion: 99 Resp: 1331281

Ion Ratio Lower Upper




99 100

42 21.5 20.5 30.7

71 49.4 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.10 min Scan# 1406

Delta R.T. -0.00 min

Lab File: BG024629.D

Acq: 2 Nov 2016 17:23

Tgt Ion: 136 Resp: 480899


Ion Ratio Lower Upper

136 100



137 10.2 8.9 13.3


54 13.1 9.3 13.9

68 6.2 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 89.02 ng
 RT: 9.44 min Scan# 1124
 Delta R.T. -0.01 min
 Lab File: BG024629.D
 Acq: 2 Nov 2016 17:23




Instrument :
 BNA_G
 ClientSampleId :
 PB94483BL


Tgt Ion	Ratio	Lower	Upper
82	100		
128	32.5	26.4	39.6
54	55.6	49.4	74.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.88 min Scan# 2050
 Delta R.T. -0.01 min
 Lab File: BG024629.D
 Acq: 2 Nov 2016 17:23

Tgt Ion	Ratio	Lower	Upper
164	100		
162	98.4	85.1	127.7
160	42.1	34.7	52.1









#41
2,4,6-Tribromophenol
Concen: 125.19 ng
RT: 16.37 min Scan# 2303
Delta R.T. -0.00 min
Lab File: BG024629.D
Acq: 2 Nov 2016 17:23

Instrument :
BNA_G
ClientSampled :
PB94483BL

Tgt Ion:330 Resp: 675171
Ion Ratio Lower Upper
330 100
332 95.4 77.3 115.9
141 33.0 32.1 48.1




Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#44
2-Fluorobiphenyl
Concen: 87.79 ng
RT: 13.51 min Scan# 1816
Delta R.T. -0.01 min
Lab File: BG024629.D
Acq: 2 Nov 2016 17:23

Tgt Ion:172 Resp: 1906766
Ion Ratio Lower Upper
172 100
171 37.3 32.2 48.2
170 26.4 21.8 32.6



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.63 min Scan# 2517
Delta R.T. -0.00 min
Lab File: BG024629.D
Acq: 2 Nov 2016 17:23




Instrument :
BNA_G
ClientSampleId :
PB94483BL


Tgt Ion:188 Resp: 790492
Ion Ratio Lower Upper
188 100
94 7.8 5.8 8.8
80 7.6 7.5 11.3



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.92 min Scan# 3248
Delta R.T. -0.01 min
Lab File: BG024629.D
Acq: 2 Nov 2016 17:23

Tgt Ion:240 Resp: 1063943
Ion Ratio Lower Upper
240 100
120 6.6 5.7 8.5
236 27.1 22.2 33.4





#78

Terphenyl-d14

Concen: 89.07 ng

RT: 20.20 min Scan# 2956

Delta R.T. -0.01 min

Lab File: BG024629.D

Acq: 2 Nov 2016 17:23

Instrument :


BNA_G

ClientSampled :

PB94483BL

Tgt Ion:244 Resp: 3171496




Ion	Ratio	Lower	Upper
244	100		
212	11.1	10.0	15.0
122	9.7	8.6	12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.35 min Scan# 3831


Delta R.T. -0.02 min

Lab File: BG024629.D

Acq: 2 Nov 2016 17:23

Tgt Ion:264 Resp: 1108213

Ion	Ratio	Lower	Upper
264	100		
260	23.8	21.8	32.8
265	21.8	18.2	27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

