

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110216\
 Data File : BG024638.D
 Acq On : 2 Nov 2016 23:12
 Operator : UM/SJ
 Sample : H5491-10
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 GW-71-7.7-14.0

Quant Time: Nov 03 01:34:37 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG102516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 26 11:14:13 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.27	152	114704	20.00	ng	0.00
21) Naphthalene-d8	11.10	136	439091	20.00	ng	0.00
38) Acenaphthene-d10	14.88	164	339421	20.00	ng	-0.01
63) Phenanthrene-d10	17.62	188	741023	20.00	ng	0.00
75) Chrysene-d12	21.92	240	1079306	20.00	ng	-0.01
86) Perylene-d12	25.34	264	1082980	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.80	112	436386	62.35	ng	0.00
7) Phenol-d6	7.40	99	421545	43.91	ng	0.00
23) Nitrobenzene-d5	9.44	82	751084	77.88	ng	0.00
41) 2,4,6-Tribromophenol	16.37	330	565648	111.55	ng	0.00
44) 2-Fluorobiphenyl	13.51	172	1557447	76.27	ng	0.00
78) Terphenyl-d14	20.20	244	2703343	74.84	ng	-0.01
Target Compounds						
35) Caprolactam	11.99	113	30117	11.24	ng	Qvalue 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110216\
Data File : BG024638.D
Acq On : 2 Nov 2016 23:12
Operator : UM/SJ
Sample : H5491-10
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
GW-71-7.7-14.0

Quant Time: Nov 03 01:34:37 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG102516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 26 11:14:13 2016
Response via : Initial Calibration






#1


1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 8.27 min Scan# 924
 Delta R.T. -0.00 min
 Lab File: BG024638.D
 Acq: 2 Nov 2016 23:12

Instrument :
 BNA_G
 ClientSampleId :
 GW-71-7.7-14.0



Tgt Ion:152 Resp: 114704
 Ion Ratio Lower Upper
 152 100
 150 156.2 114.0 171.0
 115 71.3 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E




Time-->




#5

2-Fluorophenol
 Concen: 62.35 ng
 RT: 5.80 min Scan# 504
 Delta R.T. 0.01 min
 Lab File: BG024638.D
 Acq: 2 Nov 2016 23:12


Tgt Ion:112 Resp: 436386
 Ion Ratio Lower Upper
 112 100
 64 74.3 61.8 92.6
 63 40.5 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BGC
 Ion 63.00 (62.70 to 63.70): BGC



Time-->





#7

Phenol-d6

Concen: 43.91 ng

RT: 7.40 min Scan# 776

Delta R.T. -0.00 min

Lab File: BG024638.D

Acq: 2 Nov 2016 23:12

Instrument :

BNA_G

ClientSampleId :

GW-71-7.7-14.0


Tgt Ion: 99 Resp: 421545

Ion Ratio Lower Upper




99 100

42 21.1 20.5 30.7

71 46.5 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.10 min Scan# 1405

Delta R.T. -0.01 min

Lab File: BG024638.D

Acq: 2 Nov 2016 23:12

Tgt Ion: 136 Resp: 439091


Ion Ratio Lower Upper

136 100



137 10.9 8.9 13.3


54 10.7 9.3 13.9

68 5.3 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 77.88 ng
 RT: 9.44 min Scan# 1124
 Delta R.T. -0.01 min
 Lab File: BG024638.D
 Acq: 2 Nov 2016 23:12




Instrument :
 BNA_G
 ClientSampleId :
 GW-71-7.7-14.0


Tgt Ion: 82 Resp: 751084
 Ion Ratio Lower Upper
 82 100
 128 34.6 26.4 39.6
 54 54.7 49.4 74.2



#35
 Caprolactam
 Concen: 11.24 ng
 RT: 11.99 min Scan# 1557
 Delta R.T. -0.03 min
 Lab File: BG024638.D
 Acq: 2 Nov 2016 23:12

Tgt Ion: 113 Resp: 30117
 Ion Ratio Lower Upper
 113 100
 55 201.9 198.6 238.6
 56 141.7 140.4 180.4





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.88 min Scan# 2049

Delta R.T. -0.01 min

Lab File: BG024638.D

Acq: 2 Nov 2016 23:12

Instrument :

BNA_G

ClientSampleId :

GW-71-7.7-14.0


Tgt Ion:164 Resp: 339421

Ion Ratio Lower Upper

164 100

162 102.7 85.1 127.7




160 46.1 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 111.55 ng

RT: 16.37 min Scan# 2302

Delta R.T. -0.01 min

Lab File: BG024638.D

Acq: 2 Nov 2016 23:12


Tgt Ion:330 Resp: 565648

Ion Ratio Lower Upper

330 100

332 95.1 77.3 115.9



141 32.0 32.1 48.1#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 76.27 ng
RT: 13.51 min Scan# 1816
Delta R.T. -0.01 min
Lab File: BG024638.D
Acq: 2 Nov 2016 23:12




Instrument :
BNA_G
ClientSampleId :
GW-71-7.7-14.0


Tgt Ion:172 Resp: 1557447
Ion Ratio Lower Upper
172 100
171 37.2 32.2 48.2
170 25.5 21.8 32.6



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.62 min Scan# 2516
Delta R.T. -0.01 min
Lab File: BG024638.D
Acq: 2 Nov 2016 23:12

Tgt Ion:188 Resp: 741023
Ion Ratio Lower Upper
188 100
94 7.4 5.8 8.8
80 8.8 7.5 11.3









#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.92 min Scan# 3247
Delta R.T. -0.01 min
Lab File: BG024638.D
Acq: 2 Nov 2016 23:12




Instrument :
BNA_G
ClientSampleId :
GW-71-7.7-14.0


Tgt Ion:240 Resp: 1079306
Ion Ratio Lower Upper
240 100
120 6.3 5.7 8.5
236 24.9 22.2 33.4



#78
Terphenyl-d14
Concen: 74.84 ng
RT: 20.20 min Scan# 2955
Delta R.T. -0.01 min
Lab File: BG024638.D
Acq: 2 Nov 2016 23:12

Tgt Ion:244 Resp: 2703343
Ion Ratio Lower Upper
244 100
212 10.9 10.0 15.0
122 8.5 8.6 12.8#





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.34 min Scan# 3830
Delta R.T. -0.02 min
Lab File: BG024638.D
Acq: 2 Nov 2016 23:12

Instrument :
BNA_G
ClientSampleId :
GW-71-7.7-14.0

Tgt Ion: 264 Resp: 1082980

Ion	Ratio	Lower	Upper
264	100		
260	25.2	21.8	32.8
265	23.0	18.2	27.4

