

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110216\
 Data File : BG024635.D
 Acq On : 2 Nov 2016 21:15
 Operator : UM/SJ
 Sample : PB94494TB
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB94494TB

Quant Time: Nov 03 02:34:03 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG102516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 26 11:14:13 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.27	152	123827	20.00	ng	0.00
21) Naphthalene-d8	11.09	136	491019	20.00	ng	0.00
38) Acenaphthene-d10	14.88	164	359573	20.00	ng	0.00
63) Phenanthrene-d10	17.62	188	808862	20.00	ng	0.00
75) Chrysene-d12	21.92	240	1108688	20.00	ng	-0.01
86) Perylene-d12	25.34	264	1133647	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.80	112	982212	130.01	ng	0.00
7) Phenol-d6	7.40	99	1359221	131.15	ng	0.00
23) Nitrobenzene-d5	9.44	82	947539	87.86	ng	0.00
41) 2,4,6-Tribromophenol	16.36	330	664205	123.65	ng	0.00
44) 2-Fluorobiphenyl	13.51	172	1916360	88.58	ng	0.00
78) Terphenyl-d14	20.21	244	3163132	85.25	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110216\
Data File : BG024635.D
Acq On : 2 Nov 2016 21:15
Operator : UM/SJ
Sample : PB94494TB
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB94494TB

Quant Time: Nov 03 02:34:03 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG102516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 26 11:14:13 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.27 min Scan# 924

Delta R.T. -0.00 min

Lab File: BG024635.D

Acq: 2 Nov 2016 21:15

Instrument :

BNA_G

ClientSampleId :

PB94494TB


Tgt Ion:152 Resp: 123827

Ion Ratio Lower Upper

152 100

150 160.7 114.0 171.0




115 63.0 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 130.01 ng

RT: 5.80 min Scan# 504

Delta R.T. 0.00 min

Lab File: BG024635.D

Acq: 2 Nov 2016 21:15


Tgt Ion:112 Resp: 982212

Ion Ratio Lower Upper

112 100

64 70.2 61.8 92.6



63 40.5 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 131.15 ng

RT: 7.40 min Scan# 777

Delta R.T. 0.00 min

Lab File: BG024635.D

Acq: 2 Nov 2016 21:15

Instrument :

BNA_G

ClientSampleId :

PB94494TB


Tgt Ion: 99 Resp: 1359221

Ion Ratio Lower Upper




99 100

42 22.1 20.5 30.7

71 48.5 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.09 min Scan# 1405

Delta R.T. -0.01 min

Lab File: BG024635.D

Acq: 2 Nov 2016 21:15

Tgt Ion: 136 Resp: 491019


Ion Ratio Lower Upper

136 100



137 10.6 8.9 13.3


54 10.3 9.3 13.9

68 4.5 5.1 7.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 87.86 ng
 RT: 9.44 min Scan# 1124
 Delta R.T. -0.01 min
 Lab File: BG024635.D
 Acq: 2 Nov 2016 21:15




Instrument :
 BNA_G
 ClientSampleId :
 PB94494TB


Tgt Ion	Ratio	Lower	Upper
82	100		
128	34.9	26.4	39.6
54	57.3	49.4	74.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.88 min Scan# 2050
 Delta R.T. -0.01 min
 Lab File: BG024635.D
 Acq: 2 Nov 2016 21:15

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.8	85.1	127.7
160	47.5	34.7	52.1









#41
2,4,6-Tribromophenol
Concen: 123.65 ng
RT: 16.36 min Scan# 2302
Delta R.T. -0.01 min
Lab File: BG024635.D
Acq: 2 Nov 2016 21:15

Instrument :
BNA_G
ClientSampled :
PB94494TB

Tgt Ion:330 Resp: 664205
Ion Ratio Lower Upper
330 100
332 95.1 77.3 115.9
141 32.1 32.1 48.1




Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#44
2-Fluorobiphenyl
Concen: 88.58 ng
RT: 13.51 min Scan# 1816
Delta R.T. -0.01 min
Lab File: BG024635.D
Acq: 2 Nov 2016 21:15

Tgt Ion:172 Resp: 1916360
Ion Ratio Lower Upper
172 100
171 40.4 32.2 48.2
170 26.1 21.8 32.6



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.62 min Scan# 2516

Delta R.T. -0.01 min

Lab File: BG024635.D

Acq: 2 Nov 2016 21:15

Instrument :

BNA_G

ClientSampleId :

PB94494TB


Tgt Ion:188 Resp: 808862

Ion Ratio Lower Upper

188 100

94 7.3 5.8 8.8




80 6.9 7.5 11.3#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.92 min Scan# 3247

Delta R.T. -0.01 min

Lab File: BG024635.D

Acq: 2 Nov 2016 21:15


Tgt Ion:240 Resp: 1108688

Ion Ratio Lower Upper

240 100

120 5.7 5.7 8.5



236 27.7 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 85.25 ng

RT: 20.21 min Scan# 2956

Delta R.T. -0.01 min

Lab File: BG024635.D

Acq: 2 Nov 2016 21:15

Instrument :

BNA_G

ClientSampleId :

PB94494TB


Tgt Ion:244 Resp: 3163132

Ion Ratio Lower Upper

244 100

212 12.0 10.0 15.0




122 8.9 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.34 min Scan# 3830

Delta R.T. -0.02 min

Lab File: BG024635.D

Acq: 2 Nov 2016 21:15


Tgt Ion:264 Resp: 1133647

Ion Ratio Lower Upper

264 100

260 22.1 21.8 32.8

265 20.3 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

