

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110617\
 Data File : BG030775.D
 Acq On : 6 Nov 2017 15:11
 Operator : SJ/JU
 Sample : I6126-16
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B0EH4

Quant Time: Nov 07 04:12:42 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG101417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 07 04:02:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	79678	20.00	ng/ul	0.00
18) Naphthalene-d8	10.97	136	384381	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.77	164	259128	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.51	188	635908	20.00	ng/ul	0.00
75) Chrysene-d12	21.78	240	659346	20.00	ng/ul	0.00
83) Perylene-d12	25.10	264	665328	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.53	96	8513	4.34	ng/uL	0.00
5) Phenol-d5	7.31	99	178864	23.39	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	104622	21.86	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	144140	26.72	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	155615	25.19	ng/ul	0.00
19) Nitrobenzene-d5	9.32	128	75342	27.30	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	88010	31.13	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.59	165	165736	25.72	ng/ul	0.00
29) 4-Chloroaniline-d4	11.10	131	196883	26.30	ng/ul	0.00
43) Dimethylphthalate-d6	14.17	166	574647	25.94	ng/ul	0.00
46) Acenaphthylene-d8	14.47	160	708734	26.31	ng/ul	0.00
51) 4-Nitrophenol-d4	14.97	143	86812	21.23	ng/ul	0.00
57) Fluorene-d10	15.76	176	531121	29.27	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.88	200	41810	13.47	ng/ul	0.00
70) Anthracene-d10	17.61	188	840028	27.93	ng/ul	0.00
76) Pyrene-d10	19.89	212	939792	27.54	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.86	264	922260	29.27	ng/ul	0.00
Target Compounds						
6) Phenol	7.34	94	29060	3.672	ng/ul	91
44) Dimethylphthalate	14.22	163	197952	9.161	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110617\
Data File : BG030775.D
Acq On : 6 Nov 2017 15:11
Operator : SJ/JU
Sample : I6126-16
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B0EH4

Quant Time: Nov 07 04:12:42 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG101417.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Nov 07 04:02:51 2017
Response via : Initial Calibration





#6

Phenol

Concen: 3.672 ng/ul

RT: 7.34 min Scan# 690

Delta R.T. -0.00 min

Lab File: BG030775.D

Acq: 6 Nov 2017 15:11

Instrument :

BNA_G

ClientSampleId :

B0EH4


Tgt Ion: 94 Resp: 29060

Ion Ratio Lower Upper




94 100

65 29.5 27.1 40.7

66 36.6 34.6 52.0



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC



#44

Dimethylphthalate

Concen: 9.161 ng/ul

RT: 14.22 min Scan# 1860

Delta R.T. 0.00 min

Lab File: BG030775.D

Acq: 6 Nov 2017 15:11


Tgt Ion: 163 Resp: 197952

Ion Ratio Lower Upper

163 100

194 4.1 3.5 5.3

164 10.5 7.6 11.4



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E

