

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110617\
 Data File : BG030776.D
 Acq On : 6 Nov 2017 15:48
 Operator : SJ/JU
 Sample : I6126-18
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B0EH9

Quant Time: Nov 07 04:12:54 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG101417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 07 04:02:51 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.15	152	86236	20.00	ng/ul	0.00
18) Naphthalene-d8	10.97	136	416896	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.78	164	285022	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.51	188	703562	20.00	ng/ul	0.00
75) Chrysene-d12	21.78	240	729478	20.00	ng/ul	0.00
83) Perylene-d12	25.09	264	746618	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.54	96	5169	2.44	ng/uL	0.00
5) Phenol-d5	7.31	99	108263	13.08	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	63715	12.30	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	88853	15.22	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	94241	14.10	ng/ul	0.00
19) Nitrobenzene-d5	9.32	128	45116	15.07	ng/ul	0.00
22) 2-Nitrophenol-d4	10.05	143	54890	17.90	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.59	165	102075	14.61	ng/ul	0.00
29) 4-Chloroaniline-d4	11.10	131	133418	16.43	ng/ul	0.00
43) Dimethylphthalate-d6	14.17	166	363844	14.93	ng/ul	0.00
46) Acenaphthylene-d8	14.47	160	449523	15.17	ng/ul	0.00
51) 4-Nitrophenol-d4	14.98	143	58454	12.99	ng/ul	0.00
57) Fluorene-d10	15.76	176	345745	17.32	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.88	200	23497	6.84	ng/ul	0.00
70) Anthracene-d10	17.61	188	556655	16.73	ng/ul	0.00
76) Pyrene-d10	19.88	212	638425	16.91	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.86	264	615969	17.42	ng/ul	0.00

Target Compounds


					Qvalue
6) Phenol	7.34	94	16573	1.935	ng/ul 97
44) Dimethylphthalate	14.21	163	125196	5.268	ng/ul 97




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110617\
 Data File : BG030776.D
 Acq On : 6 Nov 2017 15:48
 Operator : SJ/JU
 Sample : I6126-18
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampled :
 B0EH9

Quant Time: Nov 07 04:12:54 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG101417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 07 04:02:51 2017
 Response via : Initial Calibration









#6
 Phenol
 Concen: 1.935 ng/ul
 RT: 7.34 min Scan# 690
 Delta R.T. -0.00 min
 Lab File: BG030776.D
 Acq: 6 Nov 2017 15:48

Instrument :
 BNA_G
 ClientSampled :
 B0EH9

Tgt Ion	Resp	Lower	Upper
94	16573		
65	30.1	27.1	40.7
66	42.9	34.6	52.0



#44
 Dimethylphthalate
 Concen: 5.268 ng/ul
 RT: 14.21 min Scan# 1859
 Delta R.T. -0.00 min
 Lab File: BG030776.D
 Acq: 6 Nov 2017 15:48

Tgt Ion	Resp	Lower	Upper
163	125196		
194	5.0	3.5	5.3
164	10.9	7.6	11.4

