

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110716\
 Data File : BG024745.D
 Acq On : 8 Nov 2016 1:32
 Operator : UM/SJ
 Sample : H5543-08
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-112-22.5-23.0

Quant Time: Nov 08 02:50:18 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG102516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 26 11:14:13 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.26	152	90527	20.00	ng	0.00
21) Naphthalene-d8	11.09	136	341242	20.00	ng	-0.02
38) Acenaphthene-d10	14.88	164	265545	20.00	ng	-0.02
63) Phenanthrene-d10	17.62	188	616323	20.00	ng	0.00
75) Chrysene-d12	21.91	240	981592	20.00	ng	-0.02
86) Perylene-d12	25.34	264	1042641	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.79	112	740448	134.06	ng	0.00
7) Phenol-d6	7.40	99	1053324	139.03	ng	0.00
23) Nitrobenzene-d5	9.44	82	715614	95.48	ng	-0.02
41) 2,4,6-Tribromophenol	16.36	330	631202	159.11	ng	0.00
44) 2-Fluorobiphenyl	13.50	172	1479290	92.59	ng	-0.02
78) Terphenyl-d14	20.20	244	2873564	87.48	ng	-0.02
Target Compounds						
49) Dimethylphthalate	14.32	163	497704	26.40	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG110716\
Data File : BG024745.D
Acq On : 8 Nov 2016 1:32
Operator : UM/SJ
Sample : H5543-08
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-112-22.5-23.0

Quant Time: Nov 08 02:50:18 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG102516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 26 11:14:13 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.26 min Scan# 923

Delta R.T. -0.01 min

Lab File: BG024745.D

Acq: 8 Nov 2016 1:32

Instrument :

BNA_G

ClientSampleId :

SB-112-22.5-23.0


Tgt Ion:152 Resp: 90527

Ion Ratio Lower Upper

152 100

150 153.2 114.0 171.0




115 60.2 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 134.06 ng

RT: 5.79 min Scan# 503

Delta R.T. -0.00 min

Lab File: BG024745.D

Acq: 8 Nov 2016 1:32


Tgt Ion:112 Resp: 740448

Ion Ratio Lower Upper

112 100

64 70.8 61.8 92.6



63 43.8 37.2 55.8



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 139.03 ng

RT: 7.40 min Scan# 777

Delta R.T. 0.00 min

Lab File: BG024745.D

Acq: 8 Nov 2016 1:32

Instrument :

BNA_G

ClientSampleId :

SB-112-22.5-23.0


Tgt Ion: 99 Resp: 1053324

Ion Ratio Lower Upper




99 100

42 22.7 20.5 30.7

71 48.5 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.09 min Scan# 1404

Delta R.T. -0.02 min

Lab File: BG024745.D

Acq: 8 Nov 2016 1:32

Tgt Ion: 136 Resp: 341242


Ion Ratio Lower Upper

136 100



137 10.7 8.9 13.3


54 11.0 9.3 13.9

68 6.6 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 95.48 ng
 RT: 9.44 min Scan# 1123
 Delta R.T. -0.02 min
 Lab File: BG024745.D
 Acq: 8 Nov 2016 1:32




Instrument :
 BNA_G
 ClientSampleId :
 SB-112-22.5-23.0

Tgt Ion: 82 Resp: 715614
 Ion Ratio Lower Upper
 82 100
 128 35.9 26.4 39.6
 54 57.2 49.4 74.2



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.88 min Scan# 2049
 Delta R.T. -0.02 min
 Lab File: BG024745.D
 Acq: 8 Nov 2016 1:32

Tgt Ion: 164 Resp: 265545
 Ion Ratio Lower Upper
 164 100
 162 101.4 85.1 127.7
 160 45.2 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 159.11 ng
 RT: 16.36 min Scan# 2302
 Delta R.T. -0.01 min
 Lab File: BG024745.D
 Acq: 8 Nov 2016 1:32




Instrument :
 BNA_G
 ClientSampleId :
 SB-112-22.5-23.0

Tgt Ion:330 Resp: 631202
 Ion Ratio Lower Upper
 330 100
 332 95.8 77.3 115.9
 141 32.8 32.1 48.1



#44
 2-Fluorobiphenyl
 Concen: 92.59 ng
 RT: 13.50 min Scan# 1815
 Delta R.T. -0.02 min
 Lab File: BG024745.D
 Acq: 8 Nov 2016 1:32

Tgt Ion:172 Resp: 1479290
 Ion Ratio Lower Upper
 172 100
 171 37.4 32.2 48.2
 170 25.3 21.8 32.6





#49

Dimethylphthalate

Concen: 26.40 ng

RT: 14.32 min Scan# 1954

Delta R.T. -0.02 min

Lab File: BG024745.D

Acq: 8 Nov 2016 1:32

Instrument :

BNA_G

ClientSampleId :

SB-112-22.5-23.0


Tgt Ion:163 Resp: 497704

Ion Ratio Lower Upper

163 100

194 5.0 3.8 5.6




164 11.1 9.3 13.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.62 min Scan# 2516

Delta R.T. -0.01 min

Lab File: BG024745.D

Acq: 8 Nov 2016 1:32


Tgt Ion:188 Resp: 616323

Ion Ratio Lower Upper

188 100

94 5.9 5.8 8.8



80 7.4 7.5 11.3#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.91 min Scan# 3247
Delta R.T. -0.02 min
Lab File: BG024745.D
Acq: 8 Nov 2016 1:32

Instrument :
BNA_G
ClientSampleId :
SB-112-22.5-23.0

Tgt Ion:240 Resp: 981592
Ion Ratio Lower Upper
240 100
120 4.7 5.7 8.5#
236 24.7 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#78
Terphenyl-d14
Concen: 87.48 ng
RT: 20.20 min Scan# 2955
Delta R.T. -0.02 min
Lab File: BG024745.D
Acq: 8 Nov 2016 1:32

Tgt Ion:244 Resp: 2873564
Ion Ratio Lower Upper
244 100
212 10.7 10.0 15.0
122 9.1 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 25.34 min Scan# 3830
Delta R.T. -0.03 min
Lab File: BG024745.D
Acq: 8 Nov 2016 1:32

Instrument :
BNA_G
ClientSampleId :
SB-112-22.5-23.0

Tgt Ion: 264 Resp: 1042641

Ion	Ratio	Lower	Upper
264	100		
260	22.1	21.8	32.8
265	19.7	18.2	27.4



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

