

Data Path : Z:\HPCHEM1\BNA G\DATA\BG110915\
 Data File : BG019537.D
 Acq On : 9 Nov 2015 17:47
 Operator : UM/NP
 Sample : G4245-18DL 50X
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BCY53DL

Quant Time: Nov 17 17:24:43 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG102815.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 10 00:14:14 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Mmdadoda
 11/10/2015 1:04:17 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	29023	20.00	ng/ul	0.00
18) Naphthalene-d8	11.00	136	122131	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.80	164	100363	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.55	188	305696	20.00	ng/ul	0.00
78) Chrysene-d12	21.82	240	420155	20.00	ng/ul	0.00
86) Perylene-d12	25.17	264	389898	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	7.32	99	626	0.23	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.49	67	1464	0.87	ng/ul	0.00
9) 2-Chlorophenol-d4	7.70	132	741	0.45	ng/ul	0.00
13) 4-Methylphenol-d8	8.87	113	783	0.37	ng/ul	0.00
19) Nitrobenzene-d5	9.34	128	688	0.77	ng/ul	0.00
22) 2-Nitrophenol-d4	10.08	143	293	0.27	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.61	165	1227	0.53	ng/ul	0.00
29) 4-Chloroaniline-d4	11.14	131	1028	0.44	ng/ul	0.00
44) Dimethylphthalate-d6	14.20	166	7804	0.94	ng/ul	0.00
47) Acenaphthylene-d8	14.50	160	7424	0.81	ng/ul	0.00
52) 4-Nitrophenol-d4	14.98	143	168	0.13	ng/ul	0.00
58) Fluorene-d10	15.79	176	7017	0.92	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.91	200	527	0.27	ng/ul	0.00
71) Anthracene-d10	17.65	188	12554	0.90	ng/ul	0.00
79) Pyrene-d10	19.92	212	13629	0.74	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.93	264	14831m	0.76	ng/ul	-0.02

Target Compounds

						Ovalue
28) Naphthalene	11.05	128	721647	118.09	ng/ul	96
34) 2-Methylnaphthalene	12.65	142	15588	3.17	ng/ul	88
41) 1,1'-Biphenyl	13.64	154	17428	2.46	ng/ul#	85
50) Acenaphthene	14.87	153	48340	7.62	ng/ul	98
54) Dibenzofuran	15.20	168	51752	5.54	ng/ul	96
59) Fluorene	15.85	166	31380	3.85	ng/ul	95
70) Phenanthrene	17.59	178	53829	3.49	ng/ul#	95
75) Carbazole	17.95	167	75311	6.00	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA G\Data\BG110915\
Data File : BG019537.D
Acq On : 9 Nov 2015 17:47
Operator : UM/NP
Sample : G4245-18DL 50X
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BCY53DL

Quant Time: Nov 10 02:31:56 2015
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG102815.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Nov 10 00:14:14 2015
Response via : Initial Calibration

Manual Integrations
APPROVED

Mmdadoda
11/10/2015 1:04:17 PM



Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA G\Data\BG110915\
 Data File : BG019537.D
 Acq On : 9 Nov 2015 17:47
 Operator : UM/NP
 Sample : G4245-18DL 50X
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BCY53DL

Quant Time: Nov 10 00:17:51 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG102815.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 10 00:14:14 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Mmdadoda
 11/10/2015 1:04:17 PM



(90) Benzo(a)pyrene-d12 (S)

24.932min (-0.016) 0.76ng/ul m

response 14831

Ion	Exp%	Act%
264.00	100	100
132.00	4.80	8.23#
118.00	4.50	6.35#
0.00	0.00	0.00

UM
 11/10/15

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA G\Data\BG110915\
 Data File : BG019537.D
 Acq On : 9 Nov 2015 17:47
 Operator : UM/NP
 Sample : G4245-18DL 50X
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BCY53DL

Quant Time: Nov 10 00:17:51 2015
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG102815.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 10 00:14:14 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Mmdadoda
 11/10/2015 1:04:17 PM



(90) Benzo(a)pyrene-d12 (S)

24.932min (-0.016) 0.64ng/ul

response 12590

Ion	Exp%	Act%
264.00	100	100
132.00	4.80	8.23#
118.00	4.50	6.35#
0.00	0.00	0.00