

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG111015\
 Data File : BG019566.D
 Acq On : 11 Nov 2015 12:24
 Operator : UM/NP
 Sample : G4308-19
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9KS1

Quant Time: Nov 13 08:39:43 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG102815.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Nov 13 08:28:14 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.18	152	33014	20.00	ng/ul	0.00
18) Naphthalene-d8	11.00	136	136047	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.80	164	115090	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.55	188	316143	20.00	ng/ul	0.00
78) Chrysene-d12	21.82	240	383867	20.00	ng/ul	0.00
86) Perylene-d12	25.17	264	363641	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.48	96	588	0.85	ng/uL	0.00
5) Phenol-d5	7.32	99	17667	5.83	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.49	67	52897	27.53	ng/ul	0.00
9) 2-Chlorophenol-d4	7.70	132	38577	20.39	ng/ul	0.00
13) 4-Methylphenol-d8	8.87	113	32813	13.59	ng/ul	0.00
19) Nitrobenzene-d5	9.34	128	25646	25.65	ng/ul	0.00
22) 2-Nitrophenol-d4	10.07	143	30527	25.72	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.61	165	61409	23.85	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	1990	0.76	ng/ul	0.00
44) Dimethylphthalate-d6	14.20	166	257672	27.15	ng/ul	0.00
47) Acenaphthylene-d8	14.50	160	272788	25.96	ng/ul	0.00
52) 4-Nitrophenol-d4	14.99	143	6195	4.11	ng/ul	0.00
58) Fluorene-d10	15.79	176	223753	25.49	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.90	200	41407	20.24	ng/ul	0.00
71) Anthracene-d10	17.65	188	371283	25.76	ng/ul	0.00
79) Pyrene-d10	19.92	212	437323	26.03	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.94	264	474952	26.03	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
45) Dimethylphthalate	14.24	163	110816	11.42	ng/ul#	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG111015\
Data File : BG019566.D
Acq On : 11 Nov 2015 12:24
Operator : UM/NP
Sample : G4308-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
D9KS1

Quant Time: Nov 13 08:39:43 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG102815.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Nov 13 08:28:14 2015
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 11.42 ng/ul

RT: 14.24 min Scan# 1941

Delta R.T. -0.00 min

Lab File: BG019566.D

Acq: 11 Nov 2015 12:24

Instrument :

BNA_G

ClientSampleId :

D9KS1

Tgt Ion:163 Resp: 110816

Ion Ratio Lower Upper

163 100

194 4.2 4.3 6.5#

164 10.1 7.5 11.3

