

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG111117\
 Data File : BG030936.D
 Acq On : 11 Nov 2017 10:15
 Operator : SJ/JU
 Sample : I6396-04
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 LS-STONE

Quant Time: Nov 13 03:51:49 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 10 15:38:25 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	42748	20.00	ng	0.00
21) Naphthalene-d8	10.96	136	178120	20.00	ng	0.00
38) Acenaphthene-d10	14.76	164	118863	20.00	ng	-0.01
63) Phenanthrene-d10	17.50	188	339457	20.00	ng	0.00
75) Chrysene-d12	21.77	240	449919	20.00	ng	0.00
86) Perylene-d12	25.08	264	451234	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.71	112	363860	145.96	ng	0.00
7) Phenol-d6	7.31	99	428335	127.54	ng	0.00
23) Nitrobenzene-d5	9.31	82	312158	103.85	ng	0.00
41) 2,4,6-Tribromophenol	16.25	330	348783	181.39	ng	0.00
44) 2-Fluorobiphenyl	13.38	172	896700	108.40	ng	-0.01
78) Terphenyl-d14	20.09	244	1939084	95.17	ng	0.00
Target Compounds						
31) Naphthalene	11.01	128	41012	4.684	ng	96
51) Acenaphthene	14.82	154	20843	2.867	ng	97
54) Dibenzofuran	15.17	168	24437	2.111	ng	97
57) Fluorene	15.81	166	19577	2.083	ng	93
70) Phenanthrene	17.54	178	48352	2.736	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG111117\
Data File : BG030936.D
Acq On : 11 Nov 2017 10:15
Operator : SJ/JU
Sample : I6396-04
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
LS-STONE

Quant Time: Nov 13 03:51:49 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 10 15:38:25 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.14 min Scan# 826
Delta R.T. -0.01 min
Lab File: BG030936.D
Acq: 11 Nov 2017 10:15

Instrument :
BNA_G
ClientSampleId :
LS-STONE

Tot Ion:152 Resp: 42748
Ion Ratio Lower Upper
152 100
150 149.6 126.6 189.8
115 53.8 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 145.956 ng
RT: 5.71 min Scan# 411
Delta R.T. -0.00 min
Lab File: BG030936.D
Acq: 11 Nov 2017 10:15

Tgt Ion:112 Resp: 363860
Ion Ratio Lower Upper
112 100
64 59.8 56.3 84.5
63 31.1 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 127.536 ng

RT: 7.31 min Scan# 684

Delta R.T. 0.00 min

Lab File: BG030936.D

Acq: 11 Nov 2017 10:15

Instrument :

BNA_G

ClientSampleId :

LS-STONE


Tot Ion: 99 Resp: 428335

Ion Ratio Lower Upper




99 100

42 18.8 14.1 21.1

71 35.8 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.96 min Scan# 1305

Delta R.T. -0.01 min

Lab File: BG030936.D

Acq: 11 Nov 2017 10:15

Tgt Ion: 136 Resp: 178120


Ion Ratio Lower Upper

136 100



137 12.1 9.2 13.8

54 7.7 10.3 15.5#

68 5.0 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 103.847 ng
RT: 9.31 min Scan# 1025
Delta R.T. -0.01 min
Lab File: BG030936.D
Acq: 11 Nov 2017 10:15

Instrument :
BNA_G
ClientSampleId :
LS-STONE

Tot Ion: 82 Resp: 312158
Ion Ratio Lower Upper
82 100
128 46.2 29.7 44.5#
54 52.0 43.1 64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#31
Naphthalene
Concen: 4.684 ng
RT: 11.01 min Scan# 1314
Delta R.T. -0.01 min
Lab File: BG030936.D
Acq: 11 Nov 2017 10:15

Tgt Ion:128 Resp: 41012
Ion Ratio Lower Upper
128 100
129 9.5 8.6 12.8
127 12.3 11.6 17.4



Abundance Ion 128.00 (127.70 to 128.70): BGC
Ion 129.00 (128.70 to 129.70): BGC
Ion 127.00 (126.70 to 127.70): BGC





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.76 min Scan# 1952

Delta R.T. -0.01 min

Lab File: BG030936.D

Acq: 11 Nov 2017 10:15

Instrument :

BNA_G

ClientSampled :

LS-STONE


Tot Ion:164 Resp: 118863

Ion Ratio Lower Upper

164 100

162 105.4 78.8 118.2




160 45.1 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 181.392 ng

RT: 16.25 min Scan# 2206

Delta R.T. -0.00 min

Lab File: BG030936.D

Acq: 11 Nov 2017 10:15


Tgt Ion:330 Resp: 348783

Ion Ratio Lower Upper

330 100

332 96.7 77.0 115.6



141 29.2 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 108.399 ng
 RT: 13.38 min Scan# 1718
 Delta R.T. -0.01 min
 Lab File: BG030936.D
 Acq: 11 Nov 2017 10:15




Instrument :
 BNA_G
 ClientSampleId :
 LS-STONE


Tot Ion:172 Resp: 896700
 Ion Ratio Lower Upper
 172 100
 171 38.0 30.0 45.0
 170 24.2 19.5 29.3



#51
 Acenaphthene
 Concen: 2.867 ng
 RT: 14.82 min Scan# 1963
 Delta R.T. -0.01 min
 Lab File: BG030936.D
 Acq: 11 Nov 2017 10:15

Tgt Ion:154 Resp: 20843
 Ion Ratio Lower Upper
 154 100
 153 115.8 90.4 135.6
 152 49.6 41.6 62.4









#54
Dibenzenofuran
Concen: 2.111 ng
RT: 15.17 min Scan# 2021
Delta R.T. -0.00 min
Lab File: BG030936.D
Acq: 11 Nov 2017 10:15




Instrument :
BNA_G
ClientSampleId :
LS-STONE


Tot Ion:168 Resp: 24437
Ion Ratio Lower Upper
168 100
139 37.6 28.6 43.0
169 12.7 11.2 16.8



#57
Fluorene
Concen: 2.083 ng
RT: 15.81 min Scan# 2131
Delta R.T. -0.00 min
Lab File: BG030936.D
Acq: 11 Nov 2017 10:15

Tgt Ion:166 Resp: 19577
Ion Ratio Lower Upper
166 100
165 93.5 80.6 121.0
167 14.3 10.4 15.6









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.50 min Scan# 2419
 Delta R.T. -0.01 min
 Lab File: BG030936.D
 Acq: 11 Nov 2017 10:15




Instrument :
 BNA_G
 ClientSampleID :
 LS-STONE


Tot Ion:188 Resp: 339457
 Ion Ratio Lower Upper
 188 100
 94 6.9 6.9 10.3
 80 7.2 7.7 11.5#



#70
 Phenanthrene
 Concen: 2.736 ng
 RT: 17.54 min Scan# 2426
 Delta R.T. -0.01 min
 Lab File: BG030936.D
 Acq: 11 Nov 2017 10:15

Tgt Ion:178 Resp: 48352
 Ion Ratio Lower Upper
 178 100
 176 21.4 15.7 23.5
 179 15.5 12.5 18.7





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.77 min Scan# 3146

Delta R.T. -0.01 min

Lab File: BG030936.D

Acq: 11 Nov 2017 10:15

Instrument :

BNA_G

ClientSampleId :

LS-STONE


Tot Ion:240 Resp: 449919

Ion Ratio Lower Upper

240 100

120 6.9 6.8 10.2




236 26.2 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 95.165 ng

RT: 20.09 min Scan# 2860

Delta R.T. -0.00 min

Lab File: BG030936.D

Acq: 11 Nov 2017 10:15


Tgt Ion:244 Resp: 1939084

Ion Ratio Lower Upper

244 100

212 8.1 5.8 8.8



122 8.1 7.0 10.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 25.08 min Scan# 3708
 Delta R.T. -0.01 min
 Lab File: BG030936.D
 Acq: 11 Nov 2017 10:15

Instrument :
 BNA_G
 ClientSampleId :
 LS-STONE

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.0	17.4	26.0
265	21.7	17.7	26.5



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

