

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG111120\
 Data File : BG047293.D
 Acq On : 11 Nov 2020 20:46
 Operator : CG/JU
 Sample : L4631-04
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PAV-B11-110420-0-10

Quant Time: Nov 12 02:09:43 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG110420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 04 16:19:40 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.009	152	58643	20.00	ng	0.00
21) Naphthalene-d8	10.818	136	236614	20.00	ng	0.00
39) Acenaphthene-d10	14.643	164	165480	20.00	ng	0.00
64) Phenanthrene-d10	17.392	188	388606	20.00	ng	# 0.00
76) Chrysene-d12	21.652	240	373904	20.00	ng	# 0.00
86) Perylene-d12	24.854	264	372036	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.571	112	411882	113.85	ng	0.01
7) Phenol-d6	7.175	99	481831	92.00	ng	0.02
23) Nitrobenzene-d5	9.173	82	450513	81.71	ng	0.00
42) 2,4,6-Tribromophenol	16.135	330	359818	129.85	ng	0.00
45) 2-Fluorobiphenyl	13.268	172	988554	76.62	ng	0.00
79) Terphenyl-d14	20.001	244	1675272	78.79	ng	0.00
Target Compounds						
10) Phenol	7.204	94	11802	2.38	ng	# 69
50) Dimethylphthalate	14.090	163	88134	6.03	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG111120\
Data File : BG047293.D
Acq On : 11 Nov 2020 20:46
Operator : CG/JU
Sample : L4631-04
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PAV-B11-110420-0-10

Quant Time: Nov 12 02:09:43 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG110420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 04 16:19:40 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.009 min Scan# 795
Delta R.T. 0.004 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46




Instrument :
BNA_G
ClientSampleId :
PAV-B11-110420-0-10


Tgt Ion:152 Resp: 58643
Ion Ratio Lower Upper
152 100
150 161.7 125.0 187.6
115 59.5 41.8 62.6



#5
2-Fluorophenol
Concen: 113.85 ng
RT: 5.571 min Scan# 380
Delta R.T. 0.010 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46

Tgt Ion:112 Resp: 411882
Ion Ratio Lower Upper
112 100
64 66.3 46.7 70.1
63 38.2 22.8 34.2#









#7
Phenol-d6
Concen: 92.00 ng
RT: 7.175 min Scan# 653
Delta R.T. 0.016 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46




Instrument :
BNA_G
ClientSampleId :
PAV-B11-110420-0-10


Tgt Ion: 99 Resp: 481831
Ion Ratio Lower Upper
99 100
42 21.1 12.8 19.2#
71 41.6 24.6 36.8#



#10
Phenol
Concen: 2.38 ng
RT: 7.204 min Scan# 658
Delta R.T. 0.016 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46

Tgt Ion: 94 Resp: 11802
Ion Ratio Lower Upper
94 100
65 31.5 6.6 46.6
66 60.8 13.9 53.9#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.818 min Scan# 1273
Delta R.T. 0.004 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46




Instrument :
BNA_G
ClientSampleId :
PAV-B11-110420-0-10


Tgt Ion:	136	Resp:	236614
Ion Ratio	Lower	Upper	
136	100		
137	10.7	9.1	13.7
54	8.0	6.2	9.4
68	5.3	5.0	7.4



#23
Nitrobenzene-d5
Concen: 81.71 ng
RT: 9.173 min Scan# 993
Delta R.T. 0.004 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46

Tgt Ion:	82	Resp:	450513
Ion Ratio	Lower	Upper	
82	100		
128	38.6	37.0	55.6
54	53.5	39.0	58.4









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.643 min Scan# 1924
Delta R.T. -0.002 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46




Instrument :
BNA_G
ClientSampleId :
PAV-B11-110420-0-10


Tgt Ion:164 Resp: 165480
Ion Ratio Lower Upper
164 100
162 106.4 82.3 123.5
160 45.1 35.3 52.9



#42
2,4,6-Tribromophenol
Concen: 129.85 ng
RT: 16.135 min Scan# 2178
Delta R.T. 0.004 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46

Tgt Ion:330 Resp: 359818
Ion Ratio Lower Upper
330 100
332 96.2 76.5 114.7
141 33.7 26.0 39.0









#45
2-Fluorobiphenyl
Concen: 76.62 ng
RT: 13.268 min Scan# 1690
Delta R.T. 0.004 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46




Instrument :
BNA_G
ClientSampleId :
PAV-B11-110420-0-10


Tgt Ion:172	Resp:	988554
Ion Ratio	Lower	Upper
172	100	
171	37.8	31.3 46.9
170	23.8	20.8 31.2



#50
Dimethylphthalate
Concen: 6.03 ng
RT: 14.090 min Scan# 1830
Delta R.T. -0.002 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46

Tgt Ion:163	Resp:	88134
Ion Ratio	Lower	Upper
163	100	
194	4.1	3.8 5.8
164	10.2	8.8 13.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.392 min Scan# 2392
Delta R.T. 0.004 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46




Instrument :
BNA_G
ClientSampleId :
PAV-B11-110420-0-10


Tgt Ion:188 Resp: 388606
Ion Ratio Lower Upper
188 100
94 5.5 6.3 9.5#
80 6.4 7.0 10.6#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.652 min Scan# 3117
Delta R.T. 0.004 min
Lab File: BG047293.D
Acq: 11 Nov 2020 20:46

Tgt Ion:240 Resp: 373904
Ion Ratio Lower Upper
240 100
120 5.2 6.2 9.4#
236 25.2 20.5 30.7









#79
 Terphenyl-d14
 Concen: 78.79 ng
 RT: 20.001 min Scan# 2836
 Delta R.T. 0.004 min
 Lab File: BG047293.D
 Acq: 11 Nov 2020 20:46

Instrument :
 BNA_G
 ClientSampleId :
 PAV-B11-110420-0-10

Tgt Ion:244 Resp: 1675272
 Ion Ratio Lower Upper
 244 100
 212 8.8 6.7 10.1
 122 7.3 7.8 11.6#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 24.854 min Scan# 3662
 Delta R.T. 0.016 min
 Lab File: BG047293.D
 Acq: 11 Nov 2020 20:46

Tgt Ion:264 Resp: 372036
 Ion Ratio Lower Upper
 264 100
 260 23.3 18.8 28.2
 265 21.8 17.8 26.8

