

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG111120\
 Data File : BG047298.D
 Acq On : 12 Nov 2020 00:09
 Operator : CG/JU
 Sample : L4697-04
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-2-S

Quant Time: Nov 12 02:10:28 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG110420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 04 16:19:40 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.006	152	60953	20.00	ng	# 0.00
21) Naphthalene-d8	10.820	136	238552	20.00	ng	0.00
39) Acenaphthene-d10	14.645	164	167066	20.00	ng	0.00
64) Phenanthrene-d10	17.389	188	403578	20.00	ng	# 0.00
76) Chrysene-d12	21.649	240	386739	20.00	ng	# 0.00
86) Perylene-d12	24.851	264	396045	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.573	112	440131	117.04	ng	0.01
7) Phenol-d6	7.177	99	527526	96.91	ng	0.02
23) Nitrobenzene-d5	9.175	82	455360	81.92	ng	0.00
42) 2,4,6-Tribromophenol	16.132	330	373972	133.68	ng	0.00
45) 2-Fluorobiphenyl	13.270	172	1031036	79.15	ng	0.00
79) Terphenyl-d14	19.998	244	1760284	80.04	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.087	163	76982	5.22	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG111120\
Data File : BG047298.D
Acq On : 12 Nov 2020 00:09
Operator : CG/JU
Sample : L4697-04
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-2-S

Quant Time: Nov 12 02:10:28 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG110420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 04 16:19:40 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.006 min Scan# 794
Delta R.T. 0.001 min
Lab File: BG047298.D
Acq: 12 Nov 2020 00:09




Instrument :
BNA_G
ClientSampleId :
TP-2-S


Tgt Ion:152 Resp: 60953
Ion Ratio Lower Upper
152 100
150 155.6 125.0 187.6
115 62.8 41.8 62.6#



#5
2-Fluorophenol
Concen: 117.04 ng
RT: 5.573 min Scan# 380
Delta R.T. 0.013 min
Lab File: BG047298.D
Acq: 12 Nov 2020 00:09

Tgt Ion:112 Resp: 440131
Ion Ratio Lower Upper
112 100
64 65.0 46.7 70.1
63 39.5 22.8 34.2#









#7
Phenol-d6
Concen: 96.91 ng
RT: 7.177 min Scan# 653
Delta R.T. 0.018 min
Lab File: BG047298.D
Acq: 12 Nov 2020 00:09




Instrument :
BNA_G
ClientSampleId :
TP-2-S


Tgt Ion: 99 Resp: 527526
Ion Ratio Lower Upper
99 100
42 21.0 12.8 19.2#
71 41.4 24.6 36.8#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.820 min Scan# 1273
Delta R.T. 0.006 min
Lab File: BG047298.D
Acq: 12 Nov 2020 00:09

Tgt Ion: 136 Resp: 238552
Ion Ratio Lower Upper
136 100
137 10.9 9.1 13.7
54 8.4 6.2 9.4
68 5.3 5.0 7.4









#23
Nitrobenzene-d5
Concen: 81.92 ng
RT: 9.175 min Scan# 993
Delta R.T. 0.007 min
Lab File: BG047298.D
Acq: 12 Nov 2020 00:09




Instrument :
BNA_G
ClientSampleId :
TP-2-S


Tgt Ion: 82 Resp: 455360
Ion Ratio Lower Upper
82 100
128 41.1 37.0 55.6
54 55.7 39.0 58.4



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.645 min Scan# 1924
Delta R.T. 0.001 min
Lab File: BG047298.D
Acq: 12 Nov 2020 00:09

Tgt Ion:164 Resp: 167066
Ion Ratio Lower Upper
164 100
162 104.6 82.3 123.5
160 46.3 35.3 52.9









#42
2,4,6-Tribromophenol
Concen: 133.68 ng
RT: 16.132 min Scan# 2177
Delta R.T. 0.001 min
Lab File: BG047298.D
Acq: 12 Nov 2020 00:09




Instrument :
BNA_G
ClientSampleId :
TP-2-S


Tgt Ion:330 Resp: 373972
Ion Ratio Lower Upper
330 100
332 96.1 76.5 114.7
141 33.6 26.0 39.0



#45
2-Fluorobiphenyl
Concen: 79.15 ng
RT: 13.270 min Scan# 1690
Delta R.T. 0.007 min
Lab File: BG047298.D
Acq: 12 Nov 2020 00:09

Tgt Ion:172 Resp: 1031036
Ion Ratio Lower Upper
172 100
171 38.2 31.3 46.9
170 24.1 20.8 31.2









#50
Dimethylphthalate
Concen: 5.22 ng
RT: 14.087 min Scan# 1829
Delta R.T. -0.005 min
Lab File: BG047298.D
Acq: 12 Nov 2020 00:09




Instrument :
BNA_G
ClientSampleId :
TP-2-S


Tgt Ion:163 Resp: 76982
Ion Ratio Lower Upper
163 100
194 4.0 3.8 5.8
164 11.4 8.8 13.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.389 min Scan# 2391
Delta R.T. 0.001 min
Lab File: BG047298.D
Acq: 12 Nov 2020 00:09

Tgt Ion:188 Resp: 403578
Ion Ratio Lower Upper
188 100
94 5.3 6.3 9.5#
80 7.4 7.0 10.6





#76

Chrysene-d12

Concen: 20.00 ng

RT: 21.649 min Scan# 3116

Delta R.T. 0.001 min

Lab File: BG047298.D

Acq: 12 Nov 2020 00:09





Tgt Ion:240 Resp: 386739

Ion Ratio Lower Upper

240 100

120 4.6 6.2 9.4#

236 27.3 20.5 30.7



#79

Terphenyl-d14

Concen: 80.04 ng

RT: 19.998 min Scan# 2835

Delta R.T. 0.001 min

Lab File: BG047298.D

Acq: 12 Nov 2020 00:09




Tgt Ion:244 Resp: 1760284


Ion Ratio Lower Upper

244 100

212 8.4 6.7 10.1


122 7.2 7.8 11.6#





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 24.851 min Scan# 3661
 Delta R.T. 0.013 min
 Lab File: BG047298.D
 Acq: 12 Nov 2020 00:09

Instrument :
 BNA_G
 ClientSampleId :
 TP-2-S



Tgt Ion:264 Resp: 396045
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.8 28.2
 265 20.4 17.8 26.8

