

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG111315\
 Data File : BG019593.D
 Acq On : 13 Nov 2015 20:56
 Operator : UM/NP
 Sample : G4342-04
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 D9KP7

Quant Time: Nov 14 00:37:18 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG102815.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Nov 14 00:34:28 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	24484	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	98282	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.79	164	77232	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.53	188	222644	20.00	ng/ul	0.00
78) Chrysene-d12	21.81	240	275553	20.00	ng/ul	0.00
86) Perylene-d12	25.13	264	260486	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.46	96	3180	6.22	ng/uL	0.00
5) Phenol-d5	7.30	99	66717	29.68	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	44213	31.03	ng/ul	0.00
9) 2-Chlorophenol-d4	7.68	132	40514	28.88	ng/ul	0.00
13) 4-Methylphenol-d8	8.87	113	53408	29.83	ng/ul	0.00
19) Nitrobenzene-d5	9.34	128	22140	30.65	ng/ul	0.00
22) 2-Nitrophenol-d4	10.06	143	25365	29.58	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	52251	28.09	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	56125	29.83	ng/ul	0.00
44) Dimethylphthalate-d6	14.19	166	202553	31.81	ng/ul	0.00
47) Acenaphthylene-d8	14.49	160	209808	29.75	ng/ul	0.00
52) 4-Nitrophenol-d4	14.98	143	33832	33.44	ng/ul	0.00
58) Fluorene-d10	15.78	176	169433	28.76	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.89	200	38125	26.46	ng/ul	0.00
71) Anthracene-d10	17.63	188	305743	30.12	ng/ul	0.00
79) Pyrene-d10	19.91	212	371439	30.80	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.91	264	403306	30.85	ng/ul	0.00

Target Compounds


						Qvalue
6) Phenol	7.33	94	2900	1.21	ng/ul#	89
45) Dimethylphthalate	14.24	163	218552	33.56	ng/ul#	98
46) 2,6-Dinitrotoluene	14.24	165	2435	1.85	ng/ul#	34
84) Bis(2-ethylhexyl)phthalate	21.67	149	9986	1.40	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG111315\
Data File : BG019593.D
Acq On : 13 Nov 2015 20:56
Operator : UM/NP
Sample : G4342-04
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
D9KP7

Quant Time: Nov 14 00:37:18 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG102815.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Nov 14 00:34:28 2015
Response via : Initial Calibration





#6

Phenol

Concen: 1.21 ng/ul

RT: 7.33 min Scan# 765

Delta R.T. -0.00 min

Lab File: BG019593.D

Acq: 13 Nov 2015 20:56

Instrument :

BNA_G

ClientSampleId :

D9KP7


Tgt Ion: 94 Resp: 2900

Ion Ratio Lower Upper




94 100

65 37.3 29.3 43.9

66 44.0 45.0 67.6#



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC



#45

Dimethylphthalate

Concen: 33.56 ng/ul

RT: 14.24 min Scan# 1940

Delta R.T. -0.00 min

Lab File: BG019593.D

Acq: 13 Nov 2015 20:56


Tgt Ion:163 Resp: 218552

Ion Ratio Lower Upper



163 100


194 4.1 4.3 6.5#

164 9.5 7.5 11.3



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#46
 2,6-Dinitrotoluene
 Concen: 1.85 ng/ul
 RT: 14.24 min Scan# 1940
 Delta R.T. -0.12 min
 Lab File: BG019593.D
 Acq: 13 Nov 2015 20:56

Instrument :
 BNA_G
 ClientSampleId :
 D9KP7

Tgt Ion:165 Resp: 2435
 Ion Ratio Lower Upper
 165 100
 89 13.4 66.7 100.1#
 121 29.8 17.0 25.4#



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 1.40 ng/ul
 RT: 21.67 min Scan# 3205
 Delta R.T. -0.00 min
 Lab File: BG019593.D
 Acq: 13 Nov 2015 20:56

Tgt Ion:149 Resp: 9986
 Ion Ratio Lower Upper
 149 100
 167 28.0 23.2 34.8
 279 6.0 5.0 7.4

