

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG111418\
 Data File : BG037998.D
 Acq On : 14 Nov 2018 15:43
 Operator : JU/SJ
 Sample : J5925-04
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-1S

Quant Time: Nov 14 16:49:53 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	50774	20.00	ng	0.00
21) Naphthalene-d8	10.90	136	211261	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	136193	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	333054	20.00	ng	0.00
76) Chrysene-d12	21.75	240	314205	20.00	ng	0.00
87) Perylene-d12	25.07	264	319379	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	311080	105.78	ng	0.00
7) Phenol-d6	7.23	99	379095	90.31	ng	0.00
23) Nitrobenzene-d5	9.26	82	308978	78.29	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	178220	114.74	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	702565	75.15	ng	0.00
79) Terphenyl-d14	20.06	244	1155167	86.51	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG111418\
Data File : BG037998.D
Acq On : 14 Nov 2018 15:43
Operator : JU/SJ
Sample : J5925-04
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-1S

Quant Time: Nov 14 16:49:53 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.08 min Scan# 816
Delta R.T. -0.00 min
Lab File: BG037998.D
Acq: 14 Nov 2018 15:43

Instrument :
BNA_G
ClientSampleId :
TP-1S

Tot Ion:152 Resp: 50774
Ion Ratio Lower Upper
152 100
150 148.3 126.0 189.0
115 53.7 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 105.782 ng
RT: 5.63 min Scan# 398
Delta R.T. -0.00 min
Lab File: BG037998.D
Acq: 14 Nov 2018 15:43

Tgt Ion:112 Resp: 311080
Ion Ratio Lower Upper
112 100
64 67.4 53.1 79.7
63 34.2 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 90.309 ng

RT: 7.23 min Scan# 671

Delta R.T. 0.00 min

Lab File: BG037998.D

Acq: 14 Nov 2018 15:43

Instrument :

BNA_G

ClientSampled :

TP-1S


Tot Ion: 99 Resp: 379095

Ion Ratio Lower Upper




99 100

42 18.2 15.0 22.4

71 31.0 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.90 min Scan# 1296

Delta R.T. -0.00 min

Lab File: BG037998.D

Acq: 14 Nov 2018 15:43

Tgt Ion: 136 Resp: 211261


Ion Ratio Lower Upper

136 100



137 11.4 9.6 14.4


54 10.9 7.9 11.9

68 6.6 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 78.290 ng

RT: 9.26 min Scan# 1016

Delta R.T. -0.00 min

Lab File: BG037998.D

Acq: 14 Nov 2018 15:43

Instrument :

BNA_G

ClientSampleId :

TP-1S





Tot Ion: 82 Resp: 308978

Ion Ratio Lower Upper

82 100

128 41.9 34.6 51.8

54 54.7 45.3 67.9



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.72 min Scan# 1945

Delta R.T. -0.00 min

Lab File: BG037998.D

Acq: 14 Nov 2018 15:43




Tgt Ion:164 Resp: 136193


Ion Ratio Lower Upper

164 100

162 102.2 81.3 121.9

160 44.7 36.3 54.5









#42
 2,4,6-Tribromophenol
 Concen: 114.740 ng
 RT: 16.21 min Scan# 2199
 Delta R.T. -0.00 min
 Lab File: BG037998.D
 Acq: 14 Nov 2018 15:43

Instrument :
 BNA_G
 ClientSampled :
 TP-1S

Tot Ion:330 Resp: 178220
 Ion Ratio Lower Upper
 330 100
 332 96.7 78.4 117.6
 141 39.6 32.2 48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 75.153 ng
 RT: 13.34 min Scan# 1711
 Delta R.T. -0.00 min
 Lab File: BG037998.D
 Acq: 14 Nov 2018 15:43

Tgt Ion:172 Resp: 702565
 Ion Ratio Lower Upper
 172 100
 171 37.4 31.0 46.4
 170 24.9 20.2 30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.47 min Scan# 2413

Delta R.T. -0.00 min

Lab File: BG037998.D

Acq: 14 Nov 2018 15:43

Instrument :

BNA_G

ClientSampleId :

TP-1S


Tot Ion:188 Resp: 333054

Ion Ratio Lower Upper

188 100

94 9.2 7.2 10.8




80 9.9 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.75 min Scan# 3142

Delta R.T. -0.00 min

Lab File: BG037998.D

Acq: 14 Nov 2018 15:43


Tgt Ion:240 Resp: 314205

Ion Ratio Lower Upper

240 100

120 11.0 8.1 12.1



236 27.3 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 86.508 ng

RT: 20.06 min Scan# 2855

Delta R.T. -0.00 min

Lab File: BG037998.D

Acq: 14 Nov 2018 15:43

Instrument :


BNA_G

ClientSampled :

TP-1S

Tot Ion:244 Resp: 1155167

Ion	Ratio	Lower	Upper
244	100		
212	8.2	6.5	9.7
122	11.4	9.0	13.4






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707


Delta R.T. -0.01 min

Lab File: BG037998.D

Acq: 14 Nov 2018 15:43

Tgt Ion:264 Resp: 319379

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.2	27.4
265	22.6	17.9	26.9



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

