

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG111515\
 Data File : BG019615.D
 Acq On : 15 Nov 2015 15:12
 Operator : UM/NP
 Sample : G4401-06
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BC780

Quant Time: Nov 16 02:50:27 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG102815.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Nov 16 02:26:38 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	27710	20.00	ng/ul	0.00
18) Naphthalene-d8	10.99	136	115167	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.79	164	92809	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.53	188	254976	20.00	ng/ul	0.00
78) Chrysene-d12	21.80	240	320507	20.00	ng/ul	0.00
86) Perylene-d12	25.13	264	305712	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.46	96	3152	5.45	ng/uL	0.00
5) Phenol-d5	7.30	99	63470	24.95	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.47	67	46457	28.81	ng/ul	0.00
9) 2-Chlorophenol-d4	7.69	132	39547	24.91	ng/ul	0.00
13) 4-Methylphenol-d8	8.86	113	52090	25.71	ng/ul	0.00
19) Nitrobenzene-d5	9.33	128	21087	24.91	ng/ul	0.00
22) 2-Nitrophenol-d4	10.06	143	25219	25.10	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.60	165	49980	22.93	ng/ul	0.00
29) 4-Chloroaniline-d4	11.12	131	56318	25.54	ng/ul	0.00
44) Dimethylphthalate-d6	14.18	166	198720	25.97	ng/ul	0.00
47) Acenaphthylene-d8	14.49	160	191238	22.57	ng/ul	0.00
52) 4-Nitrophenol-d4	14.98	143	28526	23.47	ng/ul	0.00
58) Fluorene-d10	15.78	176	145644	20.57	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.89	200	30171	18.28	ng/ul	0.00
71) Anthracene-d10	17.63	188	247848	21.32	ng/ul	0.00
79) Pyrene-d10	19.90	212	243002	17.33	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.89	264	216057	14.08	ng/ul	0.00


Target Compounds						Qvalue
6) Phenol	7.33	94	3696	1.36	ng/ul#	82
45) Dimethylphthalate	14.23	163	152704	19.51	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG111515\
Data File : BG019615.D
Acq On : 15 Nov 2015 15:12
Operator : UM/NP
Sample : G4401-06
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BC780

Quant Time: Nov 16 02:50:27 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG102815.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Nov 16 02:26:38 2015
Response via : Initial Calibration





#6

Phenol

Concen: 1.36 ng/ul

RT: 7.33 min Scan# 764

Delta R.T. -0.01 min

Lab File: BG019615.D

Acq: 15 Nov 2015 15:12

Instrument :

BNA_G

ClientSampleId :

BC780


Tgt Ion: 94 Resp: 3696

Ion Ratio Lower Upper




94 100

65 28.4 29.3 43.9#

66 40.7 45.0 67.6#



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC



#45

Dimethylphthalate

Concen: 19.51 ng/ul

RT: 14.23 min Scan# 1939

Delta R.T. -0.01 min

Lab File: BG019615.D

Acq: 15 Nov 2015 15:12


Tgt Ion: 163 Resp: 152704

Ion Ratio Lower Upper

163 100

194 4.5 4.3 6.5

164 10.8 7.5 11.3



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E

