

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG111517\
 Data File : BG031010.D
 Acq On : 15 Nov 2017 11:48
 Operator : SJ/JU
 Sample : I6441-30
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Nov 15 14:15:58 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 10 15:38:25 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.14	152	34761	20.00	ng	-0.01
21) Naphthalene-d8	10.96	136	137214	20.00	ng	-0.01
38) Acenaphthene-d10	14.76	164	91301	20.00	ng	-0.01
63) Phenanthrene-d10	17.50	188	253599	20.00	ng	-0.01
75) Chrysene-d12	21.77	240	386975	20.00	ng	-0.01
86) Perylene-d12	25.07	264	402131	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.70	112	237443	117.13	ng	0.00
7) Phenol-d6	7.31	99	264020	96.67	ng	0.00
23) Nitrobenzene-d5	9.31	82	234222	101.15	ng	-0.01
41) 2,4,6-Tribromophenol	16.24	330	234158	158.54	ng	-0.01
44) 2-Fluorobiphenyl	13.38	172	732774	115.32	ng	-0.02
78) Terphenyl-d14	20.09	244	1655773	94.48	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG111517\
Data File : BG031010.D
Acq On : 15 Nov 2017 11:48
Operator : SJ/JU
Sample : I6441-30
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Nov 15 14:15:58 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 10 15:38:25 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.14 min Scan# 826
Delta R.T. -0.01 min
Lab File: BG031010.D
Acq: 15 Nov 2017 11:48

Instrument :
BNA_G
ClientSampleId :




Tot Ion:152 Resp: 34761
Ion Ratio Lower Upper
152 100
150 165.7 126.6 189.8
115 55.2 53.0 79.4




#5

2-Fluorophenol
Concen: 117.131 ng
RT: 5.70 min Scan# 411
Delta R.T. -0.00 min
Lab File: BG031010.D
Acq: 15 Nov 2017 11:48

Tgt Ion:112 Resp: 237443
Ion Ratio Lower Upper
112 100
64 54.1 56.3 84.5#
63 30.7 30.1 45.1





#7

Phenol-d6

Concen: 96.674 ng

RT: 7.31 min Scan# 684

Delta R.T. 0.00 min

Lab File: BG031010.D

Acq: 15 Nov 2017 11:48

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 264020

Ion Ratio Lower Upper

99 100

42 19.3 14.1 21.1

71 40.1 26.1 39.1#






Abundance

Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.96 min Scan# 1305

Delta R.T. -0.01 min

Lab File: BG031010.D

Acq: 15 Nov 2017 11:48

Tgt Ion:136 Resp: 137214


Ion Ratio Lower Upper

136 100

137 11.0 9.2 13.8

54 5.7 10.3 15.5#

68 3.7 4.5 6.7#





Abundance

Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 101.149 ng
RT: 9.31 min Scan# 1025
Delta R.T. -0.01 min
Lab File: BG031010.D
Acq: 15 Nov 2017 11:48




Instrument :
BNA_G
ClientSampleId :

Tot Ion: 82 Resp: 234222
Ion Ratio Lower Upper
82 100
128 44.7 29.7 44.5#
54 50.1 43.1 64.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.76 min Scan# 1953
Delta R.T. -0.01 min
Lab File: BG031010.D
Acq: 15 Nov 2017 11:48

Tgt Ion:164 Resp: 91301
Ion Ratio Lower Upper
164 100
162 103.6 78.8 118.2
160 44.7 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 158.541 ng
 RT: 16.24 min Scan# 2205
 Delta R.T. -0.01 min
 Lab File: BG031010.D
 Acq: 15 Nov 2017 11:48

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.0	77.0	115.6
141	26.1	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 115.324 ng
 RT: 13.38 min Scan# 1718
 Delta R.T. -0.02 min
 Lab File: BG031010.D
 Acq: 15 Nov 2017 11:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.4	30.0	45.0
170	22.5	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.50 min Scan# 2419
Delta R.T. -0.01 min
Lab File: BG031010.D
Acq: 15 Nov 2017 11:48




Instrument :
BNA_G
ClientSampleId :


Tot Ion:188 Resp: 253599
Ion Ratio Lower Upper
188 100
94 5.1 6.9 10.3#
80 5.3 7.7 11.5#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3146
Delta R.T. -0.01 min
Lab File: BG031010.D
Acq: 15 Nov 2017 11:48

Tgt Ion:240 Resp: 386975
Ion Ratio Lower Upper
240 100
120 4.7 6.8 10.2#
236 25.9 20.9 31.3





#78

Terphenyl-d14

Concen: 94.479 ng

RT: 20.09 min Scan# 2860

Delta R.T. -0.01 min

Lab File: BG031010.D

Acq: 15 Nov 2017 11:48


Instrument :

BNA_G

ClientSampleId :

Tot Ion:244 Resp: 1655773



Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.8
122	6.1	7.0	10.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3708


Delta R.T. -0.02 min

Lab File: BG031010.D

Acq: 15 Nov 2017 11:48

Tgt Ion:264 Resp: 402131



Ion	Ratio	Lower	Upper
264	100		
260	22.9	17.4	26.0
265	20.9	17.7	26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E



Time-->